

Finished vehicles - Inventory Report

DOC REF No: FV08
VERSION No: V1R0

DATE: May 2020

Finished vehicles - Inventory Report

based on

INVRPT

Inventory report message

UN D.18B S3

Version: V1R0
Issue date: May 2020
Author: ECG/Odette/VDA

Structure..... 2

Branching Diagram 4

Segment Details..... 8

Example message(s) 57

STRUCTURE / TABLE OF CONTENTS

No Tag	St	MaxOcc	Content
01 UNA	O	1	Service string advice
02 UNB	M	1	Interchange header
03 UNH	M	1	Message header
04 BGM	M	1	Beginning of message
05 FTX	O	1	Free text regarding the entire report
06 DTM	R	1	Document date
07 DTM	D	1	Stock taking / calculation date
SG1	O	2	Reference to inventory report request or previous inventory report
08 RFF	M	1	Reference to inventory report request or previous inventory report
09 DTM	O	1	Reference date
SG2	R	1	Message sender
10 NAD	M	1	Message sender - ID
SG3	O	3	Additional party ID
11 RFF	M	1	Additional party ID
SG2	R	1	Message recipient
12 NAD	M	1	Message recipient - ID
SG3	O	3	Additional party ID
13 RFF	M	1	Additional party ID
SG2	R	1	Compound manager
14 NAD	M	1	Compound manager - name and address
SG3	O	3	Additional party ID
15 RFF	M	1	Additional party ID
SG4	O	1	Information contact
16 CTA	M	1	Information contact
17 COM	O	3	Communication contact
SG9	R	9999999	Vehicle- or Model identification
18 LIN	M	1	Line item
19 PIA	O	10	Model, make etc.
20 NAD	O	1	Manufacturer
21 MEA	O	4	Length, width, height and weight

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

STRUCTURE / TABLE OF CONTENTS

No	Tag	St	MaxOcc	Content
22	LOC	R	1	Actual compound or port
23	LOC	D	1	Level 2 and 3 location within the compound
	SG12	R	9999	Inventory details
24	INV	M	1	Inventory details
25	QTY	R	1	Inventory quantity
26	QTY	O	1	Capacity usage
27	GIN	O	9999	VIN
28	LOC	D	1	Level 2 and 3 within the compound
29	DTM	O	1	Ready for shipment date/time
30	DTM	O	1	Positioning date/time
	SG13	O	1	Original ship from (= manufacturing plant)
31	NAD	M	1	Name and address
	SG13	O	1	Ship to for the next transport leg
32	NAD	M	1	ShipTo - name and address
33	LOC	O	1	Unloading point
	SG13	O	1	Ultimate destination - customer / importer / dealer
34	NAD	M	1	Ultimate customer / importer / dealer- name and address
	SG15	O	1	Booking Reference
35	RFF	M	1	Reference
36	UNT	M	1	Message trailer
37	UNZ	M	1	Interchange trailer

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Finished vehicles - Inventory Report


DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

BRANCHING DIAGRAM OF USED SEGMENTS AND SEGMENT GROUPS



Tag	
St	No
MaxOcc	

Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

No = Consecutive segment number, MaxOcc = Maximum occurrence of the segment/group

Finished vehicles - Inventory Report


DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

BRANCHING DIAGRAM OF USED SEGMENTS AND SEGMENT GROUPS



Tag	
St	No
MaxOcc	

Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

No = Consecutive segment number, MaxOcc = Maximum occurrence of the segment/group

Finished vehicles - Inventory Report


DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

BRANCHING DIAGRAM OF USED SEGMENTS AND SEGMENT GROUPS



Tag	
St	No
MaxOcc	

Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

No = Consecutive segment number, MaxOcc = Maximum occurrence of the segment/group

Finished vehicles - Inventory Report


DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

BRANCHING DIAGRAM OF USED SEGMENTS AND SEGMENT GROUPS



Tag	
St	No
MaxOcc	

Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

No = Consecutive segment number, MaxOcc = Maximum occurrence of the segment/group

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNA

Status:

O

Max. Occ.: 1

Seq. No.:

1

Service string advice

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
UNA1	Component data element separator	M an1	M an1	: Colon
UNA2	Data element separator	M an1	M an1	+ Plus
UNA3	Decimal notation	M an1	M an1	· Decimal
UNA4	Release indicator	M an1	M an1	? Question mark
UNA5	Reserved for future use	M an1	M an1	Blank
UNA6	Segment terminator	M an1	M an1	' Apostrophe

Remark:

Example: UNA:+.? '

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 8 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNB

Status:

M Max. Occ.: 1

Seq. No.:

2

Interchange header

UN/EDIFACT			Implementation	
	Name	St	Format	Use / Remarks
S001	Syntax identifier	M	M	
0001	Syntax identifier	M	a4	UNOB UN/ECE level B UNOC UN/ECE level C
0002	Syntax version number	M	n1	2 Version 2 3 Version 3
S002	Interchange sender	M	M	
0004	Sender identification	M	an..35	Unique ID of the sender in the data transmission network or system.
0007	Partner identification code qualifier	C	an..4	
0008	Address for reverse routing	C	an..14	Address of an application or internal system at sender's site to which answer messages should be routed.
S003	Interchange recipient	M	M	
0010	Recipient identification	M	an..35	Unique ID of the receiver in the data transmission network or system.
0007	Partner identification code qualifier	C	an..4	
0014	Routing address	C	an..14	Routing address respectively address of an application or internal system at recipient's site.
S004	Date/time of preparation	M	M	
0017	Date of preparation	M	n6	Format YYMMDD
0019	Time of preparation	M	n4	Format HHMM
0020	Interchange control reference	M	an..14	Unique ID of an interchange.
S005	Recipient's reference, password	C	N	not used
0022	Recipient's reference/password	M	an..14	not used
0025	Recipient's reference/password qualifier	C	an2	not used
0026	Application reference	C	an..14	not used
0029	Processing priority code	C	a1	not used
0031	Acknowledgement request	C	n1	not used
0032	Communications agreement ID	C	an..35	not used
0035	Test indicator	C	n1	1 Interchange is a test Only to be used, if the interchange is for test purposes. Omit this data element for valid interchanges.

Remark:

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 9 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNB

Status:

M

Max. Occ.: 1

Seq. No.: 2

Interchange header

Example: UNB+UNOC:3+OD012345:59:123+987654321:59:432112345+191108:1446+144659+++++1'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 10 / 62

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNH

Status:

M Max. Occ.: 1

Seq. No.:

3

Message header

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
0062	Message reference number	M an..14	M an..14	Message reference number in the interchange
S009	Message identifier	M	M	
0065	Message type	M an..6	M an..6	INVRPT Inventory report message
0052	Message version number	M an..3	M an..3	D Draft version/UN/EDIFACT Directory
0054	Message release number	M an..3	M an..3	18B Release 2018 - B
0051	Controlling agency	M an..2	M an..2	UN UN/CEFACT
0057	Association assigned code	C an..6	C an..6	GBOY10 Odette Finished Vehicles Inventory Report V1.0
0068	Common access reference	C an..35	N	not used
S010	Status of the transfer	C	N	not used
0070	Sequence of transfers	M n..2	N	not used
0073	First and last transfer	C a1	N	not used

Remark:

Example: UNH+1+INVRPT:D:18B:UN:GBOY10'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 11 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

BGM

Status:

M Max. Occ.: 1

Seq. No.:

4

Beginning of message

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C002	Document/message name	C	C	
1001	Document name code	C an..3	R an..3	Code 251 - inventory / stock taking request Code 263 - inventory correction 35 Inventory report 78 Inventory movement advice 251 Inquiry 263 Inventory adjustment status report
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
1000	Document name	C an..35	O an..35	Additional profile information
C106	Document/message identification	C	R	
1004	Document identifier	C an..70	R an..35	an..35 Message number
1056	Version identifier	C an..9	N	not used
1060	Revision identifier	C an..6	N	not used
1225	Message function code	C an..3	O an..3	9 Original 7 Duplicate
4343	Response type code	C an..3	N	not used
1373	Document status code	C an..3	N	not used
3453	Language name code	C an..3	N	not used

Remark:

Example: BGM+35:::X+12345+9'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 12 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

FTX

Status:

O Max. Occ.: 1

Seq. No.:

5

Free text regarding the entire report

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
4451	Text subject code qualifier	M an..3	M an..3	AGQ Inventory
4453	Free text function code	C an..3	N	not used
C107	Text reference	C	N	not used
4441	Free text description code	M an..17	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
C108	Text literal	C	R	
4440	Free text	M an..512	M an..512	Any necessary free text information can be transmitted here.
4440	Free text	C an..512	O an..512	See 4440#1
4440	Free text	C an..512	O an..512	See 4440#1
4440	Free text	C an..512	O an..512	See 4440#1
4440	Free text	C an..512	O an..512	See 4440#1
3453	Language name code	C an..3	O an..3	
4447	Free text format code	C an..3	N	not used

Remark:

Example: FTX+AGQ+++Text:Text:Text:Text:Text+en'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 13 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

DTM

Status:

R Max. Occ.: 1

Seq. No.:

6

Document date

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	137 Document issue date time
2380	Date or time or period text	C an..35	R an..17	an..17 Date, on which a document or business signal was issued.
2379	Date or time or period format code	C an..3	R an..3	102 CCYYMMDD 203 CCYYMMDDHHMM 205 CCYYMMDDHHMMZHHMM

Remark:

Example: DTM+137:201911081230:203'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 14 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

DTM

Status:

D Max. Occ.: 1

Seq. No.:

7

Stock taking / calculation date

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	366 Inventory report date
2380	Date or time or period text	C an..35	R an..17	Actual calculation or counting date/time an..17
2379	Date or time or period format code	C an..3	R an..3	102 CCYYMMDD 203 CCYYMMDDHHMM 205 CCYYMMDDHHMMZHHMM

Remark: Mandatory for inventory movement advice, report and adjustment

Example: DTM+366:201911071530:203'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 15 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group:

SG1

Status: O Max. Occ.: 2

Reference to inventory report request or previous inventory report

Segment:

RFF

Status: M Max. Occ.: 1 Seq. No.: 8

Reference to inventory report request or previous inventory report

UN/EDIFACT			Implementation		
	Name	St	Format	St	Format
C506	Reference	M	M		
1153	Reference code qualifier	M	an..3	M	an..3
1154	Reference identifier	C	an..70	R	an..35
1156	Document line identifier	C	an..6	N	
1056	Version identifier	C	an..9	N	
1060	Revision identifier	C	an..6	N	

Remark:

Example: RFF+API:X'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 16 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group:

SG1

Status: O

Max. Occ.: 2

Reference to inventory report request or previous inventory report

Segment:

DTM

Status:

O Max. Occ.: 1

Seq. No.: 9

Reference date

UN/EDIFACT			Implementation		
	Name	St	Format	St	Format
C507	Date/time/period	M	M		
2005	Date or time or period function code qualifier	M	an..3	M	an..3
2380	Date or time or period text	C	an..35	C	an..35
2379	Date or time or period format code	C	an..3	R	an..3
				171	Reference date/time
					Referenced document/message issue date/time
				102	CCYYMMDD
				201	YYMMDDHHMM

Remark:

Example: DTM+171:20191112:102'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 17 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: R Max. Occ.: 1
Message sender

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 10
Message sender - ID

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3035	Party function code qualifier	M an..3	M an..3	MS Document/message issuer/sender
C082	Party identification details	C	R	
3039	Party identifier	M an..35	M an..35	Unique identification of a party by an ID. an..35
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list.
C058	Name and address	C	N	not used
3124	Name and address description	M an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
C080	Party name	C	N	not used
3036	Party name	M an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3045	Party name format code	C an..3	N	not used
C059	Street	C	N	not used
3042	Street and number or post office box identifier	M an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 18 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: R Max. Occ.: 1
Message sender

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 10
Message sender - ID

UN/EDIFACT				Implementation		
	Name	St	Format	St	Format	Use / Remarks
3164	City name	C	an..35	N		not used
C819	Country subdivision details	C		N		not used
3229	Country subdivision identifier	C	an..9	N		not used
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
3228	Country subdivision name	C	an..70	N		not used
3251	Postal identification code	C	an..17	N		not used
3207	Country identifier	C	an..3	N		not used

Remark:

Example: NAD+MS+Identifier::10'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 19 / 62

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: R Max. Occ.: 1
Message sender

Group: **SG3** Status: O Max. Occ.: 3
Additional party ID

Segment: **RFF** Status: M Max. Occ.: 1 Seq. No.: 11
Additional party ID

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	ANK Reference number assigned by third party ADE Account number O10 Party identifier assigned by ODETTE
1154	Reference identifier	C an..70	R an..35	an..35 DUNS number: 1153 = ANK
1156	Document line identifier	C an..6	N	not used
1056	Version identifier	C an..9	N	not used
1060	Revision identifier	C an..6	N	not used

Remark:

Example: RFF+ADE:123456789'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 20 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: R Max. Occ.: 1
Message recipient

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 12
Message recipient - ID

UN/EDIFACT			Implementation	
	Name	St	Format	Use / Remarks
3035	Party function code qualifier	M	an..3	MR Message recipient
C082	Party identification details	C	O	
3039	Party identifier	M	an..35	Unique identification of a party by an ID. an..35
1131	Code list identification code	C	an..17	N not used
3055	Code list responsible agency code	C	an..3	10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list.
C058	Name and address	C	N	not used
3124	Name and address description	M	an..35	N not used
3124	Name and address description	C	an..35	N not used
3124	Name and address description	C	an..35	N not used
3124	Name and address description	C	an..35	N not used
3124	Name and address description	C	an..35	N not used
C080	Party name	C	N	not used
3036	Party name	M	an..70	N not used
3036	Party name	C	an..70	N not used
3036	Party name	C	an..70	N not used
3036	Party name	C	an..70	N not used
3036	Party name	C	an..70	N not used
3045	Party name format code	C	an..3	N not used
C059	Street	C	N	not used
3042	Street and number or post office box identifier	M	an..256	N not used
3042	Street and number or post office box identifier	C	an..256	N not used
3042	Street and number or post office box identifier	C	an..256	N not used
3042	Street and number or post office box identifier	C	an..256	N not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 21 / 62

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: R Max. Occ.: 1
Message recipient

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 12
Message recipient - ID

UN/EDIFACT				Implementation		
	Name	St	Format	St	Format	Use / Remarks
3164	City name	C	an..35	N		not used
C819	Country subdivision details	C		N		not used
3229	Country subdivision identifier	C	an..9	N		not used
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
3228	Country subdivision name	C	an..70	N		not used
3251	Postal identification code	C	an..17	N		not used
3207	Country identifier	C	an..3	N		not used

Remark:

Example: NAD+MR+Identifier::10'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 22 / 62

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: R Max. Occ.: 1
Message recipient

Group: **SG3** Status: O Max. Occ.: 3
Additional party ID

Segment: **RFF** Status: M Max. Occ.: 1 Seq. No.: 13
Additional party ID

UN/EDIFACT			Implementation	
	Name	St	Format	Use / Remarks
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	ANK Reference number assigned by third party ADE Account number O10 Party identifier assigned by ODETTE
1154	Reference identifier	C an..70	R an..35	an..35 DUNS number: 1153 = ANK
1156	Document line identifier	C an..6	N	not used
1056	Version identifier	C an..9	N	not used
1060	Revision identifier	C an..6	N	not used

Remark:

Example: RFF+ADE:123456789'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 23 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: R Max. Occ.: 1
Compound manager

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 14
Compound manager - name and address

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3035	Party function code qualifier	M an..3	M an..3	TR Terminal operator
C082	Party identification details	C	R	
3039	Party identifier	M an..35	R an..35	Unique identification of a party by an ID. Standard process: assigned by the OEM, if the supplier pays the freight, the partner ID assigned by the supplier is in this field.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list.
C058	Name and address	C	N	not used
3124	Name and address description	M an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
C080	Party name	C	O	
3036	Party name	M an..70	M an..35	Single text line for specification of a name an..35
3036	Party name	C an..70	O an..35	see 3036 # 1 an..35
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3045	Party name format code	C an..3	N	not used
C059	Street	C	O	
3042	Street and number or post office box identifier	M an..256	M an..35	The name that identifies the location of a house or building: usually within a street as part of an address. an..35
3042	Street and number or post office box identifier	C an..256	O an..35	see 3042 # 1 an..35

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 24 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: R Max. Occ.: 1

Compound manager

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 14

Compound manager - name and address

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3042	Street and number or post office box identifier	C an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used
3164	City name	C an..35	O an..35	The name of the city, town, or village of this address.
C819	Country subdivision details	C	O	
3229	Country subdivision identifier	C an..9	R an..9	State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3228	Country subdivision name	C an..70	N	not used
3251	Postal identification code	C an..17	O an..17	The identifier for one or more properties according to the postal service of that country; a group of letters and/or numbers added to the postal address to assist in the sorting of mail.
3207	Country identifier	C an..3	O a2	a2 Provides the country part of an address using a code. Use ISO3166 two alpha code.

Remark:

Example: NAD+TR+X::10++ECA:SE+Harbor Street 15:Rotterdam++++NL'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 25 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: R Max. Occ.: 1
Compound manager

Group: **SG3** Status: O Max. Occ.: 3
Additional party ID

Segment: **RFF** Status: M Max. Occ.: 1 Seq. No.: 15
Additional party ID

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	ANK Reference number assigned by third party ADE Account number O10 Party identifier assigned by ODETTE
1154	Reference identifier	C an..70	R an..35	an..35 DUNS number: 1153 = ANK
1156	Document line identifier	C an..6	N	not used
1056	Version identifier	C an..9	N	not used
1060	Revision identifier	C an..6	N	not used

Remark:

Example: RFF+ADE:123456789'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 26 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: R Max. Occ.: 1
Compound manager

Group: **SG4** Status: O Max. Occ.: 1
Information contact

Segment: **CTA** Status: M Max. Occ.: 1 Seq. No.: 16
Information contact

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3139	Contact function code	C an..3	R an..3	IC Information contact
C056	Contact details	C	O	
3413	Contact identifier	C an..17	O an..17	Identifies the department or employee by a unique identifier other than their name when given as a contact.
3412	Contact name	C an..256	O an..35	an..35 Name of the contact person or department

Remark: Information that identifies the contact person or department on general matters, together with information about how they can be contacted.

Example: CTA+IC+Key account:Pat Miller'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 27 / 62

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: R Max. Occ.: 1
Compound manager

Group: **SG4** Status: O Max. Occ.: 1
Information contact

Segment: **COM** Status: O Max. Occ.: 3 Seq. No.: 17
Communication contact

UN/EDIFACT			Implementation		
	Name	St	Format	St	Format
C076	Communication contact	M	M		
3148	Communication address identifier	M an..512	M an..100	an..100	The number or virtual 'address' of a telephone in a telecommunication system The number or virtual 'address' of a facsimile in a telecommunication system The number or virtual 'address' of an e-mail mailbox in the internet or other network.
3155	Communication means type code	M an..3	M an..3	EM FX TE	Electronic mail Telefax Telephone

Remark:

Example: COM+miller@ecm.com:EM'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 28 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG9** Status: R Max. Occ.: 9999999

Vehicle- or Model identification

Segment: **LIN** Status: M Max. Occ.: 1 Seq. No.: 18

Line item

UN/EDIFACT			Implementation		
	Name	St Format	St Format	Use / Remarks	
1082	Line item identifier	C an..6	R an..6	Unique line number within the message	
1229	Action code	C an..3	N	not used	
C212	Item number identification	C	N	not used	
7140	Item identifier	C an..35	N	not used	
7143	Item type identification code	C an..3	N	not used	
1131	Code list identification code	C an..17	N	not used	
3055	Code list responsible agency code	C an..3	N	not used	
C829	Sub-line information	C	N	not used	
5495	Sub-line indicator code	C an..3	N	not used	
1082	Line item identifier	C an..6	N	not used	
1222	Configuration level number	C n..2	N	not used	
7083	Configuration operation code	C an..3	N	not used	

Remark: Trigger for a new line - (grouping criteria) for each new line could be a different models, distinguishing properties of cars or different location.

Example: LIN+1'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 29 / 62

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG9** Status: R Max. Occ.: 9999999

Vehicle- or Model identification

Segment: **PIA** Status: O Max. Occ.: 10 Seq. No.: 19

Model, make etc.

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
4347	Product identifier code qualifier	M an..3	R an..3	1 Additional identification
C212	Item number identification	M	M	
7140	Item identifier	C an..35	R an..35	ID
7143	Item type identification code	C an..3	R an..3	Model type is (V11) is mandatory, if it is not known enter "UNKNOWN" in 7140. CL Colour number V01 Production number of a vehicle V02 Commission number of a vehicle V03 Vehicle cluster (01 = Sedan, 02= hatchback, ...) V04 Vehicle equipment code number V05 Order type (01 = customer car, 02= dealer stock, 03 = stock, 04=other) V06 Fuel type V07 Brand V08 Unique identifier of an engine V09 Engine power in kilowatt V10 Engine cubic capacity in cubic centimetres V11 Model type V12 Model version V13 For press or show V14 Product type (e.g. motorcycles, cars) V15 Vehicle usage (e.g. military, diplomat, car rental, ...) V16 Shipping batch number V17 Project number to identify a vehicle V18 Vehicle tracking number
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
C212	Item number identification	C	O	
7140	Item identifier	C an..35	R an..35	ID number
7143	Item type identification code	C an..3	R an..3	See 7143#1
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 30 / 62

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG9** Status: R Max. Occ.: 9999999

Vehicle- or Model identification

Segment: **PIA** Status: O Max. Occ.: 10 Seq. No.: 19

Model, make etc.

UN/EDIFACT				Implementation		
	Name	St	Format	St	Format	Use / Remarks
C212	Item number identification	C		O		
7140	Item identifier	C	an..35	R	an..35	ID number
7143	Item type identification code	C	an..3	R	an..3	See 7143#1
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
C212	Item number identification	C		O		
7140	Item identifier	C	an..35	R	an..35	ID number
7143	Item type identification code	C	an..3	R	an..3	See 7143#1
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
C212	Item number identification	C		O		
7140	Item identifier	C	an..35	R	an..35	ID number
7143	Item type identification code	C	an..3	R	an..3	See 7143#1
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used

Remark: The sequence of C212 in PIA segments qualified with '1' is free. The first occurrence of C212 has to be filled.

In stock-taking requests this segment can be used to set filters so that the reply only reports specified vehicles.

Example: PIA+1+Diesel:V06+W0815:CL+Prod. #:V01+Id:V02+01:V03'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 31 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG9** Status: R Max. Occ.: 9999999

Vehicle- or Model identification

Segment: **NAD** Status: O Max. Occ.: 1 Seq. No.: 20

Manufacturer

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3035	Party function code qualifier	M an..3	M an..3	
C082	Party identification details	C	O	
3039	Party identifier	M an..35	M an..35	
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	16 US, D&B (Dun & Bradstreet Corporation) 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list.
C058	Name and address	C	N	not used
3124	Name and address description	M an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
C080	Party name	C	O	
3036	Party name	M an..70	M an..35	Brand / plant name an..35
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3045	Party name format code	C an..3	N	not used
C059	Street	C	N	not used
3042	Street and number or post office box identifier	M an..256	M an..35	an..35
3042	Street and number or post office box identifier	C an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used
3164	City name	C an..35	O an..35	City

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 32 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG9** Status: R Max. Occ.: 9999999

Vehicle- or Model identification

Segment: **NAD** Status: O Max. Occ.: 1 Seq. No.: 20

Manufacturer

UN/EDIFACT				Implementation		
	Name	St	Format	St	Format	Use / Remarks
C819	Country subdivision details	C		N		not used
3229	Country subdivision identifier	C	an..9	N		not used
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
3228	Country subdivision name	C	an..70	N		not used
3251	Postal identification code	C	an..17	N		not used
3207	Country identifier	C	an..3	O	an..3	

Remark:

Example: NAD+MF+CCC::92++Colossal Car Company+++++DE'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 33 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEQ.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG9** Status: R Max. Occ.: 9999999

Vehicle- or Model identification

Segment: **MEA** Status: O Max. Occ.: 4 Seq. No.: 21

Length, width, height and weight

UN/EDIFACT			Implementation		
	Name	St Format	St Format	Use / Remarks	
6311	Measurement purpose code qualifier	M an..3	M an..3	PD	Physical dimensions (product ordered)
C502	Measurement details	C	C		
6313	Measured attribute code	C an..3	R an..3	G LN WD HT	Gross weight Length Width dimension Height dimension
6321	Measurement significance code	C an..3	N	not used	
6155	Non-discrete measurement name code	C an..17	N	not used	
6154	Non-discrete measurement name	C an..70	N	not used	
C174	Value/range	C	R		
6411	Measurement unit code	C an..8	R an..8	KGM MMT	kilogram millimetre
6314	Measure	C an..18	R an..18	Measurement value	
6162	Range minimum quantity	C n..18	N	not used	
6152	Range maximum quantity	C n..18	N	not used	
6432	Significant digits quantity	C n..2	N	not used	
7383	Surface or layer code	C an..3	N	not used	

Remark:

Example: MEA+PD+G+KGM:1560'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 34 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG9** Status: R Max. Occ.: 9999999

Vehicle- or Model identification

Segment: **LOC** Status: R Max. Occ.: 1 Seq. No.: 22

Actual compound or port

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3227	Location function code qualifier	M an..3	M an..3	172 Reporting location
C517	Location identification	C	R	
3225	Location identifier	C an..35	R an..35	Location ID
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	Code 88 - assigned by compound manager 92 Assigned by buyer or buyer's agent 88 Assigned by owner of operation Code specifying the agency responsible for a code list.
3224	Location name	C an..256	O an..256	Name of the compound
C519	Related location one identification	C	N	not used
3223	First related location identifier	C an..35	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3222	First related location name	C an..70	N	not used
C553	Related location two identification	C	N	not used
3233	Second related location identifier	C an..35	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3232	Second related location name	C an..70	N	not used
5479	Relation code	C an..3	N	not used

Remark: The LOC segment is used to Identify the actual compound or port

Example: LOC+172+LSP COMP #23::88:Compound Bremerhaven'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 35 / 62

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG9** Status: R Max. Occ.: 9999999
Vehicle- or Model identification

Segment: **LOC** Status: D Max. Occ.: 1 Seq. No.: 23
Level 2 and 3 location within the compound

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3227	Location function code qualifier	M an..3	M an..3	14 Goods item storage location
C517	Location identification	C	R	Level 2 area in the compound
3225	Location identifier	C an..35	R an..35	
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	Code 88 - assigned by compound manager 92 Assigned by buyer or buyer's agent 88 Assigned by owner of operation Code specifying the agency responsible for a code list.
3224	Location name	C an..256	O an..256	Name of the level 2 area
C519	Related location one identification	C	O	Level 3 area in the compound
3223	First related location identifier	C an..35	R an..35	
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	92 Assigned by buyer or buyer's agent 88 Assigned by owner of operation Code 88 - assigned by compound manager Code specifying the agency responsible for a code list.
3222	First related location name	C an..70	O an..70	Name of the level 3 area
C553	Related location two identification	C	N	not used
3233	Second related location identifier	C an..35	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3232	Second related location name	C an..70	N	not used
5479	Relation code	C an..3	N	not used

Remark: The LOC segment is used to identify:

- level 2 - an distinct area within level 1 (compound)
- level 3 - an distinct area within level 2

Either this segment is used and vehicles details are grouped by location area or, alternatively, the LOC in SG12 is used and vehicle details can be transmitted without being grouped by location.

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 36 / 62

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group:

SG9

Status: R

Max. Occ.: 9999999

Vehicle- or Model identification

Segment:

LOC

Status: D

Max. Occ.: 1

Seq. No.: 23

Level 2 and 3 location within the compound

Example: LOC+14+ST::88:South terminal+Area A::88:Ready for shipment area'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG

The Association
of European
Vehicle Logistics

ODETTE

VDA

Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 37 / 62

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG9** Status: R Max. Occ.: 9999999
Vehicle- or Model identification

Group: **SG12** Status: R Max. Occ.: 9999
Inventory details

Segment: **INV** Status: M Max. Occ.: 1 Seq. No.: 24
Inventory details

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
4501	Inventory movement direction code	C an..3	D an..3	Mandatory, if BGM.1001 = 78, otherwise empty 1 Movement out of inventory 2 Movement into inventory
7491	Inventory type code	C an..3	O an..3	Status of the inventory X01 Without transport order X02 With transport order X03 Lot building in progress X04 Lot built X05 Transferred to forwarder X06 Shipped
4499	Inventory movement reason code	C an..3	N	not used
4503	Inventory balance method code	C an..3	R an..3	Code 1 - Figures calculated by IT means Code 2 - Figures calculated by physical counting 1 Book-keeping inventory balance 2 Formal inventory balance
C522	Instruction	C	D	Only used, if BGM.1001 = 251 (inventory request)
4403	Instruction type code qualifier	M an..3	M an..3	2 Party instructions
4401	Instruction description code	C an..3	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
4400	Instruction description	C an..35	R an..35	Requester's special instructions or requests

Remark:

Example: INV+1+X02++1+2::::X'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 38 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG9** Status: R Max. Occ.: 9999999

Vehicle- or Model identification

Group: **SG12** Status: R Max. Occ.: 9999

Inventory details

Segment: **QTY** Status: R Max. Occ.: 1 Seq. No.: 25

Inventory quantity

UN/EDIFACT			Implementation	
	Name	St	Format	Use / Remarks
C186	Quantity details	M	M	
6063	Quantity type code qualifier	M an..3	M an..3	Code 17 shall be used, if the figure describes the total quantity of all vehicles matching the specifications in segment group 9. Code 1 shall be used, if segment group 12 is repeated for quantities of vehicles with different attributes (different destinations, different on terminal date/times etc.). The sum of all quantities transmitted in QTY+1 segments must be equal to the figure transmitted in QTY+17 (if QTY+17 is also transmitted). In inventory requests, the quantity shall be zero. 17 Quantity on hand 1 Discrete quantity
6060	Quantity	M an..35	M an..35	Inventory quantity This figure must be set to zero in inventory report requests.
6411	Measurement unit code	C an..8	N	not used

Remark:

Example: QTY+17:150'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 39 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG9** Status: R Max. Occ.: 9999999

Vehicle- or Model identification

Group: **SG12** Status: R Max. Occ.: 9999

Inventory details

Segment: **QTY** Status: O Max. Occ.: 1 Seq. No.: 26

Capacity usage

UN/EDIFACT			Implementation	
	Name	St	Format	Use / Remarks
C186	Quantity details	M	M	
6063	Quantity type code qualifier	M an..3	M an..3	X01 Capacity usage
6060	Quantity	M an..35	M n..3	n . . 3 used capacity in percent
6411	Measurement unit code	C an..8	O an..8	P1 percent

Remark:

Example: QTY+X01:35:P1'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 40 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG9** Status: R Max. Occ.: 9999999
Vehicle- or Model identification

Group: **SG12** Status: R Max. Occ.: 9999
Inventory details

Segment: **GIN** Status: O Max. Occ.: 9999 Seq. No.: 27
VIN

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
7405	Object identification code qualifier	M an..3	M an..3	VV Vehicle identity number
C208	Identity number range	M	M	
7402	Object identifier	M an..35	M an..35	VIN or other identification number
7402	Object identifier	C an..35	N	not used
C208	Identity number range	C	O	
7402	Object identifier	M an..35	M an..35	VIN or other identification number
7402	Object identifier	C an..35	N	not used
C208	Identity number range	C	O	
7402	Object identifier	M an..35	M an..35	VIN or other identification number
7402	Object identifier	C an..35	N	not used
C208	Identity number range	C	O	
7402	Object identifier	M an..35	M an..35	VIN or other identification number
7402	Object identifier	C an..35	N	not used
C208	Identity number range	C	O	
7402	Object identifier	M an..35	M an..35	VIN or other identification number
7402	Object identifier	C an..35	N	not used

Remark:

Example: GIN+VV+VIN12345678900001+VIN12345678900002+VIN12345678900003+VIN12345678900004+VIN12345678900005

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 41 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG9** Status: R Max. Occ.: 9999999
Vehicle- or Model identification

Group: **SG12** Status: R Max. Occ.: 9999
Inventory details

Segment: **LOC** Status: D Max. Occ.: 1 Seq. No.: 28
Level 2 and 3 within the compound

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3227	Location function code qualifier	M an..3	M an..3	14 Goods item storage location
C517	Location identification	C	R	Level 2 area in the compound
3225	Location identifier	C an..35	R an..35	
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	Code 88 - assigned by compound manager 92 Assigned by buyer or buyer's agent 88 Assigned by owner of operation
3224	Location name	C an..256	O an..256	Name of the level 2 area
C519	Related location one identification	C	O	Level 3 area in the compound
3223	First related location identifier	C an..35	R an..35	
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	92 Assigned by buyer or buyer's agent 88 Assigned by owner of operation Code 88 - assigned by compound manager Code specifying the agency responsible for a code list.
3222	First related location name	C an..70	O an..70	Name of the level 2 area
C553	Related location two identification	C	N	not used
3233	Second related location identifier	C an..35	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3232	Second related location name	C an..70	N	not used
5479	Relation code	C an..3	N	not used

Remark: The LOC segment is used to Identify:

- level 2 - an distinct area within level 1 (the compound)
- level 3 - an distinct area within level 2

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 42 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG9** Status: R Max. Occ.: 9999999

Vehicle- or Model identification

Group: **SG12** Status: R Max. Occ.: 9999

Inventory details

Segment: **LOC** Status: D Max. Occ.: 1 Seq. No.: 28

Level 2 and 3 within the compound

Either this segment is used, then vehicles details can be transmitted without being grouped by location, or LOC in and vehicles are grouped by location area.

Example: LOC+14+ST::88:South terminal+Area A::88:Ready for shipment area'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 43 / 62

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG9** Status: R Max. Occ.: 9999999

Vehicle- or Model identification

Group: **SG12** Status: R Max. Occ.: 9999

Inventory details

Segment: **DTM** Status: O Max. Occ.: 1 Seq. No.: 29

Ready for shipment date/time

UN/EDIFACT			Implementation		
	Name	St	Format	St	Format
C507	Date/time/period	M	M		
2005	Date or time or period function code qualifier	M an..3	M an..3	687	Date ready for collection
2380	Date or time or period text	C an..35	R an..35		Ready for shipment date/time
2379	Date or time or period format code	C an..3	R an..3	102 203 205	CCYYMMDD CCYYMMDDHHMM CCYYMMDDHHMMZHHMM

Remark:

Example: DTM+687:20191107:102'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 44 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG9** Status: R Max. Occ.: 9999999
Vehicle- or Model identification

Group: **SG12** Status: R Max. Occ.: 9999
Inventory details

Segment: **DTM** Status: O Max. Occ.: 1 Seq. No.: 30
Positioning date/time

UN/EDIFACT			Implementation		
	Name	St Format	St Format	Use / Remarks	
C507	Date/time/period	M	M		
2005	Date or time or period function code qualifier	M an..3	M an..3	181	Positioning date/time of equipment
2380	Date or time or period text	C an..35	R an..35	Date/time, when the vehicles are or have been positioned in the identified compound area.	
2379	Date or time or period format code	C an..3	R an..3	102 203 205	CCYYMMDD CCYYMMDDHHMM CCYYMMDDHHMMZHHMM

Remark:

Example: DTM+181:20191107:102'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 45 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG9** Status: R Max. Occ.: 9999999

Vehicle- or Model identification

Group: **SG12** Status: R Max. Occ.: 9999

Inventory details

Group: **SG13** Status: O Max. Occ.: 1

Original ship from (= manufacturing plant)

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 31

Name and address

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3035	Party function code qualifier	M an..3	M an..3	SF Ship from
C082	Party identification details	C	O	
3039	Party identifier	M an..35	R an..20	an..20 Plant code - ship from
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list.
C058	Name and address	C	N	not used
3124	Name and address description	M an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
C080	Party name	C	O	
3036	Party name	M an..70	M an..35	an..35 Single text line for specification of a name
3036	Party name	C an..70	O an..35	see 3036 # 1 an..35
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3045	Party name format code	C an..3	N	not used
C059	Street	C	O	
3042	Street and number or post office	M an..256	M an..35	The name that identifies the location of a house or building: usually within a street as part of an address.

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 46 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG9** Status: R Max. Occ.: 9999999
Vehicle- or Model identification

Group: **SG12** Status: R Max. Occ.: 9999
Inventory details

Group: **SG13** Status: O Max. Occ.: 1
Original ship from (= manufacturing plant)

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 31
Name and address

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
	box identifier			an..35
3042	Street and number or post office box identifier	C an..256	O an..35	see 3042 # 1 an..35
3042	Street and number or post office box identifier	C an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used
3164	City name	C an..35	O an..35	The name of the city, town, or village of this address.
C819	Country subdivision details	C	N	not used
3229	Country subdivision identifier	C an..9	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3228	Country subdivision name	C an..70	N	not used
3251	Postal identification code	C an..17	O an..17	Identifier of one or more address data properties according to the postal service of the respective country
3207	Country identifier	C an..3	O an..3	This country code would also identify the country of origin. State or region within a country. The use of UN LoCodes is recommended.

Remark:

Example: NAD+SF+CCC::16++Colossal Car Company:Name line 2+Street line 1:Street line 2+++DE'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 47 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG9** Status: R Max. Occ.: 9999999
Vehicle- or Model identification

Group: **SG12** Status: R Max. Occ.: 9999
Inventory details

Group: **SG13** Status: O Max. Occ.: 1
Ship to for the next transport leg

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 32
ShipTo - name and address

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3035	Party function code qualifier	M an..3	M an..3	ST Ship to
C082	Party identification details	C	O	
3039	Party identifier	M an..35	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
C058	Name and address	C	N	not used
3124	Name and address description	M an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
C080	Party name	C	O	
3036	Party name	M an..70	M an..35	an . . 35 Single text line for specification of a name
3036	Party name	C an..70	O an..35	an . . 35
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3045	Party name format code	C an..3	N	not used
C059	Street	C	O	
3042	Street and number or post office box identifier	M an..256	M an..35	Single text line for specification of a name an . . 35
3042	Street and number or post office box identifier	C an..256	N	not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 48 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG9** Status: R Max. Occ.: 9999999

Vehicle- or Model identification

Group: **SG12** Status: R Max. Occ.: 9999

Inventory details

Group: **SG13** Status: O Max. Occ.: 1

Ship to for the next transport leg

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 32

ShipTo - name and address

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3042	Street and number or post office box identifier	C an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used
3164	City name	C an..35	O an..35	The name that identifies the location of a house or building: usually within a street as part of an address.
C819	Country subdivision details	C	O	
3229	Country subdivision identifier	C an..9	O an..9	
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3228	Country subdivision name	C an..70	N	not used
3251	Postal identification code	C an..17	O an..17	The name of the city, town, or village of this address.
3207	Country identifier	C an..3	O an..3	

Remark: The party to which goods are to be shipped (consigned).

Example: NAD+ST+++ECM SE:X++Oslo+++NO'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 49 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG9** Status: R Max. Occ.: 9999999
Vehicle- or Model identification

Group: **SG12** Status: R Max. Occ.: 9999
Inventory details

Group: **SG13** Status: O Max. Occ.: 1
Ship to for the next transport leg

Segment: **LOC** Status: O Max. Occ.: 1 Seq. No.: 33
Unloading point

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3227	Location function code qualifier	M an..3	M an..3	11 Place of discharge
C517	Location identification	C	R	
3225	Location identifier	C an..35	O an..35	Unloading point ID
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	Code specifying the agency responsible for a code list. Has to be provided if 3225 is used. 6 UN/ECE (United Nations - Economic Commission for Europe) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent
3224	Location name	C an..256	O an..256	Unloading point name
C519	Related location one identification	C	O	
3223	First related location identifier	C an..35	R an..35	Geo coordinates - latitude/longitude Geo coordinates in decimal degrees: latitude, longitude For latitude: + for the northern hemisphere, - for the southern hemisphere. For longitude: + to the east of the zero meridian, - to the west of the zero meridian.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3222	First related location name	C an..70	N	not used
C553	Related location two identification	C	N	not used
3233	Second related location identifier	C an..35	N	not used
1131	Code list identification code	C an..17	N	not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 50 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG9** Status: R Max. Occ.: 9999999

Vehicle- or Model identification

Group: **SG12** Status: R Max. Occ.: 9999

Inventory details

Group: **SG13** Status: O Max. Occ.: 1

Ship to for the next transport leg

Segment: **LOC** Status: O Max. Occ.: 1 Seq. No.: 33

Unloading point

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3055	Code list responsible agency code	C an..3	N	not used
3232	Second related location name	C an..70	N	not used
5479	Relation code	C an..3	N	not used

Remark:

Example: LOC+11+Unloading point ID::92:Unloading point name+?+52.515738,?+13.393085'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 51 / 62

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group:	SG9	Status: R	Max. Occ.: 9999999	
		Vehicle- or Model identification		
Group:	SG12	Status: R	Max. Occ.: 9999	
		Inventory details		
Group:	SG13	Status: O	Max. Occ.: 1	
		Ultimate destination - customer / importer / dealer		
Segment:	NAD	Status: M	Max. Occ.: 1	Seq. No.: 34
		Ultimate customer / importer / dealer- name and address		

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3035	Party function code qualifier	M an..3	M an..3	UD Ultimate customer
C082	Party identification details	C	O	
3039	Party identifier	M an..35	M an..35	Unique identifier of business partner (customer number, supplier number, DUNS number, etc.).
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	Code specifying the agency responsible for a code list. 10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 86 Assigned by party originating the message 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent
C058	Name and address	C	N	not used
3124	Name and address description	M an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
C080	Party name	C	O	
3036	Party name	M an..70	M an..35	Single text line for specification of a name an..35
3036	Party name	C an..70	O an..35	Single text line for specification of a name an..35
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3045	Party name format code	C an..3	N	not used
C059	Street	C	O	

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 52 / 62

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group:	SG9	Status: R	Max. Occ.: 9999999	
		Vehicle- or Model identification		
Group:	SG12	Status: R	Max. Occ.: 9999	
		Inventory details		
Group:	SG13	Status: O	Max. Occ.: 1	
		Ultimate destination - customer / importer / dealer		
Segment:	NAD	Status: M	Max. Occ.: 1	Seq. No.: 34
		Ultimate customer / importer / dealer- name and address		

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3042	Street and number or post office box identifier	M an..256	M an..35	Part of address identifying the location of a building, normally given together with street an . . 35
3042	Street and number or post office box identifier	C an..256	O an..35	see 3042 # 1 an . . 35
3042	Street and number or post office box identifier	C an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used
3164	City name	C an..35	O an..35	
C819	Country subdivision details	C	O	
3229	Country subdivision identifier	C an..9	O an..9	State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3228	Country subdivision name	C an..70	N	not used
3251	Postal identification code	C an..17	O an..17	Identifier of one or more address data properties according to the postal service of the respective country
3207	Country identifier	C an..3	R an..3	Provides the country part of an address using a code. Use ISO3166 two alpha code.

Remark:

Example: NAD+UD+DEALER 32::92++Name1:Name2+Street1:Street2+City++12345+DE'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 53 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG9** Status: R Max. Occ.: 9999999

Vehicle- or Model identification

Group: **SG12** Status: R Max. Occ.: 9999

Inventory details

Group: **SG15** Status: O Max. Occ.: 1

Booking Reference

Segment: **RFF** Status: M Max. Occ.: 1 Seq. No.: 35

Reference

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	AXE Firm booking reference number
1154	Reference identifier	C an..70	R an..70	Booking number
1156	Document line identifier	C an..6	N	not used
1056	Version identifier	C an..9	N	not used
1060	Revision identifier	C an..6	N	not used

Remark:

Example: RFF+AXE:N19094'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 54 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNT

Status:

M Max. Occ.: 1

Seq. No.:

36

Message trailer

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
0074	Number of segments in the message	M n..6	M n..6	
0062	Message reference number	M an..14	M an..14	

Remark:

Example: UNT+34+1'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 55 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNZ

Status:

M

Max. Occ.: 1

Seq. No.:

37

Interchange trailer

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
0036	Interchange control count	M n..6	M n..6	
0020	Interchange control reference	M an..14	M an..14	

Remark:

Example: UNZ+1+144659'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 56 / 62

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

EXAMPLE MESSAGE(S)

FV08-35 - Inventory Report - 1 variant

	UNH+1+INVRPT:D:18B:UN:GBOY10 '	Message header
	BGM+35+12345 '	Beginning of message
	DTM+137:20201231:102 '	Document date: 2020-12-31
	DTM+366:202012310906:203 '	Stock taking / calculation date: 2020-12-31 09:06
	Segment group	
	NAD+MS+SENDER::10 '	Message sender
	Segment group	
	NAD+MR+Receiver::10 '	Message recipient
	Segment group	
	NAD+WH+21212121::10++COMPOUND MANAGER:HEADQUARTERS+++++DE '	Compound manager - name and address
	Segment group	
	CTA+IC+:SUSANN MUELLER '	Information contact
	COM+mueller@xyz.de:EM '	Communication contact
	Segment group	
	LIN+1 '	Line item
	PIA+1+1CA3ASE3S:V11 '	Model: 1CA3ASE3S
	NAD+MF+PSA '	Manufacturer: PSA
	LOC+172+FR PAR:::PARIS '	Actual compound or port: FR Paris
	Segment group	
	INV++X02++2 '	Inventory details
	QTY+1:1 '	Inventory quantity
	GIN+VV+VIN1BC123AA599934 '	VIN or other identification number
	LOC+14+ZXNEDEY::88 '	Level 1, 2, and 3 within the compound Level 1 area: ZXNEDEY Level 2 area: - Level 3 area: -
	Segment group	
	RFF+AGJ:4363 '	Booking Reference: 4363
	Segment group	
	INV++X02++2 '	Inventory details Status of the inventory: X02 - with transport order 2 - the figures have been calculated by physical counting
	QTY+1:1 '	Inventory quantity: 1
	GIN+VV+VIN1BC123AA599935 '	VIN: VIN1BC123AA599935

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

EXAMPLE MESSAGE(S)

	LOC+14+ZXNEDEY::88'	Level 1, 2, and 3 within the compound Level 1 area: ZXNEDEY Level 2 area: - Level 3 area: -
	DTM+687:20201024:102'	Ready for shipment date: 2020-10-24
	Segment group	
	RFF+AGJ:4364'	Booking Reference: 4364
	Segment group	
	INV++X03++2'	Inventory details Status of the inventory: X03 - lot building in progress 2 - the figures have been generated by physical inspection and counting
	QTY+1:1'	Inventory quantity: 1
	GIN+VV+VIN1BC123AA601873'	VIN: VIN1BC123AA601873
	LOC+14+ZR1C553::88'	Level 1, 2, and 3 within the compound Level 1 area: ZR1C553 Level 2 area: - Level 3 area: -
	Segment group	
	RFF+AGJ:4363'	Booking Reference: 4363
	Segment group	
	INV++X02++2'	Inventory details Status of the inventory: X02 - with transport order 2 - the figures have been calculated by counting
	QTY+1:1'	Inventory quantity: 1
	GIN+VV+VIN1BC123AA511911'	VIN: VIN1BC123AA511911
	LOC+14+9214099::88'	Level 1, 2, and 3 within the compound Level 1 area: 9214099 Level 2 area: - Level 3 area: -
	Segment group	
	RFF+AGJ:3541'	Booking Reference: 3541
	UNT+35+1'	Message trailer

EXAMPLE MESSAGE(S)

FV08-35 - Inventory Report - 2 variant

	UNH+1+INVRPT:D:18B:UN:GBOY10 '	Message header
	BGM+35+12345 '	Beginning of message
	DTM+137:20201031:102 '	Document date: 2020-10-31
	DTM+366:202010310906:203 '	Stock taking / calculation date: 2020-10-31 09:06
	Segment group	
	NAD+MS+SENDER::10 '	Message sender - name and address
	Segment group	
	RFF+ANK:123456789 '	Additional party ID
	Segment group	
	NAD+MR+Receiver::10 '	Message recipient - name and address
	Segment group	
	RFF+ANK:987654321 '	Additional party ID
	Segment group	
	NAD+WH+21212121::10++COMPOUND MANAGER:HEADQUARTERS+++++DE '	Compound manager - name and address
	Segment group	
	CTA+IC+:SUSANN MUELLER '	Information contact
	COM+mueller@xyz.de:EM '	Communication contact
	Segment group	
	LIN+1 '	Line item
	PIA+1+AMAROK DC TREND:V11 '	Model: AMAROK DC TREND
	NAD+MF+VW '	Manufacturer: VW
	MEA+PD+G+KGM:2000 '	Weight: 2000 kg
	MEA+PD+LN+MMT:5254 '	Length: 5254 mm
	MEA+PD+WD+MMT:1944 '	Width: 1944 mm
	MEA+PD+HT+MMT:1834 '	Height: 1834 mm
	LOC+172+DE BRV:::Bremerhaven '	Actual compound or port: DE Bremerhaven
	LOC+14+ST::88+RFS::88:Ready for shipment area '	Level 1, 2, and 3 within the compound Level 1 area: ST Level 2 area: RFS - Ready for shipment area Level 3 area: -
	Segment group	
	INV+++++1 '	Inventory details 1 - The figures have been calculated by IT means.
	QTY+17:4 '	Inventory quantity: 4
	Segment group	

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

EXAMPLE MESSAGE(S)

	INV++++1 '	Inventory details 1 - The figures have been calculated by IT means.
	QTY+1:1 '	Inventory quantity: 1
	GIN+VV+WV1ZZZ2HZKH025909 '	VIN: WV1ZZZ2HZKH025909
	DTM+687:20201026:102 '	Ready for shipment date: 2020-10-26
	Segment group	
	NAD+ST+++COMPOUND MANAGER++OSLO+++NO '	ShipTo - name and address
	LOC+11+OSL NO::6 '	Unloading point
	Segment group	
	RFF+AXE:N19094 '	Booking Reference: N19094
	Segment group	
	INV++++1 '	Inventory details 1 - the figures have been calculated by means if IT
	QTY+1:1 '	Inventory quantity: 1
	GIN+VV+WV1ZZZ2HZKH026786 '	VIN: WV1ZZZ2HZKH026786
	DTM+687:20201024:102 '	Ready for shipment date: 2020-10-24
	Segment group	
	NAD+ST+++COMPOUND MANAGER++OSLO+++NO '	ShipTo - name and address
	LOC+11+OSL NO::6 '	Unloading point
	Segment group	
	RFF+AXE:N19094 '	Booking Reference: N19094
	Segment group	
	INV++++1 '	Inventory details 1 - The figures have been calculated by IT means.
	QTY+1:1 '	Inventory quantity: 1
	GIN+VV+WV1ZZZ2HZKH026861 '	VIN: WV1ZZZ2HZKH026861
	DTM+687:20201024:102 '	Ready for shipment date: 2020-10-24
	Segment group	
	NAD+ST+++COMPOUND MANAGER++OSLO+++NO '	ShipTo - name and address
	LOC+11+OSL NO::6 '	Unloading point
	Segment group	
	RFF+AXE:N19094 '	Booking Reference: N19094
	Segment group	
	INV++++1 '	Inventory details 1 - The figures have been calculated by IT means.
	QTY+1:1 '	Inventory quantity: 1

Finished vehicles - Inventory Report

DOC REF No: FV08

VERSION No: V1R0

DATE:

May 2020

EXAMPLE MESSAGE(S)

	GIN+VV+WV1ZZZ2HZKH07009 '	VIN: WV1ZZZ2HZKH07009
	DTM+687:20201022:102 '	Ready for shipment date: 2020-10-22
	Segment group	
	NAD+ST+++COMPOUND MANAGER++OSLO+++NO '	ShipTo - name and address
	LOC+11+OSL NO::6 '	Unloading point
	Segment group	
	RFF+AXE:N19094 '	Booking Reference: N19094
	UNT+52+1 '	Message trailer

EXAMPLE MESSAGE(S)

FV08-251 - Inventory Request

	UNH+1+INVRPT:D:18B:UN:GBOY10 '	Message header
	BGM+251+12345 '	Beginning of message
	DTM+137:20201031:102 '	Document date: 2020-10-31
	DTM+366:202010310906:203 '	Stock taking / calculation date: 2020-10-31 09:06
	Segment group	
	NAD+MS+CCC::92 '	Message sender - name and address
	Segment group	
	NAD+MR+ECM::92 '	Message recipient - name and address
	Segment group	
	NAD+WH+ECM::92++EUROPEAN COMPOUND MANAGEMENT SE++++NL '	Compound manager - name and address
	Segment group	
	CTA+IC+:SUSANN MUELLER '	Information contact
	COM+muellet@cme.nl:EM '	Communication contact
	Segment group	
	LIN+1 '	Line item
	PIA+1+VAN ABC:V11 '	Model: VAN ABC
	LOC+172+LSP COMP #23 '	Actual compound or port: LSP COMP #23
	LOC+14+NL ROT:::Rotterdam+AREA RVS :::Ready for shipment '	Level 1, 2, and 3 within the compound Level 1 area: NL ROT - Rotterdam Level 2 area: AREA RVS - Ready for shipment Level 3 area: -
	Segment group	
	INV++++1+2:::Requester?'s special instructions '	Inventory details 1 - the figures have been calculated by means of IT 2- Party instructions: Requester's special instructions
	QTY+1:0 '	Inventory quantity: 1
	UNT+16+1 '	Message trailer