

Finished vehicles - Damage Report

DOC REF No: FV07
VERSION No: V1R0

DATE: May 2020

Finished vehicles - Damage Report

based on

PROSRV

Product service message

UN D.18B S3

Version: V1R0
Issue date: May 2020
Author: ECG/Odette/VDA

Structure..... 2

Branching Diagram 4

Segment Details..... 7

Example message(s) 44

STRUCTURE / TABLE OF CONTENTS

| | No | Tag | St | MaxOcc | Content |
|---|-----|-----|----|--|--------------------------------------|
| | 01 | UNA | O | 1 | Service string advice |
| | 02 | UNB | M | 1 | Interchange header |
| | 03 | UNH | M | 1 | Message header |
| | 04 | BGM | M | 1 | Beginning of message |
| | 05 | DTM | R | 1 | Document date |
| ┌ | SG2 | R | 1 | Message sender | |
| | 06 | NAD | M | 1 | Message sender - ID |
| ┌ | SG2 | R | 1 | Message recipient | |
| | 07 | NAD | M | 1 | Message recipient - ID |
| ┌ | SG2 | D | 1 | Delivering Party | |
| | 08 | NAD | M | 1 | Delivering Party - name and address |
| ┌ | SG2 | D | 1 | Receiving Party | |
| | 09 | NAD | M | 1 | Receiving party - name and address |
| ┌ | SG2 | O | 1 | Freight forwarder (Transport service provider - TSP) | |
| | 10 | NAD | M | 1 | Freight forwarder - name and address |
| ┌ | SG2 | O | 1 | Claims receiver | |
| | 11 | NAD | M | 1 | Claims receiver - name and address |
| ┌ | SG5 | R | 1 | Vehicle identification and damage description | |
| | 12 | DOC | M | 1 | Used as trigger segment only |
| | 13 | DTM | R | 1 | Date / Time of damage recognition |
| | 14 | DTM | O | 1 | Manufacturing date |
| | 15 | FTX | O | 1 | Remarks from the delivering party |
| | 16 | FTX | O | 1 | Remarks from the receiving party |
| | 17 | FTX | O | 1 | Place of inspection |
| | 18 | FTX | O | 6 | Link(s) to external document(s) |
| | SG6 | R | 1 | Vehicle, model and damage identification | |
| | 19 | LIN | M | 1 | Line item |
| ┌ | 20 | PIA | R | 99 | Model identification |
| | 21 | IMD | R | 1 | Damage description |
| | 22 | QTY | O | 1 | Mileage |

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

STRUCTURE / TABLE OF CONTENTS

| No | Tag | St | MaxOcc | Content |
|----|------|----|--------|---|
| 23 | ALI | O | 1 | Vehicle drivable indicator and downgrading code |
| | SG11 | D | 1 | Area identification according to manufacturers specification. |
| 24 | CCI | M | 1 | Area identification according to manufacturers specification. |
| | SG11 | O | 4 | Size of damage |
| 25 | CCI | M | 1 | Size of damage |
| 26 | CAV | R | 1 | Measurement value |
| 27 | UNS | M | 1 | Section control |
| 28 | UNT | M | 1 | Message trailer |
| 29 | UNZ | M | 1 | Interchange trailer |

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Finished vehicles - Damage Report


DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

BRANCHING DIAGRAM OF USED SEGMENTS AND SEGMENT GROUPS



| Tag | |
|--------|----|
| St | No |
| MaxOcc | |

Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

No = Consecutive segment number, MaxOcc = Maximum occurrence of the segment/group

Finished vehicles - Damage Report


DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

BRANCHING DIAGRAM OF USED SEGMENTS AND SEGMENT GROUPS



| Tag | |
|--------|----|
| St | No |
| MaxOcc | |

Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

No = Consecutive segment number, MaxOcc = Maximum occurrence of the segment/group

Finished vehicles - Damage Report


DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

BRANCHING DIAGRAM OF USED SEGMENTS AND SEGMENT GROUPS



| Tag | |
|--------|----|
| St | No |
| MaxOcc | |

Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

No = Consecutive segment number, MaxOcc = Maximum occurrence of the segment/group

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNA

Status:

O Max. Occ.: 1

Seq. No.:

1

Service string advice

| UN/EDIFACT | | | Implementation | |
|------------|----------------------------------|-----------|----------------|----------------------------|
| | Name | St Format | St Format | Use / Remarks |
| UNA1 | Component data element separator | M an1 | M an1 | : Colon |
| UNA2 | Data element separator | M an1 | M an1 | + Plus |
| UNA3 | Decimal notation | M an1 | M an1 | · Decimal separator |
| UNA4 | Release indicator | M an1 | M an1 | ? Question mark |
| UNA5 | Reserved for future use | M an1 | M an1 | Blank |
| UNA6 | Segment terminator | M an1 | M an1 | ' Apostrophe |

Remark:

Example: UNA:+.? '

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 7 / 44

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNB

Status:

M Max. Occ.: 1

Seq. No.:

2

Interchange header

| UN/EDIFACT | | | Implementation | |
|------------|--|-----------|----------------|---|
| | Name | St Format | St Format | Use / Remarks |
| S001 | Syntax identifier | M | M | |
| 0001 | Syntax identifier | M a4 | M a4 | UNOB UN/ECE level B UNOC UN/ECE level C |
| 0002 | Syntax version number | M n1 | M n1 | 2 Version 2 3 Version 3 |
| S002 | Interchange sender | M | M | |
| 0004 | Sender identification | M an..35 | M an..35 | Unique ID of the sender in the data transmission network or system. |
| 0007 | Partner identification code qualifier | C an..4 | O an..4 | |
| 0008 | Address for reverse routing | C an..14 | O an..14 | Address of an application or internal system at sender's site to which answer messages should be routed. |
| S003 | Interchange recipient | M | M | |
| 0010 | Recipient identification | M an..35 | M an..35 | Unique ID of the receiver in the data transmission network or system. |
| 0007 | Partner identification code qualifier | C an..4 | O an..4 | |
| 0014 | Routing address | C an..14 | C an..14 | Routing address respectively address of an application or internal system at recipient's site. |
| S004 | Date/time of preparation | M | M | |
| 0017 | Date of preparation | M n6 | M n6 | Format YYMMDD |
| 0019 | Time of preparation | M n4 | M n4 | Format HHMM |
| 0020 | Interchange control reference | M an..14 | M an..14 | Unique ID of an interchange. |
| S005 | Recipient's reference, password | C | N | not used |
| 0022 | Recipient's reference/password | M an..14 | N | not used |
| 0025 | Recipient's reference/password qualifier | C an2 | N | not used |
| 0026 | Application reference | C an..14 | N | not used |
| 0029 | Processing priority code | C a1 | N | not used |
| 0031 | Acknowledgement request | C n1 | N | not used |
| 0032 | Communications agreement ID | C an..35 | N | not used |
| 0035 | Test indicator | C n1 | O n1 | 1 Interchange is a test Only to be used, if the interchange is for test purposes. Omit this data element for valid interchanges. |

Remark:

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 8 / 44

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNB

Status:

M

Max. Occ.: 1

Seq. No.: 2

Interchange header

Example: UNB+UNOC:3+OD012345:59:123+987654321:59:432112345+190510:1533+144659+++++1'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG

The Association
of European
Vehicle Logistics

ODETTE

VDA

Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 9 / 44

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNH

Status:

M Max. Occ.: 1

Seq. No.:

3

Message header

| UN/EDIFACT | | | Implementation | |
|------------|---------------------------|-----------|----------------|--|
| | Name | St Format | St Format | Use / Remarks |
| 0062 | Message reference number | M an..14 | M an..14 | |
| S009 | Message identifier | M | M | |
| 0065 | Message type | M an..6 | M an..6 | PROSRV Product service message |
| 0052 | Message version number | M an..3 | M an..3 | D Draft version/UN/EDIFACT Directory |
| 0054 | Message release number | M an..3 | M an..3 | 18B |
| 0051 | Controlling agency | M an..2 | M an..2 | UN UN/CEFACT |
| 0057 | Association assigned code | C an..6 | R an..6 | GBOX10 Odette Finished Vehicles Damage Report V1.0 Identification of the subset release, assigned by the responsible organisation (Odette). |
| 0068 | Common access reference | C an..35 | N | not used |
| S010 | Status of the transfer | C | N | not used |
| 0070 | Sequence of transfers | M n..2 | N | not used |
| 0073 | First and last transfer | C a1 | N | not used |

Remark:

Example: UNH+1+PROSRV:D:18B:UN:GBOX10'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association of European Vehicle Logistics



Verband der Automobilindustrie

Print date: 10.06.2020

Page | 10 / 44

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

BGM

Status:

M Max. Occ.: 1

Seq. No.:

4

Beginning of message

| UN/EDIFACT | | | Implementation | |
|------------|-----------------------------------|-----------|----------------|---|
| | Name | St Format | St Format | Use / Remarks |
| C002 | Document/message name | C | C | |
| 1001 | Document name code | C an..3 | C an..3 | X21 Damage Report |
| 1131 | Code list identification code | C an..17 | N | not used |
| 3055 | Code list responsible agency code | C an..3 | C an..3 | 10 ODETTE Code specifying the agency responsible for a code list. |
| 1000 | Document name | C an..35 | C an..35 | |
| C106 | Document/message identification | C | C | |
| 1004 | Document identifier | C an..70 | C an..70 | Unique id number of the damage report |
| 1056 | Version identifier | C an..9 | N | not used |
| 1060 | Revision identifier | C an..6 | N | not used |
| 1225 | Message function code | C an..3 | C an..3 | 7 Duplicate 9 Original 2 Addition |
| 4343 | Response type code | C an..3 | N | not used |
| 1373 | Document status code | C an..3 | N | not used |
| 3453 | Language name code | C an..3 | N | not used |

Remark:

Example: BGM+X21::10:PROFILE+DOC NO+7'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 11 / 44

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

DTM

Status:

R Max. Occ.: 1

Seq. No.:

5

Document date

| UN/EDIFACT | | | Implementation | |
|------------|--|----------|----------------|---|
| | Name | St | Format | Use / Remarks |
| C507 | Date/time/period | M | M | |
| 2005 | Date or time or period function code qualifier | M an..3 | M an..3 | 137 Document issue date time |
| 2380 | Date or time or period text | C an..35 | R an..17 | an..17 Date, on which a document or business signal was issued. |
| 2379 | Date or time or period format code | C an..3 | R an..3 | 102 CCYYMMDD 203 CCYYMMDDHHMM 204 CCYYMMDDHHMMSS 205 CCYYMMDDHHMMZHHMM |

Remark:

Example: DTM+137:201905101530:203'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 12 / 44

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: R Max. Occ.: 1
Message sender

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 6
Message sender - ID

| UN/EDIFACT | | | Implementation | |
|------------|---|-----------|----------------|---|
| | Name | St Format | St Format | Use / Remarks |
| 3035 | Party function code qualifier | M an..3 | M an..3 | MS Document/message issuer/sender |
| C082 | Party identification details | C | R | |
| 3039 | Party identifier | M an..35 | M an..35 | Unique identification of a party by an ID. an..35 |
| 1131 | Code list identification code | C an..17 | N | not used |
| 3055 | Code list responsible agency code | C an..3 | R an..3 | 10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list. |
| C058 | Name and address | C | N | not used |
| 3124 | Name and address description | M an..35 | N | not used |
| 3124 | Name and address description | C an..35 | N | not used |
| 3124 | Name and address description | C an..35 | N | not used |
| 3124 | Name and address description | C an..35 | N | not used |
| 3124 | Name and address description | C an..35 | N | not used |
| C080 | Party name | C | N | not used |
| 3036 | Party name | M an..70 | N | not used |
| 3036 | Party name | C an..70 | N | not used |
| 3036 | Party name | C an..70 | N | not used |
| 3036 | Party name | C an..70 | N | not used |
| 3036 | Party name | C an..70 | N | not used |
| 3045 | Party name format code | C an..3 | N | not used |
| C059 | Street | C | N | not used |
| 3042 | Street and number or post office box identifier | M an..256 | N | not used |
| 3042 | Street and number or post office box identifier | C an..256 | N | not used |
| 3042 | Street and number or post office box identifier | C an..256 | N | not used |
| 3042 | Street and number or post office box identifier | C an..256 | N | not used |

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 13 / 44

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: R Max. Occ.: 1
Message sender

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 6
Message sender - ID

| UN/EDIFACT | | | | Implementation | | |
|------------|-----------------------------------|----|--------|----------------|--------|---------------|
| | Name | St | Format | St | Format | Use / Remarks |
| 3164 | City name | C | an..35 | N | | not used |
| C819 | Country subdivision details | C | | N | | not used |
| 3229 | Country subdivision identifier | C | an..9 | N | | not used |
| 1131 | Code list identification code | C | an..17 | N | | not used |
| 3055 | Code list responsible agency code | C | an..3 | N | | not used |
| 3228 | Country subdivision name | C | an..70 | N | | not used |
| 3251 | Postal identification code | C | an..17 | N | | not used |
| 3207 | Country identifier | C | an..3 | N | | not used |

Remark:**Example:** NAD+MS+Identifier::10'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

**ECG** The Association of European Vehicle Logistics

Verband der Automobilindustrie

Print date: 10.06.2020

Page | 14 / 44

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: R Max. Occ.: 1
Message recipient

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 7
Message recipient - ID

| UN/EDIFACT | | | Implementation | |
|------------|---|-----------|----------------|---|
| | Name | St Format | St Format | Use / Remarks |
| 3035 | Party function code qualifier | M an..3 | M an..3 | MR Message recipient |
| C082 | Party identification details | C | O | |
| 3039 | Party identifier | M an..35 | M an..35 | Unique identification of a party by an ID. an..35 |
| 1131 | Code list identification code | C an..17 | N | not used |
| 3055 | Code list responsible agency code | C an..3 | R an..3 | 10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list. |
| C058 | Name and address | C | N | not used |
| 3124 | Name and address description | M an..35 | N | not used |
| 3124 | Name and address description | C an..35 | N | not used |
| 3124 | Name and address description | C an..35 | N | not used |
| 3124 | Name and address description | C an..35 | N | not used |
| 3124 | Name and address description | C an..35 | N | not used |
| C080 | Party name | C | N | not used |
| 3036 | Party name | M an..70 | N | not used |
| 3036 | Party name | C an..70 | N | not used |
| 3036 | Party name | C an..70 | N | not used |
| 3036 | Party name | C an..70 | N | not used |
| 3036 | Party name | C an..70 | N | not used |
| 3045 | Party name format code | C an..3 | N | not used |
| C059 | Street | C | N | not used |
| 3042 | Street and number or post office box identifier | M an..256 | N | not used |
| 3042 | Street and number or post office box identifier | C an..256 | N | not used |
| 3042 | Street and number or post office box identifier | C an..256 | N | not used |
| 3042 | Street and number or post office box identifier | C an..256 | N | not used |

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 15 / 44

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: R Max. Occ.: 1
Message recipient

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 7
Message recipient - ID

| UN/EDIFACT | | | | Implementation | | |
|------------|-----------------------------------|----|--------|----------------|--------|---------------|
| | Name | St | Format | St | Format | Use / Remarks |
| 3164 | City name | C | an..35 | N | | not used |
| C819 | Country subdivision details | C | | N | | not used |
| 3229 | Country subdivision identifier | C | an..9 | N | | not used |
| 1131 | Code list identification code | C | an..17 | N | | not used |
| 3055 | Code list responsible agency code | C | an..3 | N | | not used |
| 3228 | Country subdivision name | C | an..70 | N | | not used |
| 3251 | Postal identification code | C | an..17 | N | | not used |
| 3207 | Country identifier | C | an..3 | N | | not used |

Remark:**Example:** NAD+MR+Identifier::10'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

**ECG** The Association
of European
Vehicle LogisticsVerband der
Automobilindustrie

Print date: 10.06.2020

Page | 16 / 44

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: D Max. Occ.: 1

Delivering Party

Party to who turns over the vehicle

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 8

Delivering Party - name and address

| UN/EDIFACT | | | Implementation | |
|------------|---|-----------|----------------|---|
| | Name | St Format | St Format | Use / Remarks |
| 3035 | Party function code qualifier | M an..3 | M an..3 | RF Received from |
| C082 | Party identification details | C | R | |
| 3039 | Party identifier | M an..35 | M an..35 | Unique identification of a party by an ID. |
| 1131 | Code list identification code | C an..17 | N | not used |
| 3055 | Code list responsible agency code | C an..3 | R an..3 | 10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list. |
| C058 | Name and address | C | N | not used |
| 3124 | Name and address description | M an..35 | N | not used |
| 3124 | Name and address description | C an..35 | N | not used |
| 3124 | Name and address description | C an..35 | N | not used |
| 3124 | Name and address description | C an..35 | N | not used |
| 3124 | Name and address description | C an..35 | N | not used |
| C080 | Party name | C | O | |
| 3036 | Party name | M an..70 | M an..35 | Single text line for specification of a name an..35 |
| 3036 | Party name | C an..70 | O an..35 | see 3036 # 1 an..35 |
| 3036 | Party name | C an..70 | N | not used |
| 3036 | Party name | C an..70 | N | not used |
| 3036 | Party name | C an..70 | N | not used |
| 3045 | Party name format code | C an..3 | N | not used |
| C059 | Street | C | O | |
| 3042 | Street and number or post office box identifier | M an..256 | M an..35 | The name that identifies the location of a house or building: usually within a street as part of an address. an..35 |
| 3042 | Street and number or post office box identifier | C an..256 | O an..35 | an..35 |
| 3042 | Street and number or post office box identifier | C an..256 | N | not used |

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 17 / 44

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: D Max. Occ.: 1
Delivering Party

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 8
Delivering Party - name and address

| UN/EDIFACT | | | | Implementation | | |
|------------|---|----|---------|----------------|--------|--|
| | Name | St | Format | St | Format | Use / Remarks |
| 3042 | Street and number or post office box identifier | C | an..256 | N | | not used |
| 3164 | City name | C | an..35 | O | an..35 | The name of the city, town, or village of this address. |
| C819 | Country subdivision details | C | | O | | |
| 3229 | Country subdivision identifier | C | an..9 | R | an..9 | State or region within a country. The use of UN LoCodes is recommended. |
| 1131 | Code list identification code | C | an..17 | N | | not used |
| 3055 | Code list responsible agency code | C | an..3 | N | | not used |
| 3228 | Country subdivision name | C | an..70 | N | | not used |
| 3251 | Postal identification code | C | an..17 | O | an..17 | The identifier for one or more properties according to the postal service of that country; a group of letters and/or numbers added to the postal address to assist in the sorting of mail. |
| 3207 | Country identifier | C | an..3 | O | an..3 | Provides the country part of an address using a code. Use ISO3166 two alpha code. |

Remark: If the damage is recorded while the vehicle is passed from one party to another, this information is required.

Example: NAD+RF+X::10++X:X+X:X++++DE'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 18 / 44

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: D Max. Occ.: 1

Receiving Party

Party to who takes over the vehicle

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 9

Receiving party - name and address

| UN/EDIFACT | | | Implementation | |
|------------|---|-----------|----------------|---|
| | Name | St Format | St Format | Use / Remarks |
| 3035 | Party function code qualifier | M an..3 | M an..3 | FX Current receiver |
| C082 | Party identification details | C | R | |
| 3039 | Party identifier | M an..35 | M an..35 | Unique identification of a party by an ID. |
| 1131 | Code list identification code | C an..17 | N | not used |
| 3055 | Code list responsible agency code | C an..3 | R an..3 | 10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list. |
| C058 | Name and address | C | N | not used |
| 3124 | Name and address description | M an..35 | N | not used |
| 3124 | Name and address description | C an..35 | N | not used |
| 3124 | Name and address description | C an..35 | N | not used |
| 3124 | Name and address description | C an..35 | N | not used |
| 3124 | Name and address description | C an..35 | N | not used |
| C080 | Party name | C | O | |
| 3036 | Party name | M an..70 | M an..35 | Single text line for specification of a name an..35 |
| 3036 | Party name | C an..70 | O an..35 | see 3036 # 1 an..35 |
| 3036 | Party name | C an..70 | N | not used |
| 3036 | Party name | C an..70 | N | not used |
| 3036 | Party name | C an..70 | N | not used |
| 3045 | Party name format code | C an..3 | N | not used |
| C059 | Street | C | O | |
| 3042 | Street and number or post office box identifier | M an..256 | M an..35 | The name that identifies the location of a house or building: usually within a street as part of an address. an..35 |
| 3042 | Street and number or post office box identifier | C an..256 | O an..35 | an..35 |
| 3042 | Street and number or post office box identifier | C an..256 | N | not used |

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 19 / 44

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: D Max. Occ.: 1
Receiving Party

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 9
Receiving party - name and address

| UN/EDIFACT | | | | Implementation | | |
|------------|---|----|---------|----------------|--------|--|
| | Name | St | Format | St | Format | Use / Remarks |
| 3042 | Street and number or post office box identifier | C | an..256 | N | | not used |
| 3164 | City name | C | an..35 | O | an..35 | The name of the city, town, or village of this address. |
| C819 | Country subdivision details | C | | O | | |
| 3229 | Country subdivision identifier | C | an..9 | R | an..9 | State or region within a country. The use of UN LoCodes is recommended. |
| 1131 | Code list identification code | C | an..17 | N | | not used |
| 3055 | Code list responsible agency code | C | an..3 | N | | not used |
| 3228 | Country subdivision name | C | an..70 | N | | not used |
| 3251 | Postal identification code | C | an..17 | O | an..17 | The identifier for one or more properties according to the postal service of that country; a group of letters and/or numbers added to the postal address to assist in the sorting of mail. |
| 3207 | Country identifier | C | an..3 | O | an..3 | Provides the country part of an address using a code. Use ISO3166 two alpha code. |

Remark: If the damage is recorded while the vehicle is passed from one party to another, this information is required.

Example: NAD+FX+X::10++X:X+X:++++DE'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 20 / 44

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: O Max. Occ.: 1
Freight forwarder (Transport service provider - TSP)

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 10
Freight forwarder - name and address

| UN/EDIFACT | | | Implementation | |
|------------|---|-----------|----------------|---|
| | Name | St Format | St Format | Use / Remarks |
| 3035 | Party function code qualifier | M an..3 | M an..3 | FW Freight forwarder |
| C082 | Party identification details | C | R | |
| 3039 | Party identifier | M an..35 | R an..35 | Unique identification of a party by an ID. Standard process: assigned by the OEM, if the supplier pays the freight, the partner ID assigned by the supplier is in this field. |
| 1131 | Code list identification code | C an..17 | N | not used |
| 3055 | Code list responsible agency code | C an..3 | R an..3 | 10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list. |
| C058 | Name and address | C | N | not used |
| 3124 | Name and address description | M an..35 | N | not used |
| 3124 | Name and address description | C an..35 | N | not used |
| 3124 | Name and address description | C an..35 | N | not used |
| 3124 | Name and address description | C an..35 | N | not used |
| 3124 | Name and address description | C an..35 | N | not used |
| C080 | Party name | C | O | |
| 3036 | Party name | M an..70 | M an..35 | Freight Forwarder's Name Single text line for specification of a name an . . 35 |
| 3036 | Party name | C an..70 | O an..35 | see 3036 # 1 an . . 35 |
| 3036 | Party name | C an..70 | N | not used |
| 3036 | Party name | C an..70 | N | not used |
| 3036 | Party name | C an..70 | N | not used |
| 3045 | Party name format code | C an..3 | N | not used |
| C059 | Street | C | O | |
| 3042 | Street and number or post office box identifier | M an..256 | M an..35 | The name that identifies the location of a house or building: usually within a street as part of an address. an . . 35 |
| 3042 | Street and number or post office | C an..256 | O an..35 | see 3042 # 1 an . . 35 |

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 21 / 44

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: O Max. Occ.: 1
Freight forwarder (Transport service provider - TSP)

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 10
Freight forwarder - name and address

| UN/EDIFACT | | | Implementation | |
|------------|---|-----------|----------------|--|
| | Name | St Format | St Format | Use / Remarks |
| | box identifier | | | |
| 3042 | Street and number or post office box identifier | C an..256 | N | not used |
| 3042 | Street and number or post office box identifier | C an..256 | N | not used |
| 3164 | City name | C an..35 | O an..35 | The name of the city, town, or village of this address. |
| C819 | Country subdivision details | C | O | |
| 3229 | Country subdivision identifier | C an..9 | R an..9 | State or region within a country. The use of UN LoCodes is recommended. |
| 1131 | Code list identification code | C an..17 | N | not used |
| 3055 | Code list responsible agency code | C an..3 | N | not used |
| 3228 | Country subdivision name | C an..70 | N | not used |
| 3251 | Postal identification code | C an..17 | O an..17 | The identifier for one or more properties according to the postal service of that country; a group of letters and/or numbers added to the postal address to assist in the sorting of mail. |
| 3207 | Country identifier | C an..3 | O a2 | a2 Provides the country part of an address using a code. Use ISO3166 two alpha code. |

Remark: A freight forwarder is a transport service provider who organizes the shipment of goods. The freight forwarder is the provider of transport services by rail, truck, air, sea or inland waterway. The service package includes, for example, transport and transshipment.

Example: NAD+FW+X::10++X:X+X:++++DE'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 22 / 44

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: O Max. Occ.: 1
Claims receiver

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 11
Claims receiver - name and address

| UN/EDIFACT | | | Implementation | |
|------------|---|----|----------------|---|
| | Name | St | Format | Use / Remarks |
| 3035 | Party function code qualifier | M | an..3 | IS Party to receive certified inspection report |
| C082 | Party identification details | C | R | |
| 3039 | Party identifier | M | an..35 | Unique identification of a party by an ID. |
| 1131 | Code list identification code | C | an..17 | not used |
| 3055 | Code list responsible agency code | C | an..3 | 10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list. |
| C058 | Name and address | C | N | not used |
| 3124 | Name and address description | M | an..35 | not used |
| 3124 | Name and address description | C | an..35 | not used |
| 3124 | Name and address description | C | an..35 | not used |
| 3124 | Name and address description | C | an..35 | not used |
| 3124 | Name and address description | C | an..35 | not used |
| C080 | Party name | C | O | |
| 3036 | Party name | M | an..70 | Single text line for specification of a name an . . 35 |
| 3036 | Party name | C | an..70 | see 3036 # 1 an . . 35 |
| 3036 | Party name | C | an..70 | not used |
| 3036 | Party name | C | an..70 | not used |
| 3036 | Party name | C | an..70 | not used |
| 3045 | Party name format code | C | an..3 | not used |
| C059 | Street | C | O | |
| 3042 | Street and number or post office box identifier | M | an..256 | The name that identifies the location of a house or building: usually within a street as part of an address. an . . 35 |
| 3042 | Street and number or post office box identifier | C | an..256 | see 3042 # 1 an . . 35 |
| 3042 | Street and number or post office box identifier | C | an..256 | not used |
| 3042 | Street and number or post office | C | an..256 | not used |

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 23 / 44

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: O Max. Occ.: 1
Claims receiver

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 11
Claims receiver - name and address

| UN/EDIFACT | | | Implementation | |
|------------|-----------------------------------|-----------|----------------|--|
| | Name | St Format | St Format | Use / Remarks |
| | box identifier | | | |
| 3164 | City name | C an..35 | O an..35 | The name of the city, town, or village of this address. |
| C819 | Country subdivision details | C | O | |
| 3229 | Country subdivision identifier | C an..9 | R an..9 | State or region within a country. The use of UN LoCodes is recommended. |
| 1131 | Code list identification code | C an..17 | N | not used |
| 3055 | Code list responsible agency code | C an..3 | N | not used |
| 3228 | Country subdivision name | C an..70 | N | not used |
| 3251 | Postal identification code | C an..17 | O an..17 | The identifier for one or more properties according to the postal service of that country; a group of letters and/or numbers added to the postal address to assist in the sorting of mail. |
| 3207 | Country identifier | C an..3 | O a2 | a2 Provides the country part of an address using a code. Use ISO3166 two alpha code. |

Remark:

Example: NAD+IS+00177A123456::10++X:X:X:XXXXDE'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 24 / 44

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS**Group:****SG5**

Status: R

Max. Occ.: 1

Vehicle identification and damage description**Segment:****DOC**

Status: M

Max. Occ.: 1

Seq. No.: 12

Used as trigger segment only

| UN/EDIFACT | | | Implementation | |
|------------|--------------------------------------|-----------|----------------|---------------------------------------|
| | Name | St Format | St Format | Use / Remarks |
| C002 | Document/message name | M | M | |
| 1001 | Document name code | C an..3 | R an..3 | 49 Damage certification |
| 1131 | Code list identification code | C an..17 | N | not used |
| 3055 | Code list responsible agency code | C an..3 | N | not used |
| 1000 | Document name | C an..35 | N | not used |
| C503 | Document/message details | C | N | not used |
| 1004 | Document identifier | C an..70 | N | not used |
| 1373 | Document status code | C an..3 | N | not used |
| 1366 | Document source description | C an..70 | N | not used |
| 3453 | Language name code | C an..3 | N | not used |
| 1056 | Version identifier | C an..9 | N | not used |
| 1060 | Revision identifier | C an..6 | N | not used |
| 3153 | Communication medium type code | C an..3 | N | not used |
| 1220 | Document copies required quantity | C n..2 | N | not used |
| 1218 | Document originals required quantity | C n..2 | N | not used |

Remark:**Example:** DOC+49'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 25 / 44

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG5** Status: R Max. Occ.: 1
Vehicle identification and damage description

Segment: **DTM** Status: R Max. Occ.: 1 Seq. No.: 13
Date / Time of damage recognition

| UN/EDIFACT | | | | Implementation | | |
|------------|--|----|--------|----------------|--------|---|
| | Name | St | Format | St | Format | Use / Remarks |
| C507 | Date/time/period | M | | M | | |
| 2005 | Date or time or period function code qualifier | M | an..3 | M | an..3 | 78 Event date/time/period, actual |
| 2380 | Date or time or period text | C | an..35 | R | an..17 | an . . 17 Date of recognition |
| 2379 | Date or time or period format code | C | an..3 | R | an..3 | 102 CCYYMMDD 203 CCYYMMDDHHMM 204 CCYYMMDDHHMMSS 205 CCYYMMDDHHMMZHHMM |

Remark:

Example: DTM+78:201905101433:203'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 26 / 44

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG5** Status: R Max. Occ.: 1
Vehicle identification and damage description

Segment: **DTM** Status: O Max. Occ.: 1 Seq. No.: 14
Manufacturing date

| UN/EDIFACT | | | | Implementation | | |
|------------|--|----|--------|----------------|--------|--|
| | Name | St | Format | St | Format | Use / Remarks |
| C507 | Date/time/period | M | | M | | |
| 2005 | Date or time or period function code qualifier | M | an..3 | M | an..3 | 94 Production/manufacture date |
| 2380 | Date or time or period text | C | an..35 | R | n8 | Manufacturing date n8 |
| 2379 | Date or time or period format code | C | an..3 | R | an..3 | 102 CCYYMMDD |

Remark:

Example: DTM+94:20190502:102'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 27 / 44

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG5** Status: R Max. Occ.: 1
Vehicle identification and damage description

Segment: **FTX** Status: O Max. Occ.: 1 Seq. No.: 15
Remarks from the delivering party

| UN/EDIFACT | | | Implementation | |
|------------|-----------------------------------|-----------|----------------|--|
| | Name | St Format | St Format | Use / Remarks |
| 4451 | Text subject code qualifier | M an..3 | M an..3 | OSI Other service information |
| 4453 | Free text function code | C an..3 | N | not used |
| C107 | Text reference | C | R | |
| 4441 | Free text description code | M an..17 | M an..17 | 01 soiled vehicle 02 moderately dirty vehicle 03 dirty interiors 04 internal protections missing / wrongly placed 05 external protections missing 06 vehicle under snow 07 wet vehicle 08 birdlime present 09 Flugrost 10 pantograph grease 20 other (please specify) |
| 1131 | Code list identification code | C an..17 | N | not used |
| 3055 | Code list responsible agency code | C an..3 | N | not used |
| C108 | Text literal | C | D | |
| 4440 | Free text | M an..512 | M an..512 | If code 20 (other) is used, then the text must provide the details. |
| 4440 | Free text | C an..512 | N | not used |
| 4440 | Free text | C an..512 | N | not used |
| 4440 | Free text | C an..512 | N | not used |
| 4440 | Free text | C an..512 | N | not used |
| 3453 | Language name code | C an..3 | O an..3 | Language code according to ISO 639-1 |
| 4447 | Free text format code | C an..3 | N | not used |

Remark:

Example: FTX+OSI++20+other observations+en'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 28 / 44

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG5** Status: R Max. Occ.: 1
Vehicle identification and damage description

Segment: **FTX** Status: O Max. Occ.: 1 Seq. No.: 16
Remarks from the receiving party

| UN/EDIFACT | | | Implementation | |
|------------|-----------------------------------|-----------|----------------|---|
| | Name | St Format | St Format | Use / Remarks |
| 4451 | Text subject code qualifier | M an..3 | M an..3 | ARR Arrival conditions |
| 4453 | Free text function code | C an..3 | N | not used |
| C107 | Text reference | C | R | |
| 4441 | Free text description code | M an..17 | M an..17 | 11 poor light conditions 12 rain during inspection 13 snow during inspection 14 storm during inspection 15 not enough space for inspection 16 delivery after office hours 17 not according to OEM's inspection rules 18 vehicles inspected after more than XX hours after time of delivery (please specify) 19 possible hidden damages 20 other (please specify) |
| 1131 | Code list identification code | C an..17 | N | not used |
| 3055 | Code list responsible agency code | C an..3 | N | not used |
| C108 | Text literal | C | R | |
| 4440 | Free text | M an..512 | M an..512 | If code 18 or 20 are used, then the text must provide the details. |
| 4440 | Free text | C an..512 | N | not used |
| 4440 | Free text | C an..512 | N | not used |
| 4440 | Free text | C an..512 | N | not used |
| 4440 | Free text | C an..512 | N | not used |
| 3453 | Language name code | C an..3 | O an..3 | Language code according to ISO 639-1 |
| 4447 | Free text format code | C an..3 | N | not used |

Remark:

Example: FTX+ARR++20+other observations+en'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 29 / 44

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG5** Status: R Max. Occ.: 1
Vehicle identification and damage description

Segment: **FTX** Status: O Max. Occ.: 1 Seq. No.: 17
Place of inspection

| UN/EDIFACT | | | Implementation | |
|------------|-----------------------------------|-----------|----------------|--|
| | Name | St Format | St Format | Use / Remarks |
| 4451 | Text subject code qualifier | M an..3 | M an..3 | AGW Location |
| 4453 | Free text function code | C an..3 | N | not used |
| C107 | Text reference | C | R | |
| 4441 | Free text description code | M an..17 | R an..17 | Place of inspection. This information is needed for some LSPs/OEMs. Use UN-LoCode, if possible. |
| 1131 | Code list identification code | C an..17 | N | not used |
| 3055 | Code list responsible agency code | C an..3 | R an..3 | 6 UN/ECE (United Nations - Economic Commission for Europe) 90 Assigned by manufacturer Code specifying the agency responsible for a code list. |
| C108 | Text literal | C | N | not used |
| 4440 | Free text | M an..512 | N | not used |
| 4440 | Free text | C an..512 | N | not used |
| 4440 | Free text | C an..512 | N | not used |
| 4440 | Free text | C an..512 | N | not used |
| 4440 | Free text | C an..512 | N | not used |
| 3453 | Language name code | C an..3 | N | not used |
| 4447 | Free text format code | C an..3 | N | not used |

Remark:

Example: FTX+AGW++ABC::6'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 30 / 44

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG5** Status: R Max. Occ.: 1
Vehicle identification and damage description

Segment: **FTX** Status: O Max. Occ.: 6 Seq. No.: 18
Link(s) to external document(s)

| UN/EDIFACT | | | Implementation | |
|------------|-----------------------------------|-----------|----------------|---|
| | Name | St Format | St Format | Use / Remarks |
| 4451 | Text subject code qualifier | M an..3 | M an..3 | DAR Damage remarks |
| 4453 | Free text function code | C an..3 | N | not used |
| C107 | Text reference | C | N | not used |
| 4441 | Free text description code | M an..17 | N | not used |
| 1131 | Code list identification code | C an..17 | N | not used |
| 3055 | Code list responsible agency code | C an..3 | N | not used |
| C108 | Text literal | C | R | |
| 4440 | Free text | M an..512 | M an..512 | URL to an external document, made available on a web-portal or the like (e.g. a picture of the damage). |
| 4440 | Free text | C an..512 | O an..512 | see 4440#1 |
| 4440 | Free text | C an..512 | O an..512 | see 4440#1 |
| 4440 | Free text | C an..512 | O an..512 | see 4440#1 |
| 4440 | Free text | C an..512 | O an..512 | see 4440#1 |
| 3453 | Language name code | C an..3 | N | not used |
| 4447 | Free text format code | C an..3 | N | not used |

Remark:

Example: FTX+DAR+++X:X:X:X'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 31 / 44

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG5** Status: R Max. Occ.: 1
Vehicle identification and damage description

Group: **SG6** Status: R Max. Occ.: 1
Vehicle, model and damage identification

Segment: **LIN** Status: M Max. Occ.: 1 Seq. No.: 19
Line item

| UN/EDIFACT | | | Implementation | |
|------------|-----------------------------------|-----------|----------------|--|
| | Name | St Format | St Format | Use / Remarks |
| 1082 | Line item identifier | C an..6 | R an..6 | Fix value: 1 |
| 1229 | Action code | C an..3 | O an..3 | The repair of minor damages is often included in the service contract with the service provider. If the damage is of that nature, this indicator could be set to 'X02'. The default value is 'X01'. X01 claimable X02 not claimable Damage claimable indicator |
| C212 | Item number identification | C | N | not used |
| 7140 | Item identifier | C an..35 | N | not used |
| 7143 | Item type identification code | C an..3 | N | not used |
| 1131 | Code list identification code | C an..17 | N | not used |
| 3055 | Code list responsible agency code | C an..3 | N | not used |
| C829 | Sub-line information | C | N | not used |
| 5495 | Sub-line indicator code | C an..3 | N | not used |
| 1082 | Line item identifier | C an..6 | N | not used |
| 1222 | Configuration level number | C n..2 | N | not used |
| 7083 | Configuration operation code | C an..3 | N | not used |

Remark:

Example: LIN+1+X01'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 32 / 44

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG5** Status: R Max. Occ.: 1
Vehicle identification and damage description

Group: **SG6** Status: R Max. Occ.: 1
Vehicle, model and damage identification

Segment: **PIA** Status: R Max. Occ.: 99 Seq. No.: 20
Model identification

| UN/EDIFACT | | | Implementation | |
|------------|-----------------------------------|-----------|----------------|---|
| | Name | St Format | St Format | Use / Remarks |
| 4347 | Product identifier code qualifier | M an..3 | M an..3 | 1 Additional identification |
| C212 | Item number identification | M | M | |
| 7140 | Item identifier | C an..35 | R an..35 | Model identification Model name / version |
| 7143 | Item type identification code | C an..3 | R an..3 | VV Vehicle identity number V01 Production number of a vehicle V02 Commission number of a vehicle V03 Vehicle cluster (01 = Sedan, 02= hatchback, ...) V04 Vehicle equipment code number V05 Order type (01 = customer car, 02= dealer stock, 03 = stock, 04=other) V06 Fuel type V07 Brand V08 Unique identifier of an engine V09 Engine power in kilowatt V10 Engine cubic capacity in cubic centimetres V11 Model type V12 Model version V13 For press or show V14 Product type (e.g. motorcycles, cars) V15 Vehicle usage (e.g. military, diplomat, car rental, ...) V16 Shipping batch number V17 Project number to identify a vehicle V18 Vehicle tracking number |
| 1131 | Code list identification code | C an..17 | N | not used |
| 3055 | Code list responsible agency code | C an..3 | N | not used |
| C212 | Item number identification | C | O | |
| 7140 | Item identifier | C an..35 | R an..35 | see 7140#1 |
| 7143 | Item type identification code | C an..3 | R an..3 | see 7143#1 |
| 1131 | Code list identification code | C an..17 | N | not used |
| 3055 | Code list responsible agency | C an..3 | N | not used |

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 33 / 44

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG5** Status: R Max. Occ.: 1
Vehicle identification and damage description

Group: **SG6** Status: R Max. Occ.: 1
Vehicle, model and damage identification

Segment: **PIA** Status: R Max. Occ.: 99 Seq. No.: 20
Model identification

| UN/EDIFACT | | | | Implementation | | |
|------------|-----------------------------------|----|--------|----------------|--------|---------------|
| | Name | St | Format | St | Format | Use / Remarks |
| | code | | | | | |
| C212 | Item number identification | C | | O | | |
| 7140 | Item identifier | C | an..35 | R | an..35 | see 7140#1 |
| 7143 | Item type identification code | C | an..3 | R | an..3 | see 7143#1 |
| 1131 | Code list identification code | C | an..17 | N | | not used |
| 3055 | Code list responsible agency code | C | an..3 | N | | not used |
| C212 | Item number identification | C | | O | | |
| 7140 | Item identifier | C | an..35 | R | an..35 | see 7140#1 |
| 7143 | Item type identification code | C | an..3 | R | an..3 | see 7143#1 |
| 1131 | Code list identification code | C | an..17 | N | | not used |
| 3055 | Code list responsible agency code | C | an..3 | N | | not used |
| C212 | Item number identification | C | | O | | |
| 7140 | Item identifier | C | an..35 | R | an..35 | see 7140#1 |
| 7143 | Item type identification code | C | an..3 | R | an..3 | see 7143#1 |
| 1131 | Code list identification code | C | an..17 | N | | not used |
| 3055 | Code list responsible agency code | C | an..3 | N | | not used |

Remark: The sequence of C212 in PIA segments qualified with '1' is free. The first occurrence of C212 has to be filled.

Example: PIA+1+MODEL:V11+sedan:VV+Customer car:V05+2020:V12+Diesel:V06'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 34 / 44

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG5** Status: R Max. Occ.: 1
Vehicle identification and damage description

Group: **SG6** Status: R Max. Occ.: 1
Vehicle, model and damage identification

Segment: **IMD** Status: R Max. Occ.: 1 Seq. No.: 21
Damage description

| UN/EDIFACT | | | Implementation | |
|------------|-----------------------------------|-----------|----------------|--|
| | Name | St Format | St Format | Use / Remarks |
| 7077 | Description format code | C an..3 | O an..3 | X Semi-structured (code + text) |
| C272 | Item characteristic | C | O | |
| 7081 | Item characteristic code | C an..3 | R an..3 | Severity of the damage as defined by the manufacturer. |
| 1131 | Code list identification code | C an..17 | N | not used |
| 3055 | Code list responsible agency code | C an..3 | R an..3 | 90 Assigned by manufacturer Code specifying the agency responsible for a code list. |
| C273 | Item description | C | R | |
| 7009 | Item description code | C an..17 | R an..17 | Type of damage code, use AIAG or OEM's codification system for the damage |
| 1131 | Code list identification code | C an..17 | N | not used |
| 3055 | Code list responsible agency code | C an..3 | R an..3 | Use 90 for OEM's damage code list 167 US, AIAG (Automotive Industry Action Group) 90 Assigned by manufacturer Code specifying the agency responsible for a code list. |
| 7008 | Item description | C an..256 | O an..256 | Remarks on the damage |
| 7008 | Item description | C an..256 | O an..256 | Remarks on the damage |
| 3453 | Language name code | C an..3 | O an..3 | Language code according to ISO 639-1 |
| 7383 | Surface or layer code | C an..3 | N | not used |

Remark: If AIAG's damage code is used in DE 7009, then it is not necessary to specify anything in DE 7081 or SG11 since the damage code contains this information.

Example: IMD+X+06::90+02::90:damage remark:damage remark:en'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 35 / 44

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG5** Status: R Max. Occ.: 1
Vehicle identification and damage description

Group: **SG6** Status: R Max. Occ.: 1
Vehicle, model and damage identification

Segment: **QTY** Status: O Max. Occ.: 1 Seq. No.: 22
Mileage

| UN/EDIFACT | | | Implementation | |
|------------|------------------------------|----------|----------------|--|
| | Name | St | Format | Use / Remarks |
| C186 | Quantity details | M | M | |
| 6063 | Quantity type code qualifier | M an..3 | M an..3 | 372 Actual units, cumulative to date |
| 6060 | Quantity | M an..35 | R an..35 | Current odometer reading |
| 6411 | Measurement unit code | C an..8 | R an..8 | KMT kilometre SMI mile (statute mile) |

Remark:

Example: QTY+372:5:KMT'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 36 / 44

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG5** Status: R Max. Occ.: 1
Vehicle identification and damage description

Group: **SG6** Status: R Max. Occ.: 1
Vehicle, model and damage identification

Segment: **ALI** Status: O Max. Occ.: 1 Seq. No.: 23
Vehicle drivable indicator and downgrading code

| UN/EDIFACT | | | | Implementation | | |
|------------|------------------------------|----|--------|----------------|--------|---|
| | Name | St | Format | St | Format | Use / Remarks |
| 3239 | Country of origin identifier | C | an..3 | N | | not used |
| 9213 | Duty regime type code | C | an..3 | N | | not used |
| 4183 | Special condition code | C | an..3 | R | an..3 | Vehicle drivable indicator: Indicates, whether the car can be loaded/discharged as self-propelled or it cannot move (e.g. because of damages, technical issues, “on hold” status, etc.). YES - vehicle drivable NO - vehicle not drivable NO vehicle not drivable YES vehicle drivable |
| 4183 | Special condition code | C | an..3 | C | an..3 | Downgrading code, as specified by OEM For example: C - Total loss B - Partial loss A - Light damage |
| 4183 | Special condition code | C | an..3 | N | | not used |
| 4183 | Special condition code | C | an..3 | N | | not used |
| 4183 | Special condition code | C | an..3 | N | | not used |

Remark:

Example: ALI+++NO+A'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 37 / 44

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

| | | | | |
|----------|-------------|---|--------------|--------------|
| Group: | SG5 | Status: R | Max. Occ.: 1 | |
| | | Vehicle identification and damage description | | |
| Group: | SG6 | Status: R | Max. Occ.: 1 | |
| | | Vehicle, model and damage identification | | |
| Group: | SG11 | Status: D | Max. Occ.: 1 | |
| | | Area identification according to manufacturers specification. | | |
| Segment: | CCI | Status: M | Max. Occ.: 1 | Seq. No.: 24 |
| | | Area identification according to manufacturers specification. | | |

| UN/EDIFACT | | | Implementation | |
|------------|------------------------------------|-----------|----------------|---|
| | Name | St Format | St Format | Use / Remarks |
| 7059 | Class type code | C an..3 | R an..3 | 16 Parameter |
| C502 | Measurement details | C | R | |
| 6313 | Measured attribute code | C an..3 | R an..3 | AEL Area |
| 6321 | Measurement significance code | C an..3 | N | not used |
| 6155 | Non-discrete measurement name code | C an..17 | N | not used |
| 6154 | Non-discrete measurement name | C an..70 | N | not used |
| C240 | Characteristic description | C | R | |
| 7037 | Characteristic description code | M an..17 | M an..17 | Location or area of the damage. Use manufacturer's code list for area specification . |
| 1131 | Code list identification code | C an..17 | N | not used |
| 3055 | Code list responsible agency code | C an..3 | R an..3 | 90 Assigned by manufacturer Code specifying the agency responsible for a code list. |
| 7036 | Characteristic description | C an..35 | N | not used |
| 7036 | Characteristic description | C an..35 | N | not used |
| 4051 | Characteristic relevance code | C an..3 | N | not used |

Remark: This segment is only needed, if IMD DE7009 does not contain the AIAG damage code.

Example: CCI+16+AEL+X::90'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 38 / 44

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG5** Status: R Max. Occ.: 1
Vehicle identification and damage description

Group: **SG6** Status: R Max. Occ.: 1
Vehicle, model and damage identification

Group: **SG11** Status: O Max. Occ.: 4
Size of damage

Segment: **CCI** Status: M Max. Occ.: 1 Seq. No.: 25
Size of damage

| UN/EDIFACT | | | Implementation | |
|------------|------------------------------------|-----------|----------------|---|
| | Name | St Format | St Format | Use / Remarks |
| 7059 | Class type code | C an..3 | R an..3 | 2 Mechanical |
| C502 | Measurement details | C | C | |
| 6313 | Measured attribute code | C an..3 | R an..3 | LN Length WD Width dimension DP Depth AEL Area |
| 6321 | Measurement significance code | C an..3 | N | not used |
| 6155 | Non-discrete measurement name code | C an..17 | N | not used |
| 6154 | Non-discrete measurement name | C an..70 | N | not used |
| C240 | Characteristic description | C | N | not used |
| 7037 | Characteristic description code | M an..17 | N | not used |
| 1131 | Code list identification code | C an..17 | N | not used |
| 3055 | Code list responsible agency code | C an..3 | N | not used |
| 7036 | Characteristic description | C an..35 | N | not used |
| 7036 | Characteristic description | C an..35 | N | not used |
| 4051 | Characteristic relevance code | C an..3 | N | not used |

Remark:

Example: CCI+2+LN'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 39 / 44

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG5** Status: R Max. Occ.: 1
Vehicle identification and damage description

Group: **SG6** Status: R Max. Occ.: 1
Vehicle, model and damage identification

Group: **SG11** Status: O Max. Occ.: 4
Size of damage

Segment: **CAV** Status: R Max. Occ.: 1 Seq. No.: 26
Measurement value

| UN/EDIFACT | | | Implementation | |
|------------|---------------------------------------|-----------|----------------|---|
| | Name | St Format | St Format | Use / Remarks |
| C889 | Characteristic value | M | M | |
| 7111 | Characteristic value description code | C an..3 | N | not used |
| 1131 | Code list identification code | C an..17 | N | not used |
| 3055 | Code list responsible agency code | C an..3 | N | not used |
| 7110 | Characteristic value description | C an..35 | R n..9 | n..9 Measure value: length, width and depth in mm, area in square mm |
| 7110 | Characteristic value description | C an..35 | N | not used |

Remark:

Example: CAV+:::9'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 40 / 44

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNS

Status:

M Max. Occ.: 1

Seq. No.:

27

Section control

| UN/EDIFACT | | | Implementation | |
|------------|------------------------|-----------|----------------|---------------|
| | Name | St Format | St Format | Use / Remarks |
| 0081 | Section identification | M a1 | M a1 | |

Remark:

Example: UNS+S'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 41 / 44

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNT

Status:

M Max. Occ.: 1

Seq. No.:

28

Message trailer

| UN/EDIFACT | | | Implementation | |
|------------|-----------------------------------|-----------|----------------|---------------|
| | Name | St Format | St Format | Use / Remarks |
| 0074 | Number of segments in the message | M n..6 | M n..6 | |
| 0062 | Message reference number | M an..14 | M an..14 | |

Remark:

Example: UNT+26+1'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 42 / 44

Finished vehicles - Damage Report

DOC REF No: FV07

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNZ

Status:

M

Max. Occ.: 1

Seq. No.:

29

Interchange trailer

| UN/EDIFACT | | | Implementation | |
|------------|-------------------------------|-----------|----------------|---------------|
| | Name | St Format | St Format | Use / Remarks |
| 0036 | Interchange control count | M n..6 | M n..6 | |
| 0020 | Interchange control reference | M an..14 | M an..14 | |

Remark:

Example: UNZ+1+144659'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 43 / 44

EXAMPLE MESSAGE(S)

FV07-X21 - Damage Report

| | | |
|--|--|--|
| | UNH+1+PROSRV:D:18B:UN:GBOX10 ' | Message header |
| | BGM+X21::10:PROFILE+DOC NO+9 ' | Beginning of message |
| | DTM+137:202005101530:203 ' | Document date |
| | Segment group | |
| | NAD+MS+987654321::16 ' | Message sender - name and address |
| | Segment group | |
| | NAD+MR+432112345::16 ' | Message recipient - name and address |
| | Segment group | |
| | NAD+RF+123123123::16++ANTWERP EURO TERMINAL NV ' | Delivering Party - name and address |
| | Segment group | |
| | NAD+FX+987654321::16++MOSOLF ' | Receiving party - name and address |
| | Segment group | |
| | NAD+FW+435465431::16++DF YOUNG LOG ISTICS SOLUTIONS:X+X:X++++DE ' | Freight forwarder - name and address |
| | Segment group | |
| | DOC+49 ' | Used as trigger segment only |
| | DTM+78:202005101433:203 ' | Date / Time of damage recognition: 2020-05-10 14:33 |
| | DTM+94:20200502:102 ' | Manufacturing date: 2020-05-02 |
| | FTX+OSI++01 ' | Remarks from the delivering party |
| | FTX+ARR++20+other observations ' | Remarks from the receiving party |
| | FTX+AGW++BE ANT::6 ' | Place of inspection |
| | FTX+DAR+++https?://abc.123.com/471 1.jpg ' | Link(s) to external document(s) |
| | Segment group | |
| | LIN+1 ' | Line item |
| | PIA+1+JEEP WRANGLER / SAHARA 4x4:V11+1A2BCDEFGHI456789:VV ' | V11 - Model: JEEP WRANGLER / SAHARA 4x4 VV - Vehicle identity number: 1A2BCDEFGHI456789 |
| | IMD+X+01+02::90:Bumper broken::en ' | Damage description |
| | QTY+372:5:KMT ' | Mileage: 5 kmt |
| | ALI+++YES ' | Vehicle drivable indicator: yes, vehicle drivable |
| | Segment group | |
| | CCI+16+AEL+03::90 ' | Area identification according to manufacturers specification. |
| | UNS+S ' | Section control |
| | UNT+24+1 ' | Message trailer |