

Finished vehicles - Vehicle Status Request

DOC REF No: FV10
VERSION No: V1R0

DATE: May 2020

Finished vehicles - Vehicle Status Request

based on

IFTSTQ

International multimodal status request message

UN D.18B S3

Version: V1R0
Issue date: May 2020
Author: ECG/Odette/VDA

Structure..... 2

Branching Diagram 3

Segment Details..... 4

Example message(s) 20

Finished vehicles - Vehicle Status Request

DOC REF No: FV10

VERSION No: V1R0

DATE:

May 2020

STRUCTURE / TABLE OF CONTENTS

No	Tag	St	MaxOcc	Content
	01 UNA	O	1	Service string advice
	02 UNB	M	1	Interchange header
	03 UNH	M	1	Message header
	04 BGM	M	1	Beginning of message
	05 DTM	R	1	Message date/time
	SG2	R	1	Message sender
	06 NAD	M	1	Message sender - ID
	SG2	R	1	Message recipient
	07 NAD	M	1	Message recipient - ID
	SG2	O	1	Compound
	08 NAD	M	1	Name / ID of the Compound
	SG4	R	999	Request per vehicle
	09 CN1	M	1	Consignment information
	10 RFF	R	1	Vehicle request purpose
	SG5	R	99	Vehicle identification
	11 EQD	M	1	Vehicle identification
	12 UNT	M	1	Message trailer
	13 UNZ	M	1	Interchange trailer

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 2 / 20

Finished vehicles - Vehicle Status Request


DOC REF No: FV10

VERSION No: V1R0

DATE:

May 2020

BRANCHING DIAGRAM OF USED SEGMENTS AND SEGMENT GROUPS



Tag	
St	No
MaxOcc	

Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

No = Consecutive segment number, MaxOcc = Maximum occurrence of the segment/group

Finished vehicles - Vehicle Status Request

DOC REF No: FV10

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNA

Status:

O Max. Occ.: 1

Seq. No.:

1

Service string advice

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
UNA1	Component data element separator	M an1	M an1	Colon
UNA2	Data element separator	M an1	M an1	Plus sign
UNA3	Decimal notation	M an1	M an1	Full stop
UNA4	Release indicator	M an1	M an1	Question mark
UNA5	Reserved for future use	M an1	M an1	Blank
UNA6	Segment terminator	M an1	M an1	Apostrophe

Remark:

Example: UNA:+.? '

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 4 / 20

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Vehicle Status Request

DOC REF No: FV10

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNB

Status:

M Max. Occ.: 1

Seq. No.:

2

Interchange header

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
S001	Syntax identifier	M	M	
0001	Syntax identifier	M a4	M a4	UNOA UN/ECE level A UNOB UN/ECE level B UNOC UN/ECE level C UNOD UN/ECE level D
0002	Syntax version number	M n1	M n1	2 Version 2 3 Version 3
S002	Interchange sender	M	M	
0004	Sender identification	M an..35	M an..35	Unique ID of the sender in the data transmission network.
0007	Partner identification code qualifier	C an..4	O an..4	
0008	Address for reverse routing	C an..14	O an..14	Address of an application or internal system at sender's site to which reply messages should be routed.
S003	Interchange recipient	M	M	
0010	Recipient identification	M an..35	M an..35	Unique ID of the receiver in the data transmission network.
0007	Partner identification code qualifier	C an..4	O an..4	
0014	Routing address	C an..14	O an..14	Address of an application or an internal system at receiver's side.
S004	Date/time of preparation	M	M	
0017	Date of preparation	M n6	M n6	Format YYMMDD
0019	Time of preparation	M n4	M n4	Format HHMM
0020	Interchange control reference	M an..14	M an..14	Unique ID of an interchange.
S005	Recipient's reference, password	C	N	not used
0022	Recipient's reference/password	M an..14	N	not used
0025	Recipient's reference/password qualifier	C an2	N	not used
0026	Application reference	C an..14	N	not used
0029	Processing priority code	C a1	N	not used
0031	Acknowledgement request	C n1	N	not used
0032	Communications agreement ID	C an..35	N	not used
0035	Test indicator	C n1	O n1	1 Interchange is a test Only to be used for data interchange test purposes.

Remark:

Example: UNB+UNOC:3+OD012345:59:123+987654321:1:LEFAS+200518:1446+144659+++++1'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 5 / 20

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Vehicle Status Request

DOC REF No: FV10

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNH

Status:

M Max. Occ.: 1

Seq. No.:

3

Message header

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
0062	Message reference number	M an..14	M an..14	Message reference number (in the interchange)
S009	Message identifier	M	M	
0065	Message type	M an..6	M an..6	IFTSTQ International multimodal status request message
0052	Message version number	M an..3	M an..3	D Draft version/UN/EDIFACT Directory
0054	Message release number	M an..3	M an..3	18B Release 2018 - B
0051	Controlling agency	M an..2	M an..2	UN UN/CEFACT
0057	Association assigned code	C an..6	R an..6	Identification of the subset release, assigned by Odette. GBOU10 Odette Finished Vehicles Status Request V1.0
0068	Common access reference	C an..35	N	not used
S010	Status of the transfer	C	N	not used
0070	Sequence of transfers	M n..2	N	not used
0073	First and last transfer	C a1	N	not used

Remark:

Example: UNH+12345+IFTSTQ:D:18B:UN:GBOU10'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association of European Vehicle Logistics



Verband der Automobilindustrie

Print date: 10.06.2020

Page | 6 / 20

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Vehicle Status Request

DOC REF No: FV10

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

BGM

Status: M Max. Occ.: 1

Seq. No.: 4

Beginning of message

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C002	Document/message name	C	R	
1001	Document name code	C an..3	R an..3	X36 Finished Vehicles - Vehicle Status Request
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	Code specifying the agency responsible for a code list. 10 ODETTE
1000	Document name	C an..35	O an..35	Process indicator Can be used to specify a company-specific profile of this application description.
C106	Document/message identification	C	R	
1004	Document identifier	C an..70	R an..70	
1056	Version identifier	C an..9	N	not used
1060	Revision identifier	C an..6	N	not used
1225	Message function code	C an..3	R an..3	9 Original
4343	Response type code	C an..3	N	not used
1373	Document status code	C an..3	N	not used
3453	Language name code	C an..3	N	not used

Remark:

Example: BGM+X36::10:X+X+9'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association of European Vehicle Logistics



Verband der Automobilindustrie

Print date: 10.06.2020

Page | 7 / 20

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Vehicle Status Request

DOC REF No: FV10

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

DTM

Status:

R Max. Occ.: 1

Seq. No.:

5

Message date/time

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	137 Document issue date time
2380	Date or time or period text	C an..35	R an..17	an..17 Date/time of creation of message
2379	Date or time or period format code	C an..3	R an..3	When the format qualifier 205 is used, the time is displayed according to UTC (Universal Time Coordinated) with the time deviation (+ or -) in hours and minutes. 201901011000+0000: 1 January 2019 10:00 UTC 201901011000+0100: 1 January 2019 10:00 UTC + 1 hour. This corresponds to the Central European Time. 201901011000-0600: 1 January 2019 10:00 UTC - 6 hour. This corresponds to the Central Standard Time (CST). 102 CCYYMMDD 203 CCYYMMDDHHMM 205 CCYYMMDDHHMMZHHMM

Remark:

Example: DTM+137:20200518:102'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association of European Vehicle Logistics



Verband der Automobilindustrie

Print date: 10.06.2020

Page | 8 / 20

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Vehicle Status Request

DOC REF No: FV10

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: R Max. Occ.: 1
Message sender

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 6
Message sender - ID

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3035	Party function code qualifier	M an..3	M an..3	MS Document/message issuer/sender
C082	Party identification details	C	R	
3039	Party identifier	M an..35	M an..35	Unique identification of a party by an ID. an..35
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list.
C058	Name and address	C	N	not used
3124	Name and address description	M an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
C080	Party name	C	N	not used
3036	Party name	M an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3045	Party name format code	C an..3	N	not used
C059	Street	C	N	not used
3042	Street and number or post office box identifier	M an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 9 / 20

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Vehicle Status Request

DOC REF No: FV10

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: R Max. Occ.: 1
Message sender

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 6
Message sender - ID

UN/EDIFACT				Implementation		
	Name	St	Format	St	Format	Use / Remarks
3164	City name	C	an..35	N		not used
C819	Country subdivision details	C		N		not used
3229	Country subdivision identifier	C	an..9	N		not used
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
3228	Country subdivision name	C	an..70	N		not used
3251	Postal identification code	C	an..17	N		not used
3207	Country identifier	C	an..3	N		not used

Remark:**Example:** NAD+MS+Identifier::10'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

**ECG** The Association
of European
Vehicle LogisticsVerband der
Automobilindustrie

Print date: 10.06.2020

Page | 10 / 20

Finished vehicles - Vehicle Status Request

DOC REF No: FV10

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: R Max. Occ.: 1
Message recipient

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 7
Message recipient - ID

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3035	Party function code qualifier	M an..3	M an..3	MR Message recipient
C082	Party identification details	C	O	
3039	Party identifier	M an..35	M an..35	Unique identification of a party by an ID. an..35
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list.
C058	Name and address	C	N	not used
3124	Name and address description	M an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
C080	Party name	C	N	not used
3036	Party name	M an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3045	Party name format code	C an..3	N	not used
C059	Street	C	N	not used
3042	Street and number or post office box identifier	M an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 11 / 20

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Vehicle Status Request

DOC REF No: FV10

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: R Max. Occ.: 1
Message recipient

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 7
Message recipient - ID

UN/EDIFACT				Implementation		
	Name	St	Format	St	Format	Use / Remarks
3164	City name	C	an..35	N		not used
C819	Country subdivision details	C		N		not used
3229	Country subdivision identifier	C	an..9	N		not used
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
3228	Country subdivision name	C	an..70	N		not used
3251	Postal identification code	C	an..17	N		not used
3207	Country identifier	C	an..3	N		not used

Remark:**Example:** NAD+MR+Identifier::10'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

**ECG** The Association
of European
Vehicle LogisticsVerband der
Automobilindustrie

Print date: 10.06.2020

Page | 12 / 20

Finished vehicles - Vehicle Status Request

DOC REF No: FV10

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG2** Status: O Max. Occ.: 1
Compound

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 8
Name / ID of the Compound

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3035	Party function code qualifier	M an..3	M an..3	TR Terminal operator
C082	Party identification details	C	R	
3039	Party identifier	M an..35	M an..35	Compound ID
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
C058	Name and address	C	N	not used
3124	Name and address description	M an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
C080	Party name	C	R	
3036	Party name	M an..70	M an..35	Compound name an..35
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3045	Party name format code	C an..3	N	not used
C059	Street	C	N	not used
3042	Street and number or post office box identifier	M an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used
3164	City name	C an..35	N	not used
C819	Country subdivision details	C	N	not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association of European Vehicle Logistics



Verband der Automobilindustrie

Print date: 10.06.2020

Page | 13 / 20

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Vehicle Status Request

DOC REF No: FV10

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group:

SG2

Status: O

Max. Occ.: 1

Compound

Segment:

NAD

Status: M Max. Occ.: 1

Seq. No.: 8

Name / ID of the Compound

UN/EDIFACT				Implementation		
	Name	St	Format	St	Format	Use / Remarks
3229	Country subdivision identifier	C	an..9	N		not used
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
3228	Country subdivision name	C	an..70	N		not used
3251	Postal identification code	C	an..17	N		not used
3207	Country identifier	C	an..3	N		not used

Remark:**Example:** NAD+TR+COMPOUND X++ECA, PORT ROTTERDAM'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

**ECG** The Association
of European
Vehicle LogisticsVerband der
Automobilindustrie

Print date: 10.06.2020

Page | 14 / 20

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Vehicle Status Request

DOC REF No: FV10

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: R Max. Occ.: 999
Request per vehicle

Segment: **CNI** Status: M Max. Occ.: 1 Seq. No.: 9
Consignment information

UN/EDIFACT				Implementation		
	Name	St	Format	St	Format	Use / Remarks
1490	Consolidation item number	C	n..5	R	n..5	Consecutive number over all CNI segments in one message.
C503	Document/message details	C		N		not used
1004	Document identifier	C	an..70	N		not used
1373	Document status code	C	an..3	N		not used
1366	Document source description	C	an..70	N		not used
3453	Language name code	C	an..3	N		not used
1056	Version identifier	C	an..9	N		not used
1060	Revision identifier	C	an..6	N		not used
1312	Consignment load sequence identifier	C	n..4	N		not used

Remark:**Example:** CNI+1'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

**ECG** The Association
of European
Vehicle LogisticsVerband der
Automobilindustrie

Print date: 10.06.2020

Page | 15 / 20

Finished vehicles - Vehicle Status Request

DOC REF No: FV10

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: R Max. Occ.: 999
Request per vehicle

Segment: **RFF** Status: R Max. Occ.: 1 Seq. No.: 10
Vehicle request purpose

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	X6 Vehicle request purpose
1154	Reference identifier	C an..70	R an..70	Vehicle request purpose 01 Locate 02 Lock during transport 03 Lock during storage 04 High voltage battery status 05 Low voltage battery status 06 Unlock during transport 07 Unlock during storage 08 Flash light
1156	Document line identifier	C an..6	N	not used
1056	Version identifier	C an..9	N	not used
1060	Revision identifier	C an..6	N	not used

Remark:

Example: RFF+X6:01'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 16 / 20

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Vehicle Status Request

DOC REF No: FV10

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: R Max. Occ.: 999
Request per vehicle

Group: **SG5** Status: R Max. Occ.: 99
Vehicle identification

Segment: **EQD** Status: M Max. Occ.: 1 Seq. No.: 11
Vehicle identification

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
8053	Equipment type code qualifier	M an..3	M an..3	VV Vehicle identity number V01 Production number of a vehicle V02 Commission number of a vehicle V17 Project number to identify a vehicle V18 Vehicle tracking number
C237	Equipment identification	C	R	
8260	Equipment identifier	C an..17	R an..17	Vehicle identification Usually the vehicle identification number (VIN) or another identification number if the VIN is not known.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3207	Country identifier	C an..3	N	not used
C224	Equipment size and type	C	N	not used
8155	Equipment size and type description code	C an..10	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
8154	Equipment size and type description	C an..35	N	not used
8077	Equipment supplier code	C an..3	N	not used
8249	Equipment status code	C an..3	N	not used
8169	Full or empty indicator code	C an..3	N	not used
4233	Marking instructions code	C an..3	N	not used

Remark:

Example: EQD+VV+12345678901234567'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 17 / 20

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Vehicle Status Request

DOC REF No: FV10

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNT

Status:

M Max. Occ.: 1

Seq. No.:

12

Message trailer

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
0074	Number of segments in the message	M n..6	M n..6	
0062	Message reference number	M an..14	M an..14	

Remark:

Example: UNT+10+12345'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 18 / 20

Finished vehicles - Vehicle Status Request

DOC REF No: FV10

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNZ

Status:

M Max. Occ.: 1

Seq. No.: 13

Interchange trailer

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
0036	Interchange control count	M n..6	M n..6	
0020	Interchange control reference	M an..14	M an..14	

Remark:

Example: UNZ+1+144659'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 19 / 20

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Vehicle Status Request

DOC REF No: FV10

VERSION No: V1R0

DATE:

May 2020

EXAMPLE MESSAGE(S)

FV10 Vehicle request - finished vehicles IFTSTQ

	UNH+12345+IFTSTQ:D:18B:UN:GBOU10 '	Message header
	BGM+X36::10:OEM XYZ+1234567+9 '	Beginning of message
	DTM+137:20200521:102 '	Message date: 2020-05-21
	Segment group	
	NAD+MS+TSP128::10 '	Message sender
	Segment group	
	NAD+MR+7654321::92 '	Message recipient
	Segment group	
	NAD+TR+COMPOUND X++ECA, PORT ROTTERDAM '	Compound X, ECA Port Rotterdam
	Segment group	
	CNI+1 '	Consignment information
	RFF+X6:03 '	Vehicle request purpose 03 - Lock during storage
	Segment group	
	EQD+VV+12345678901234567 '	Vehicle identification: 12345678901234567
	Segment group	
	EQD+VV+12345678901234534 '	Vehicle identification: 12345678901234534
	UNT+13+12345 '	Message trailer