

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

based on

IFTMCS

Instruction contract status message

UN D.18B S3

Version: V1R0
Issue date: May 2020
Author: ECG/Odette/VDA

Structure..... 2

Branching Diagram 5

Segment Details..... 8

Example message(s) 63

STRUCTURE / TABLE OF CONTENTS

No Tag	St	MaxOcc	Content
01 UNA	O	1	Service string advice
02 UNB	M	1	Interchange header
03 UNH	M	1	Message header
04 BGM	M	1	Beginning of message
05 DTM	R	1	Document date
06 DTM	O	1	Requested pick-up date
07 DTM	D	1	Confirmed pick-up date at the ship from Confirmed delivery date at the ship to
08 DTM	O	1	Estimated delivery date at final destination
09 FTX	C	1	Free text - general information
<input type="checkbox"/> SG3	R	1	Number of the original transport order
<input type="checkbox"/> 10 RFF	M	1	Number of the Transport Service Order
<input type="checkbox"/> SG3	O	1	Load number - Bill of Lading - Transport number - Bordereau number
<input type="checkbox"/> 11 RFF	M	1	Transport number (LSP) - Bordereau number
<input type="checkbox"/> SG3	O	1	Movement Reference Number (MRN)
<input type="checkbox"/> 12 RFF	M	1	Movement Reference Number (MRN)
<input type="checkbox"/> SG8	R	1	Transport details of the current transport leg
<input type="checkbox"/> 13 TDT	M	1	Transport details of the ordered transport leg
<input type="checkbox"/> SG12	R	1	Ship from for the current transport leg
<input type="checkbox"/> 14 NAD	M	1	Name and address
<input type="checkbox"/> 15 LOC	O	1	Shipping location/ Place of loading
<input type="checkbox"/> SG13	O	2	Information contact / Expedition contact
<input type="checkbox"/> 16 CTA	M	1	Information contact
<input type="checkbox"/> 17 COM	O	3	Communication contact
<input type="checkbox"/> SG12	R	1	Ship to for the current transport leg
<input type="checkbox"/> 18 NAD	M	1	Ship to - name and address
<input type="checkbox"/> 19 LOC	R	1	Unloading point
<input type="checkbox"/> SG12	R	1	Message sender
<input type="checkbox"/> 20 NAD	M	1	Message sender - name and address
<input type="checkbox"/> SG12	R	1	Message recipient

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

STRUCTURE / TABLE OF CONTENTS

No Tag	St	MaxOcc	Content
21 NAD	M	1	Message recipient - name and address
SG12	R	1	Freight forwarder (Transport service provider - TSP)
22 NAD	M	1	Freight forwarder - name and address
SG13	O	1	Information contact
23 CTA	M	1	Information contact
24 COM	O	3	Communication contact
SG12	O	1	Additional logistics service provider (LSP)
25 NAD	M	1	Additional logistics service provider - name and address
SG13	O	1	Information contact
26 CTA	M	1	Information contact
27 COM	O	3	Communication contact
SG16	O	4	Additional party ID
28 RFF	M	1	Additional party ID
SG12	O	1	Carrier
29 NAD	M	1	Carrier - name and address
SG13	O	1	Information contact
30 CTA	M	1	Information contact
31 COM	O	3	Communication contact
SG16	O	4	Additional party ID
32 RFF	M	1	Additional party ID
SG12	R	1	Transport ordering party - Buyer
33 NAD	M	1	Transport ordering party - Buyer - name and address
SG12	R	1	Seller / Supplier of the transport services
34 NAD	M	1	Seller / Supplier of the transport services - name and address
SG19	R	99999	Finished vehicle
35 GID	M	1	Goods item details
36 HAN	O	1	Order of loading 1 to 9999
37 MOA	O	1	Value of the vehicle for customs declaration
SG23	O	1	Container information
38 RFF	M	1	Container information

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

STRUCTURE / TABLE OF CONTENTS

No	Tag	St	MaxOcc	Content
39	UNT	M	1	Message trailer
40	UNZ	M	1	Interchange trailer

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 4 / 66

Finished vehicles - Transport Order Confirmation and Planned Load Configuration


DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

BRANCHING DIAGRAM OF USED SEGMENTS AND SEGMENT GROUPS



Tag	
St	No
MaxOcc	

Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

No = Consecutive segment number, MaxOcc = Maximum occurrence of the segment/group

Finished vehicles - Transport Order Confirmation and Planned Load Configuration


DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

BRANCHING DIAGRAM OF USED SEGMENTS AND SEGMENT GROUPS



Tag	
St	No
MaxOcc	

Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

No = Consecutive segment number, MaxOcc = Maximum occurrence of the segment/group

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNA

Status: O Max. Occ.: 1

Seq. No.: 1

Service string advice

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
UNA1	Component data element separator	M an1	M an1	: Colon
UNA2	Data element separator	M an1	M an1	+ Plus
UNA3	Decimal notation	M an1	M an1	· Decimal
UNA4	Release indicator	M an1	M an1	? Question mark
UNA5	Reserved for future use	M an1	M an1	Blank
UNA6	Segment terminator	M an1	M an1	' Apostrophe

Remark:

Example: UNA:+.? '

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 8 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNB

Status:

M Max. Occ.: 1

Seq. No.:

2

Interchange header

UN/EDIFACT			Implementation	
	Name	St	Format	Use / Remarks
S001	Syntax identifier	M	M	
0001	Syntax identifier	M	a4	UNOB UN/ECE level B UNOC UN/ECE level C
0002	Syntax version number	M	n1	2 Version 2 3 Version 3
S002	Interchange sender	M	M	
0004	Sender identification	M	an..35	Unique ID of the sender in the data transmission network or system.
0007	Partner identification code qualifier	C	an..4	
0008	Address for reverse routing	C	an..14	Address of an application or internal system at sender's site to which answer messages should be routed.
S003	Interchange recipient	M	M	
0010	Recipient identification	M	an..35	Unique ID of the receiver in the data transmission network or system.
0007	Partner identification code qualifier	C	an..4	
0014	Routing address	C	an..14	Routing address respectively address of an application or internal system at recipient's site.
S004	Date/time of preparation	M	M	
0017	Date of preparation	M	n6	Format YYMMDD
0019	Time of preparation	M	n4	Format HHMM
0020	Interchange control reference	M	an..14	Unique ID of an interchange.
S005	Recipient's reference, password	C	N	not used
0022	Recipient's reference/password	M	an..14	not used
0025	Recipient's reference/password qualifier	C	an2	not used
0026	Application reference	C	an..14	not used
0029	Processing priority code	C	a1	not used
0031	Acknowledgement request	C	n1	not used
0032	Communications agreement ID	C	an..35	not used
0035	Test indicator	C	n1	1 Interchange is a test Only to be used, if the interchange is for test purposes. Omit this data element for valid interchanges.

Remark:

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 9 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNB

Status:

M

Max. Occ.: 1

Seq. No.: 2

Interchange header

Example: UNB+UNOC:3+OD012345:59:123+987654321:59:432112345+071205:1446+144659+++++1'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 10 / 66

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNH

Status:

M Max. Occ.: 1

Seq. No.:

3

Message header

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
0062	Message reference number	M an..14	M an..14	Message reference number
S009	Message identifier	M	M	
0065	Message type	M an..6	M an..6	IFTMCS Instruction contract status message
0052	Message version number	M an..3	M an..3	D Draft version/UN/EDIFACT Directory
0054	Message release number	M an..3	M an..3	18B Release 2018 - B
0051	Controlling agency	M an..2	M an..2	UN UN/CEFACT
0057	Association assigned code	C an..6	O an..6	Identification of the subset release, assigned by the responsible organisation (Odette). GBOP10 Odette Finished Vehicles Transport Order Confirmation and Planned Load Configuration V1.0
0068	Common access reference	C an..35	N	not used
S010	Status of the transfer	C	N	not used
0070	Sequence of transfers	M n..2	N	not used
0073	First and last transfer	C a1	N	not used

Remark:

Example: UNH+9+IFTMCS:D:18B:UN:GBOP10'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association of European Vehicle Logistics



Verband der Automobilindustrie

Print date: 10.06.2020

Page | 11 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

BGM

Status:

M Max. Occ.: 1

Seq. No.:

4

Beginning of message

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C002	Document/message name	C	R	
1001	Document name code	C an..3	R an..3	X19 Finished Vehicles - Transport order confirmation - IFTMCS X20 Finished Vehicles - Planned Load configuration from TSP to OEM all vehicles - IFTMCS
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	10 ODETTE Code specifying the agency responsible for a code list.
1000	Document name	C an..35	O an..35	Additional profile information
C106	Document/message identification	C	R	
1004	Document identifier	C an..70	R an..70	Unique identifier of a document. Synonym: document number
1056	Version identifier	C an..9	C an..9	May be used to distinguish several versions of the message (e.g. subsequent cancellation)
1060	Revision identifier	C an..6	N	not used
1225	Message function code	C an..3	R an..3	1 Cancellation Cancellation - complete cancellation of the transport order 9 Original O12 Confirm blocking the transport order O13 Confirm unblocking the transport order
4343	Response type code	C an..3	N	not used
1373	Document status code	C an..3	N	not used
3453	Language name code	C an..3	N	not used

Remark:

Example: BGM+X19::10:Profile+Document number:X+9'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 12 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

DTM

Status:

R Max. Occ.: 1

Seq. No.: 5

Document date

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	137 Document issue date time
2380	Date or time or period text	C an..35	R an..12	an..12 Date, on which a document or business signal was issued.
2379	Date or time or period format code	C an..3	R an..3	102 CCYYMMDD 203 CCYYMMDDHHMM 204 CCYYMMDDHHMMSS 205 CCYYMMDDHHMMZHHMM

Remark:

Example: DTM+137:20191130:102'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association of European Vehicle Logistics



Verband der Automobilindustrie

Print date: 10.06.2020

Page | 13 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

DTM

Status:

O Max. Occ.: 1

Seq. No.:

6

Requested pick-up date

UN/EDIFACT			Implementation	
	Name	St	Format	Use / Remarks
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	298 Goods pick-up date / time, planned
2380	Date or time or period text	C an..35	R an..24	an..24 Requested pick-up date
2379	Date or time or period format code	C an..3	R an..3	The use of time / time window depends on the concrete contract between the customer, supplier and transport service provider 102 CCYYMMDD 203 CCYYMMDDHHMM 205 CCYYMMDDHHMMZHHMM 718 CCYYMMDD-CCYYMMDD 719 CCYYMMDDHHMM-CCYYMMDDHHMM 721 CCYYMMDDHHMM-CCYYMMDDHHMM-Zhmm

Remark:

Example: DTM+298:20191201:102'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association of European Vehicle Logistics



Verband der Automobilindustrie

Print date: 10.06.2020

Page | 14 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

DTM

Status: D Max. Occ.: 1

Seq. No.: 7

Confirmed pick-up date at the ship from

Confirmed delivery date at the ship to

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	79 Shipment date/time, promised for 69 Delivery date time, promised before
2380	Date or time or period text	C an..35	R an..35	Confirmed delivery or pick-up date
2379	Date or time or period format code	C an..3	R an..3	The use of time / time window depends on the concrete contract between the customer, supplier and transport service provider 102 CCYYMMDD 203 CCYYMMDDHHMM 205 CCYYMMDDHHMMZHHMM 718 CCYYMMDD-CCYYMMDD 719 CCYYMMDDHHMM-CCYYMMDDHHMM 721 CCYYMMDDHHMM-CCYYMMDDHHMM-Zhmm

Remark: Required for transport order confirmation (BGM 1001 = X19).

Example: DTM+79:20191201:102'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association of European Vehicle Logistics



Verband der Automobilindustrie

Print date: 10.06.2020

Page | 15 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

DTM

Status:

O Max. Occ.: 1

Seq. No.:

8

Estimated delivery date at final destination

UN/EDIFACT			Implementation	
	Name	St	Format	Use / Remarks
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	17 Delivery date/time, estimated
2380	Date or time or period text	C an..35	R an..35	Estimated delivery date at final destination
2379	Date or time or period format code	C an..3	R an..3	The use of time / time window depends on the concrete contract between the customer, supplier and transport service provider 102 CCYYMMDD 203 CCYYMMDDHHMM 205 CCYYMMDDHHMMZHHMM 718 CCYYMMDD-CCYYMMDD 719 CCYYMMDDHHMM-CCYYMMDDHHMM 721 CCYYMMDDHHMM-CCYYMMDDHHMM-Zhmm

Remark:

Example: DTM+17:20191201:102'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association of European Vehicle Logistics



Verband der Automobilindustrie

Print date: 10.06.2020

Page | 16 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

FTX

Status: C Max. Occ.: 1

Seq. No.: 9

Free text - general information

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
4451	Text subject code qualifier	M an..3	M an..3	AAI General information
4453	Free text function code	C an..3	N	not used
C107	Text reference	C	N	not used
4441	Free text description code	M an..17	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
C108	Text literal	C	R	
4440	Free text	M an..512	M an..512	Free text - general information - line 1
4440	Free text	C an..512	O an..512	Free text - general information - line 2
4440	Free text	C an..512	O an..512	Free text - general information - line 3
4440	Free text	C an..512	O an..512	Free text - general information - line 4
4440	Free text	C an..512	O an..512	Free text - general information - line 5
3453	Language name code	C an..3	O an..3	
4447	Free text format code	C an..3	N	not used

Remark:

Example: FTX+AAI+++Free text - general information - line 1:::X+aa'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 17 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG3** Status: R Max. Occ.: 1
Number of the original transport order

Segment: **RFF** Status: M Max. Occ.: 1 Seq. No.: 10
Number of the Transport Service Order

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	TIN Transport instruction number
1154	Reference identifier	C an..70	R an..35	an..35 Number of the Transport Service Order
1156	Document line identifier	C an..6	N	not used
1056	Version identifier	C an..9	N	not used
1060	Revision identifier	C an..6	N	not used

Remark: If the message confirms a blocking or an unblocking message, this segment refers to the most recent message that blocked or unblocked the transport order.

Example: RFF+TIN:TransportServiceOrderNumb'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 18 / 66

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group:

SG3

Status: O Max. Occ.: 1

Load number - Bill of Lading - Transport number - Bordereau number

Segment:

RFF

Status: M Max. Occ.: 1 Seq. No.: 11

Transport number (LSP) - Bordereau number

UN/EDIFACT			Implementation		
	Name	St Format	St Format	Use / Remarks	
C506	Reference	M	M		
1153	Reference code qualifier	M an..3	M an..3	AFC	Bordereau number
1154	Reference identifier	C an..70	R an..35	an..35	Transport number (LSP) - Bordereau number
1156	Document line identifier	C an..6	N	not used	
1056	Version identifier	C an..9	N	not used	
1060	Revision identifier	C an..6	N	not used	

Remark:

Example: RFF+AFC:Transport number (LSP)'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 19 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG3** Status: O Max. Occ.: 1
Movement Reference Number (MRN)

Segment: **RFF** Status: M Max. Occ.: 1 Seq. No.: 12
Movement Reference Number (MRN)

UN/EDIFACT			Implementation		
	Name	St	Format	St	Format
C506	Reference	M	M		
1153	Reference code qualifier	M	an..3	M	an..3
1154	Reference identifier	C	an..70	R	an..35
1156	Document line identifier	C	an..6	N	
1056	Version identifier	C	an..9	N	
1060	Revision identifier	C	an..6	N	

Remark:

Example: RFF+ABT:ReferenceNumber'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 20 / 66

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG8** Status: R Max. Occ.: 1

Transport details of the current transport leg

Segment: **TDT** Status: M Max. Occ.: 1 Seq. No.: 13

Transport details of the ordered transport leg

UN/EDIFACT				Implementation		
	Name	St	Format	St	Format	Use / Remarks
8051	Transport stage code qualifier	M	an..3	M	an..3	X01 Current transport leg
8028	Means of transport journey identifier	C	an..17	N		not used
C220	Mode of transport	C		R		
8067	Transport mode name code	C	an..3	R	an..3	Code of mode of transport. Use UN/ECE Recommendation No 19. 1 Maritime transport 2 Rail transport 3 Road transport 4 Air transport
8066	Transport mode name	C	an..17	N		not used
C001	Transport means	C		O		
8179	Transport means description code	C	an..8	O	an..8	4000 Aircraft, type unknown 31 Truck 210 Train, railroad 803 Container vessel 1512 RoRo vessel T31 single vehicle trailer T32 single level multi-car trailer T33 multi level multi car trailer T34 own wheel/ own axels T35 Truck on train T36 Truck on vessel
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
8178	Transport means description	C	an..17	D	an..17	Transport mode info e.g. open/closed closed Closed transport, enclosed transport container Transport in containers required open Open transport
C040	Carrier	C		N		not used
3127	Carrier identifier	C	an..17	N		not used
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 21 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG8** Status: R Max. Occ.: 1
Transport details of the current transport leg

Segment: **TDT** Status: M Max. Occ.: 1 Seq. No.: 13
Transport details of the ordered transport leg

UN/EDIFACT			Implementation	
	Name	St	Format	Use / Remarks
3126	Carrier name	C	an..35	N not used
8101	Transit direction indicator code	C	an..3	N not used
C401	Excess transportation information	C		O
8457	Excess transportation reason code	M	an..3	M an..3 ZZZ Mutually defined ZZZ is only a placeholder, indicating that DE is assigned status "M". In the message, only the special route number (or similar reference) is transmitted in DE 7130. The responsibilities are to be defined outside of the EDI data exchange.
8459	Excess transportation responsibility code	M	an..3	M an..3 X Responsibility to be determined
7130	Customer shipment authorisation identifier	C	an..17	R an..17 Authorisation number
C222	Transport identification	C		O
8213	Transport means identification name identifier	C	an..35	R an..35 Identifier of a means of transport License plate, name of vessel, IMO number, travel number, waggon number, ...
1131	Code list identification code	C	an..17	N not used
3055	Code list responsible agency code	C	an..3	N not used
8212	Transport means identification name	C	an..70	O an..70 Means of transport model name / description Can be used to calculate the carbon footprint of the transport.
8453	Transport means nationality code	C	an..3	O an..3
8281	Transport means ownership indicator code	C	an..3	N not used
C003	Power type	C		O
7041	Power type code	C	an..3	R an..3 Power type code 1 Diesel 2 Diesel and electric 3 Electric 4 Liquid Propane Gas 5 Petrol

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 22 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

May 2020

Generated by GEFEG.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: R Max. Occ.: 1
Ship from for the current transport leg

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 14
Name and address

UN/EDIFACT				Implementation		
	Name	St	Format	St	Format	Use / Remarks
3035	Party function code qualifier	M	an..3	M	an..3	SF Ship from
C082	Party identification details	C		O		
3039	Party identifier	M	an..35	R	an..20	an . . 20 Plant code - ship from
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	R	an..3	10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list.
C058	Name and address	C		N		not used
3124	Name and address description	M	an..35	N		not used
3124	Name and address description	C	an..35	N		not used
3124	Name and address description	C	an..35	N		not used
3124	Name and address description	C	an..35	N		not used
3124	Name and address description	C	an..35	N		not used
C080	Party name	C		O		
3036	Party name	M	an..70	M	an..35	an . . 35 Single text line for specification of a name
3036	Party name	C	an..70	O	an..35	see 3036 # 1 an . . 35
3036	Party name	C	an..70	N		not used
3036	Party name	C	an..70	N		not used
3036	Party name	C	an..70	N		not used
3045	Party name format code	C	an..3	N		not used
C059	Street	C		O		
3042	Street and number or post office box identifier	M	an..256	M	an..35	The name that identifies the location of a house or building: usually within a street as part of an address. an . . 35
3042	Street and number or post office box identifier	C	an..256	O	an..35	see 3042 # 1 an . . 35
3042	Street and number or post office box identifier	C	an..256	N		not used
	Street and number or post office					not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 24 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: R Max. Occ.: 1
Ship from for the current transport leg

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 14
Name and address

UN/EDIFACT			Implementation		
	Name	St Format	St Format	Use / Remarks	
3042	box identifier	C an..256	N		
3164	City name	C an..35	O an..35	The name of the city, town, or village of this address.	
C819	Country subdivision details	C	O		
3229	Country subdivision identifier	C an..9	R an..9	State or region within a country. The use of UN LoCodes is recommended.	
1131	Code list identification code	C an..17	N	not used	
3055	Code list responsible agency code	C an..3	N	not used	
3228	Country subdivision name	C an..70	N	not used	
3251	Postal identification code	C an..17	O an..17	The identifier for one or more properties according to the postal service of that country; a group of letters and/or numbers added to the postal address to assist in the sorting of mail.	
3207	Country identifier	C an..3	O a2	a2 Provides the country part of an address using a code. Use ISO3166 two alpha code.	

Remark: The party, which consigns or sends goods.

Example: NAD+SF+7654321::92++X:X:X:+++DE'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 25 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: R Max. Occ.: 1
Ship from for the current transport leg

Segment: **LOC** Status: O Max. Occ.: 1 Seq. No.: 15
Shipping location/ Place of loading

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3227	Location function code qualifier	M an..3	M an..3	9 Place of loading
C517	Location identification	C	R	
3225	Location identifier	C an..35	R an..17	an..17 Identifier / code specifying the name of a location.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	Code specifying the agency responsible for a code list. Has to be provided if 3225 is used. 6 UN/ECE (United Nations - Economic Commission for Europe) 88 Assigned by owner of operation 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent
3224	Location name	C an..256	O an..256	Name of place/location, other than city name.
C519	Related location one identification	C	O	
3223	First related location identifier	C an..35	R an..35	Geo coordinates - latitude/longitude Geo coordinates in decimal degrees: latitude, longitude For latitude: + for the northern hemisphere, - for the southern hemisphere. For longitude: + to the east of the zero meridian, - to the west of the zero meridian.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3222	First related location name	C an..70	N	not used
C553	Related location two identification	C	N	not used
3233	Second related location identifier	C an..35	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3232	Second related location name	C an..70	N	not used
5479	Relation code	C an..3	N	not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 26 / 66

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group:

SG12

Status: R Max. Occ.: 1

Ship from for the current transport leg

Segment:

LOC

Status: O Max. Occ.: 1 Seq. No.: 15

Shipping location/ Place of loading

Remark: Place where goods are taken over for carriage.

Example: LOC+9+Place of loading::92:Location name+?+52.515738,?+13.393085'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 27 / 66

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: R Max. Occ.: 1
Ship from for the current transport leg

Group: **SG13** Status: O Max. Occ.: 2
Information contact / Expedition contact

Segment: **CTA** Status: M Max. Occ.: 1 Seq. No.: 16
Information contact

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3139	Contact function code	C an..3	R an..3	IC Information contact EX Expeditor
C056	Contact details	C	O	
3413	Contact identifier	C an..17	O an..17	Identifies the department or employee by a unique identifier other than their name when given as a contact.
3412	Contact name	C an..256	O an..35	an..35 Name of the contact person or department

Remark: Information that identifies the contact person or department together with information about how they can be contacted.

Example: CTA+IC+:X'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 28 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: R Max. Occ.: 1
Ship from for the current transport leg

Group: **SG13** Status: O Max. Occ.: 2
Information contact / Expedition contact

Segment: **COM** Status: O Max. Occ.: 3 Seq. No.: 17
Communication contact

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	R an..100	an..100 The number or virtual 'address' of a telephone in a telecommunication system The number or virtual 'address' of a facsimile in a telecommunication system The number or virtual 'address' of an e-mail mailbox in the internet or other network.
3155	Communication means type code	M an..3	M an..3	EM Electronic mail FX Telefax TE Telephone

Remark:

Example: COM+X:TE'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association of European Vehicle Logistics



Verband der Automobilindustrie

Print date: 10.06.2020

Page | 29 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: R Max. Occ.: 1
Ship to for the current transport leg

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 18
Ship to - name and address

UN/EDIFACT			Implementation	
	Name	St	Format	Use / Remarks
3035	Party function code qualifier	M	an..3	ST Ship to
C082	Party identification details	C	R	
3039	Party identifier	M	an..35	R an..20 an . . 20 Party or Plant ID.
1131	Code list identification code	C	an..17	N not used
3055	Code list responsible agency code	C	an..3	R an..3 6 UN/ECE (United Nations - Economic Commission for Europe) 10 ODETTE 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list.
C058	Name and address	C	N	not used
3124	Name and address description	M	an..35	N not used
3124	Name and address description	C	an..35	N not used
3124	Name and address description	C	an..35	N not used
3124	Name and address description	C	an..35	N not used
3124	Name and address description	C	an..35	N not used
C080	Party name	C	O	
3036	Party name	M	an..70	M an..35 Single text line for specification of a name an . . 35
3036	Party name	C	an..70	O an..35 Single text line for specification of a name an . . 35
3036	Party name	C	an..70	N not used
3036	Party name	C	an..70	N not used
3036	Party name	C	an..70	N not used
3045	Party name format code	C	an..3	N not used
C059	Street	C	O	
3042	Street and number or post office box identifier	M	an..256	M an..35 The name that identifies the location of a house or building: usually within a street as part of an address. an . . 35
3042	Street and number or post office box identifier	C	an..256	O an..35 an . . 35
3042	Street and number or post office	C	an..256	N not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 30 / 66

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: R Max. Occ.: 1
Ship to for the current transport leg

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 18
Ship to - name and address

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
	box identifier			
3042	Street and number or post office box identifier	C an..256	N	not used
3164	City name	C an..35	O an..35	The name of the city, town, or village of this address.
C819	Country subdivision details	C	O	
3229	Country subdivision identifier	C an..9	C an..9	State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3228	Country subdivision name	C an..70	N	not used
3251	Postal identification code	C an..17	O an..17	The identifier for one or more properties according to the postal service of that country; a group of letters and/or numbers added to the postal address to assist in the sorting of mail.
3207	Country identifier	C an..3	O a2	a2 Provides the country part of an address using a code. Use ISO3166 two alpha code.

Remark: The party to which goods are to be shipped (consigned).

Example: NAD+ST+X::10++X:X+X:X++++DE'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 31 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: R Max. Occ.: 1
Ship to for the current transport leg

Segment: **LOC** Status: R Max. Occ.: 1 Seq. No.: 19
Unloading point

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3227	Location function code qualifier	M an..3	M an..3	11 Place of discharge
C517	Location identification	C	R	
3225	Location identifier	C an..35	O an..35	Identifier of location, site, etc.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	Code specifying the agency responsible for a code list. Has to be provided if 3225 is used. 6 UN/ECE (United Nations - Economic Commission for Europe) 88 Assigned by owner of operation 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent
3224	Location name	C an..256	O an..256	Name of place/location; if necessary, use complete address.
C519	Related location one identification	C	O	
3223	First related location identifier	C an..35	R an..35	Geo coordinates - latitude/longitude Geo coordinates in decimal degrees: latitude, longitude For latitude: + for the northern hemisphere, - for the southern hemisphere. For longitude: + to the east of the zero meridian, - to the west of the zero meridian.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3222	First related location name	C an..70	N	not used
C553	Related location two identification	C	N	not used
3233	Second related location identifier	C an..35	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3232	Second related location name	C an..70	N	not used
5479	Relation code	C an..3	N	not used

Remark:

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 32 / 66

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group:

SG12

Status: R Max. Occ.: 1

Ship to for the current transport leg

Segment:

LOC

Status: R Max. Occ.: 1 Seq. No.: 19

Unloading point

Example: LOC+11+Unloading point ID::92:Unloading point name+?+52.515738,?+13.393085'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics

ODETTE

VDA

Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 33 / 66

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: R Max. Occ.: 1
Message sender

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 20
Message sender - name and address

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3035	Party function code qualifier	M an..3	M an..3	MS Document/message issuer/sender
C082	Party identification details	C	R	
3039	Party identifier	M an..35	M an..35	Unique identification of a party by an ID. an..35
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent
C058	Name and address	C	N	not used
3124	Name and address description	M an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
C080	Party name	C	N	not used
3036	Party name	M an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3045	Party name format code	C an..3	N	not used
C059	Street	C	N	not used
3042	Street and number or post office box identifier	M an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used
3164	City name	C an..35	N	not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 34 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILSGroup: **SG12** Status: R Max. Occ.: 1

Message sender

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 20

Message sender - name and address

UN/EDIFACT				Implementation		
	Name	St	Format	St	Format	Use / Remarks
C819	Country subdivision details	C		N		not used
3229	Country subdivision identifier	C	an..9	N		not used
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
3228	Country subdivision name	C	an..70	N		not used
3251	Postal identification code	C	an..17	N		not used
3207	Country identifier	C	an..3	N		not used

Remark:**Example:** NAD+MS+Identifier::10'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 35 / 66

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: R Max. Occ.: 1
Message recipient

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 21
Message recipient - name and address

UN/EDIFACT			Implementation	
	Name	St	Format	Use / Remarks
3035	Party function code qualifier	M	an..3	MR Message recipient
C082	Party identification details	C	O	
3039	Party identifier	M	an..35	Unique identification of a party by an ID. an..35
1131	Code list identification code	C	an..17	N not used
3055	Code list responsible agency code	C	an..3	R an..3 10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent
C058	Name and address	C	N	not used
3124	Name and address description	M	an..35	N not used
3124	Name and address description	C	an..35	N not used
3124	Name and address description	C	an..35	N not used
3124	Name and address description	C	an..35	N not used
3124	Name and address description	C	an..35	N not used
C080	Party name	C	N	not used
3036	Party name	M	an..70	N not used
3036	Party name	C	an..70	N not used
3036	Party name	C	an..70	N not used
3036	Party name	C	an..70	N not used
3036	Party name	C	an..70	N not used
3045	Party name format code	C	an..3	N not used
C059	Street	C	N	not used
3042	Street and number or post office box identifier	M	an..256	N not used
3042	Street and number or post office box identifier	C	an..256	N not used
3042	Street and number or post office box identifier	C	an..256	N not used
3042	Street and number or post office box identifier	C	an..256	N not used
3164	City name	C	an..35	N not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 36 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILSGroup: **SG12** Status: R Max. Occ.: 1

Message recipient

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 21

Message recipient - name and address

UN/EDIFACT				Implementation		
	Name	St	Format	St	Format	Use / Remarks
C819	Country subdivision details	C		N		not used
3229	Country subdivision identifier	C	an..9	N		not used
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
3228	Country subdivision name	C	an..70	N		not used
3251	Postal identification code	C	an..17	N		not used
3207	Country identifier	C	an..3	N		not used

Remark:**Example:** NAD+MR+Identifier::10'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used

**ECG** The Association of European Vehicle Logistics

Verband der Automobilindustrie

Print date: 10.06.2020

Page | 37 / 66

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: R Max. Occ.: 1
Freight forwarder (Transport service provider - TSP)

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 22
Freight forwarder - name and address

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3035	Party function code qualifier	M an..3	M an..3	FW Freight forwarder
C082	Party identification details	C	R	
3039	Party identifier	M an..35	R an..35	Unique identification of a party by an ID. Standard process: assigned by the OEM, if the supplier pays the freight, the partner ID assigned by the supplier is in this field.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list.
C058	Name and address	C	N	not used
3124	Name and address description	M an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
C080	Party name	C	O	
3036	Party name	M an..70	M an..35	Freight Forwarder's Name Single text line for specification of a name an . . 35
3036	Party name	C an..70	O an..35	see 3036 # 1 an . . 35
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3045	Party name format code	C an..3	N	not used
C059	Street	C	O	
3042	Street and number or post office box identifier	M an..256	M an..35	The name that identifies the location of a house or building: usually within a street as part of an address. an . . 35
3042	Street and number or post office	C an..256	O an..35	see 3042 # 1 an . . 35

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 38 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: R Max. Occ.: 1
Freight forwarder (Transport service provider - TSP)

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 22
Freight forwarder - name and address

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
	box identifier			
3042	Street and number or post office box identifier	C an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used
3164	City name	C an..35	O an..35	The name of the city, town, or village of this address.
C819	Country subdivision details	C	O	
3229	Country subdivision identifier	C an..9	R an..9	State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3228	Country subdivision name	C an..70	N	not used
3251	Postal identification code	C an..17	O an..17	The identifier for one or more properties according to the postal service of that country; a group of letters and/or numbers added to the postal address to assist in the sorting of mail.
3207	Country identifier	C an..3	O a2	a2 Provides the country part of an address using a code. Use ISO3166 two alpha code.

Remark: The freight forwarder is the party who provides transport services by rail, road, air, sea or inland waterway. The service package includes, for example, transport and trans shipment.

Example: NAD+FW+X::10++X:X+X:++++DE'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 39 / 66

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group:	SG12	Status: R	Max. Occ.: 1	
		Freight forwarder (Transport service provider - TSP)		
Group:	SG13	Status: O	Max. Occ.: 1	
		Information contact		
Segment:	CTA	Status: M	Max. Occ.: 1	Seq. No.: 23
		Information contact		

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3139	Contact function code	C an..3	R an..3	IC Information contact
C056	Contact details	C	O	
3413	Contact identifier	C an..17	O an..17	Identifies the department or employee by a unique identifier other than their name when given as a contact.
3412	Contact name	C an..256	O an..35	an..35 Name of the contact person or department

Remark: Information that identifies the contact person or department on general matters, together with information about how they can be contacted.

Example: CTA+IC+:X'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 40 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group:	SG12	Status: R	Max. Occ.: 1	
		Freight forwarder (Transport service provider - TSP)		
Group:	SG13	Status: O	Max. Occ.: 1	
		Information contact		
Segment:	COM	Status: O	Max. Occ.: 3	Seq. No.: 24
		Communication contact		

UN/EDIFACT			Implementation	
	Name	St	Format	Use / Remarks
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..100	an..100 The number or virtual 'address' of a telephone in a telecommunication system The number or virtual 'address' of a facsimile in a telecommunication system The number or virtual 'address' of an e-mail mailbox in the internet or other network.
3155	Communication means type code	M an..3	M an..3	EM Electronic mail FX Telefax TE Telephone

Remark:

Example: COM+X:EM'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association of European Vehicle Logistics



Verband der Automobilindustrie

Print date: 10.06.2020

Page | 41 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: O Max. Occ.: 1
Additional logistics service provider (LSP)

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 25
Additional logistics service provider - name and address

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3035	Party function code qualifier	M an..3	M an..3	DGC Logistic service provider
C082	Party identification details	C	R	
3039	Party identifier	M an..35	R an..35	Unique identification of a party by an ID. Standard process: assigned by the OEM, if the supplier pays the freight, the partner ID assigned by the supplier is in this field.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list.
C058	Name and address	C	N	not used
3124	Name and address description	M an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
C080	Party name	C	O	
3036	Party name	M an..70	M an..35	Freight Forwarder's Name Single text line for specification of a name an . . 35
3036	Party name	C an..70	O an..35	see 3036 # 1 an . . 35
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3045	Party name format code	C an..3	N	not used
C059	Street	C	O	
3042	Street and number or post office box identifier	M an..256	M an..35	The name that identifies the location of a house or building: usually within a street as part of an address. an . . 35
3042	Street and number or post office	C an..256	O an..35	see 3042 # 1 an . . 35

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 42 / 66

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: O Max. Occ.: 1
Additional logistics service provider (LSP)

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 25
Additional logistics service provider - name and address

UN/EDIFACT			Implementation			
	Name	St	Format	St	Format	Use / Remarks
	box identifier					
3042	Street and number or post office box identifier	C	an..256	N		not used
3042	Street and number or post office box identifier	C	an..256	N		not used
3164	City name	C	an..35	O	an..35	The name of the city, town, or village of this address.
C819	Country subdivision details	C		O		
3229	Country subdivision identifier	C	an..9	R	an..9	State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
3228	Country subdivision name	C	an..70	N		not used
3251	Postal identification code	C	an..17	O	an..17	The identifier for one or more properties according to the postal service of that country; a group of letters and/or numbers added to the postal address to assist in the sorting of mail.
3207	Country identifier	C	an..3	O	a2	a2 Provides the country part of an address using a code. Use ISO3166 two alpha code.

Remark: Responsible for loading, for example

Example: NAD+DGC+X::10++X:X+X:X+++DE'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 43 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: O Max. Occ.: 1
Additional logistics service provider (LSP)

Group: **SG13** Status: O Max. Occ.: 1
Information contact

Segment: **CTA** Status: M Max. Occ.: 1 Seq. No.: 26
Information contact

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3139	Contact function code	C an..3	R an..3	IC Information contact
C056	Contact details	C	O	
3413	Contact identifier	C an..17	O an..17	Identifies the department or employee by a unique identifier other than their name when given as a contact.
3412	Contact name	C an..256	O an..35	an..35 Name of the contact person or department

Remark: Information that identifies the contact person or department on general matters, together with information about how they can be contacted.

Example: CTA+IC+:X'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 44 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: O Max. Occ.: 1
Additional logistics service provider (LSP)

Group: **SG13** Status: O Max. Occ.: 1
Information contact

Segment: **COM** Status: O Max. Occ.: 3 Seq. No.: 27
Communication contact

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..100	an..100 The number or virtual 'address' of a telephone in a telecommunication system The number or virtual 'address' of a facsimile in a telecommunication system The number or virtual 'address' of an e-mail mailbox in the internet or other network.
3155	Communication means type code	M an..3	M an..3	EM Electronic mail FX Telefax TE Telephone

Remark:

Example: COM+X:EM'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association of European Vehicle Logistics



Verband der Automobilindustrie

Print date: 10.06.2020

Page | 45 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEQ.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: O Max. Occ.: 1
Additional logistics service provider (LSP)

Group: **SG16** Status: O Max. Occ.: 4
Additional party ID

Segment: **RFF** Status: M Max. Occ.: 1 Seq. No.: 28
Additional party ID

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	ANK Reference number assigned by third party ADE Account number VA VAT registration number O10 Party identifier assigned by ODETTE
1154	Reference identifier	C an..70	R an..35	an..35 DUNS number: 1153 = ANK
1156	Document line identifier	C an..6	N	not used
1056	Version identifier	C an..9	N	not used
1060	Revision identifier	C an..6	N	not used

Remark:

Example: RFF+ADE:123456789'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 46 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: O Max. Occ.: 1
Carrier

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 29
Carrier - name and address

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3035	Party function code qualifier	M an..3	M an..3	CA Carrier
C082	Party identification details	C	R	
3039	Party identifier	M an..35	R an..35	Unique identification of a party by an ID. Standard process: assigned by the OEM, if the supplier pays the freight, the partner ID assigned by the supplier is in this field.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list.
C058	Name and address	C	N	not used
3124	Name and address description	M an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
C080	Party name	C	O	
3036	Party name	M an..70	M an..35	Freight Forwarder's Name Single text line for specification of a name an . . 35
3036	Party name	C an..70	O an..35	see 3036 # 1 an . . 35
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3045	Party name format code	C an..3	N	not used
C059	Street	C	O	
3042	Street and number or post office box identifier	M an..256	M an..35	The name that identifies the location of a house or building: usually within a street as part of an address. an . . 35
3042	Street and number or post office	C an..256	O an..35	see 3042 # 1 an . . 35

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 47 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: O Max. Occ.: 1
Carrier

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 29
Carrier - name and address

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
	box identifier			
3042	Street and number or post office box identifier	C an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used
3164	City name	C an..35	O an..35	The name of the city, town, or village of this address.
C819	Country subdivision details	C	O	
3229	Country subdivision identifier	C an..9	R an..9	State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3228	Country subdivision name	C an..70	N	not used
3251	Postal identification code	C an..17	O an..17	The identifier for one or more properties according to the postal service of that country; a group of letters and/or numbers added to the postal address to assist in the sorting of mail.
3207	Country identifier	C an..3	O a2	a2 Provides the country part of an address using a code. Use ISO3166 two alpha code.

Remark: Must be sent if different from transport service provider or receiving party.

Example: NAD+CA+X::10++X:X:X++++DE'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 48 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: O Max. Occ.: 1
Carrier

Group: **SG13** Status: O Max. Occ.: 1
Information contact

Segment: **CTA** Status: M Max. Occ.: 1 Seq. No.: 30
Information contact

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3139	Contact function code	C an..3	R an..3	IC Information contact
C056	Contact details	C	O	
3413	Contact identifier	C an..17	O an..17	Identifies the department or employee by a unique identifier other than their name when given as a contact.
3412	Contact name	C an..256	O an..35	an..35 Name of the contact person or department

Remark: Information that identifies the contact person or department on general matters, together with information about how they can be contacted.

Example: CTA+IC+:X'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 49 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: O Max. Occ.: 1
Carrier

Group: **SG13** Status: O Max. Occ.: 1
Information contact

Segment: **COM** Status: O Max. Occ.: 3 Seq. No.: 31
Communication contact

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..100	an..100 The number or virtual 'address' of a telephone in a telecommunication system The number or virtual 'address' of a facsimile in a telecommunication system The number or virtual 'address' of an e-mail mailbox in the internet or other network.
3155	Communication means type code	M an..3	M an..3	EM Electronic mail FX Telefax TE Telephone

Remark:

Example: COM+X:EM'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association of European Vehicle Logistics



Verband der Automobilindustrie

Print date: 10.06.2020

Page | 50 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: O Max. Occ.: 1
Carrier

Group: **SG16** Status: O Max. Occ.: 4
Additional party ID

Segment: **RFF** Status: M Max. Occ.: 1 Seq. No.: 32
Additional party ID

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	ANK Reference number assigned by third party ADE Account number VA VAT registration number O10 Party identifier assigned by ODETTE
1154	Reference identifier	C an..70	R an..35	an..35 DUNS number: 1153 = ANK
1156	Document line identifier	C an..6	N	not used
1056	Version identifier	C an..9	N	not used
1060	Revision identifier	C an..6	N	not used

Remark:

Example: RFF+ADE:123456789'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 51 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: R Max. Occ.: 1

Transport ordering party - Buyer

Party to whom merchandise and/or service is sold.

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 33

Transport ordering party - Buyer - name and address

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3035	Party function code qualifier	M an..3	M an..3	BY Buyer
C082	Party identification details	C	R	
3039	Party identifier	M an..35	M an..35	Unique identification of a party by an ID.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list.
C058	Name and address	C	N	not used
3124	Name and address description	M an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
C080	Party name	C	O	
3036	Party name	M an..70	M an..35	Single text line for specification of a name an..35
3036	Party name	C an..70	O an..35	see 3036 # 1 an..35
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3045	Party name format code	C an..3	N	not used
C059	Street	C	O	
3042	Street and number or post office box identifier	M an..256	M an..35	The name that identifies the location of a house or building: usually within a street as part of an address. an..35
3042	Street and number or post office box identifier	C an..256	O an..35	an..35
3042	Street and number or post office box identifier	C an..256	N	not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 52 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: R Max. Occ.: 1
Transport ordering party - Buyer

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 33
Transport ordering party - Buyer - name and address

UN/EDIFACT				Implementation		
	Name	St	Format	St	Format	Use / Remarks
3042	Street and number or post office box identifier	C	an..256	N		not used
3164	City name	C	an..35	O	an..35	The name of the city, town, or village of this address.
C819	Country subdivision details	C		O		
3229	Country subdivision identifier	C	an..9	R	an..9	State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
3228	Country subdivision name	C	an..70	N		not used
3251	Postal identification code	C	an..17	O	an..17	The identifier for one or more properties according to the postal service of that country; a group of letters and/or numbers added to the postal address to assist in the sorting of mail.
3207	Country identifier	C	an..3	O	an..3	Provides the country part of an address using a code. Use ISO3166 two alpha code.

Remark:

Example: NAD+BY+X::10++X:X+X:++++DE'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 53 / 66

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: R Max. Occ.: 1
Seller / Supplier of the transport services

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 34
Seller / Supplier of the transport services - name and address

UN/EDIFACT			Implementation	
	Name	St	Format	Use / Remarks
3035	Party function code qualifier	M	an..3	SE Seller SU Supplier
C082	Party identification details	C	R	
3039	Party identifier	M	an..35	Unique identification of a party by an ID.
1131	Code list identification code	C	an..17	not used
3055	Code list responsible agency code	C	an..3	10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list.
C058	Name and address	C	N	not used
3124	Name and address description	M	an..35	not used
3124	Name and address description	C	an..35	not used
3124	Name and address description	C	an..35	not used
3124	Name and address description	C	an..35	not used
3124	Name and address description	C	an..35	not used
C080	Party name	C	O	
3036	Party name	M	an..70	an..35 Single text line for specification of a name
3036	Party name	C	an..70	see 3036 # 1 an..35
3036	Party name	C	an..70	not used
3036	Party name	C	an..70	not used
3036	Party name	C	an..70	not used
3045	Party name format code	C	an..3	not used
C059	Street	C	O	
3042	Street and number or post office box identifier	M	an..256	The name that identifies the location of a house or building: usually within a street as part of an address. an..35
3042	Street and number or post office box identifier	C	an..256	see 3042 # 1 an..35
3042	Street and number or post office box identifier	C	an..256	not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association of European Vehicle Logistics



Verband der Automobilindustrie

Print date: 10.06.2020

Page | 54 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG12** Status: R Max. Occ.: 1
Seller / Supplier of the transport services

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 34
Seller / Supplier of the transport services - name and address

UN/EDIFACT				Implementation			
	Name	St	Format	St	Format	Use / Remarks	
3042	Street and number or post office box identifier	C	an..256	N		not used	
3164	City name	C	an..35	O	an..35	The name of the city, town, or village of this address.	
C819	Country subdivision details	C		O			
3229	Country subdivision identifier	C	an..9	R	an..9	State or region within a country. The use of UN LoCodes is recommended.	
1131	Code list identification code	C	an..17	N		not used	
3055	Code list responsible agency code	C	an..3	N		not used	
3228	Country subdivision name	C	an..70	N		not used	
3251	Postal identification code	C	an..17	O	an..17	The identifier for one or more properties according to the postal service of that country; a group of letters and/or numbers added to the postal address to assist in the sorting of mail.	
3207	Country identifier	C	an..3	O	a2	a2 Provides the country part of an address using a code. Use ISO3166 two alpha code.	

Remark: Party selling vehicles to a buyer.

Example: NAD+SE+X::10++X:X+X:X+++DE'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 55 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG19** Status: R Max. Occ.: 99999
Finished vehicle

Segment: **GID** Status: M Max. Occ.: 1 Seq. No.: 35
Goods item details

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
1496	Goods item number	C an..6	N	not used
C213	Number and type of packages	C	R	
7224	Package quantity	C n..8	R n..8	Fix "1"
7065	Package type description code	C an..17	R an..17	VV Vehicle identity number V01 Production number of a vehicle V02 Commission number of a vehicle V17 Project number to identify a vehicle V18 Vehicle tracking number
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
7064	Type of packages	C an..35	R an..17	an..17 Vehicle identification Usually the vehicle identity number (VIN) or a project number if the VIN is not known.
7233	Packaging related description code	C an..3	N	not used
C213	Number and type of packages	C	N	not used
7224	Package quantity	C n..8	N	not used
7065	Package type description code	C an..17	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
7064	Type of packages	C an..35	N	not used
7233	Packaging related description code	C an..3	N	not used
C213	Number and type of packages	C	N	not used
7224	Package quantity	C n..8	N	not used
7065	Package type description code	C an..17	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
7064	Type of packages	C an..35	N	not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 56 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG19** Status: R Max. Occ.: 99999
Finished vehicle

Segment: **GID** Status: M Max. Occ.: 1 Seq. No.: 35
Goods item details

UN/EDIFACT				Implementation		
	Name	St	Format	St	Format	Use / Remarks
7233	Packaging related description code	C	an..3	N		not used
C213	Number and type of packages	C		N		not used
7224	Package quantity	C	n..8	N		not used
7065	Package type description code	C	an..17	N		not used
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
7064	Type of packages	C	an..35	N		not used
7233	Packaging related description code	C	an..3	N		not used
C213	Number and type of packages	C		N		not used
7224	Package quantity	C	n..8	N		not used
7065	Package type description code	C	an..17	N		not used
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
7064	Type of packages	C	an..35	N		not used
7233	Packaging related description code	C	an..3	N		not used

Remark:

Example: GID++1:VV:::12345678901234567'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 57 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG19** Status: R Max. Occ.: 99999
Finished vehicle

Segment: **HAN** Status: O Max. Occ.: 1 Seq. No.: 36
Order of loading 1 to 9999

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C524	Handling instructions	C	R	
4079	Handling instruction description code	C an..3	R an..3	X1 Order of loading
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
4078	Handling instruction description	C an..512	R n..4	n..4 Order of loading 1 to 9999
C218	Hazardous material	C	N	not used
7419	Hazardous material category name code	C an..7	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
7418	Hazardous material category name	C an..35	N	not used

Remark:

Example: HAN+X1:::5'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 58 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG19** Status: R Max. Occ.: 99999
Finished vehicle

Segment: **MOA** Status: O Max. Occ.: 1 Seq. No.: 37
Value of the vehicle for customs declaration

UN/EDIFACT			Implementation		
	Name	St Format	St Format	Use / Remarks	
C516	Monetary amount	M	M		
5025	Monetary amount type code qualifier	M an..3	M an..3	40	Goods item for customs declared value amount
5004	Monetary amount	C n..35	R n..35		
6345	Currency identification code	C an..3	R an..3	Currency, coded - see ISO 4217 code list	
6343	Currency type code qualifier	C an..3	N	not used	
4405	Status description code	C an..3	N	not used	

Remark:

Example: MOA+40:9:AED'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 59 / 66

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG19** Status: R Max. Occ.: 99999
Finished vehicle

Group: **SG23** Status: O Max. Occ.: 1
Container information

Segment: **RFF** Status: M Max. Occ.: 1 Seq. No.: 38
Container information

UN/EDIFACT			Implementation	
	Name	St	Format	Use / Remarks
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	X17 Container ID
1154	Reference identifier	C an..70	R an..70	
1156	Document line identifier	C an..6	N	not used
1056	Version identifier	C an..9	N	not used
1060	Revision identifier	C an..6	N	not used

Remark:

Example: RFF+X17:Container 234'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 60 / 66

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNT

Status:

M Max. Occ.: 1

Seq. No.:

39

Message trailer

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
0074	Number of segments in the message	M n..6	M n..6	Number of segments in the message
0062	Message reference number	M an..14	M an..14	Message reference number

Remark:

Example: UNT+37+9'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 61 / 66

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNZ

Status:

M

Max. Occ.: 1

Seq. No.:

40

Interchange trailer

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
0036	Interchange control count	M n..6	M n..6	
0020	Interchange control reference	M an..14	M an..14	

Remark:

Example: UNZ+1+144659'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 62 / 66

EXAMPLE MESSAGE(S)

FV04-X19 - Transport order confirmation

	UNH+9+IFTMCS:D:18B:UN:GBOP10'	Message header
	BGM+X19::10:Transport order confirmation+2561219462548+9'	Beginning of message
	DTM+137:20200520:203'	Document date: 2020-05-20
	DTM+298:20200521:102'	Requested pick-up date: : 2020-05-21
	DTM+79:20200521:102'	Confirmed pick-up date: : 2020-05-20
	Segment group	
	RFF+TIN:256128064057'	Number of the Transport Order
	Segment group	
	TDT+X01++3+31:::open'	Transport details of the ordered transport leg
	Segment group	
	NAD+MR+7654321:::92'	Message recipient
	Segment group	
	NAD+MS+TSP128:::92'	Message sender
	Segment group	
	NAD+SF+7654321:::92++Colossal:Car Company+Behrenstr. 35+Berlin+DEBER+10117+DE'	Ship-from - name and address
	Segment group	
	CTA+IC+ProdLoc:Georg Gualtiero'	Information contact
	COM+g.gualtiero@ccc.de:EM'	Communication contact
	Segment group	
	NAD+BY+7654321:::92++Colossal:Car Company+Behrenstr. 35+Berlin+DEBER+10117+DE'	Transport ordering party - Buyer - name and address
	Segment group	
	NAD+FW+TSP128:::10++Fast and Prompt:Transport Logistic Service Provider+Fast Lane:1+Napoli+ITNAP+80100+IT'	Freight forwarder - name and address
	Segment group	
	NAD+SE+TSP128:::10++Fast and Prompt:Transport Logistic Service Provider+Fast Lane:1+Napoli+ITNAP+80100+IT'	Seller/supplier of the transport services - name and address
	Segment group	
	NAD+DGC+401649351:::10++Best:Logistics+Logistics:Street 42+Logistic City+DEBER+13579+DE'	Additional logistics service provider - name and address

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

EXAMPLE MESSAGE(S)

	Segment group	
	CTA+IC+0815:Beata Rapid'	Information contact
	COM+0049-30-123456-0815:TE'	Communication contact
	Segment group	
	NAD+ST+248163264::92++Compound Management:European SE+Port:Street 25 +Rotterdam+NLRTM+3198 LK+NL'	ShipTo - name and address
	LOC+11+Pier 7::88:Pier 7+?+51.9304 296?+4.1965153'	Unloading point
	Segment group	
	GID++1:VV:::12345678901234567'	VIN: 12345678901234567
	HAN+X1:::1'	Order of loading 1
	Segment group	
	RFF+X17:Container 234'	Container 234
	Segment group	
	GID++1:VV:::12345678901234534'	Goods item details
	HAN+X1:::2'	Order of loading 2
	Segment group	
	RFF+X17:Container 234'	Container 234
	UNT+37+9'	Message trailer

EXAMPLE MESSAGE(S)

FV04-X20 - Planned Load configuration from TSP to OEM

	UNH+9+IFTMCS:D:18B:UN:GBOP10'	Message header
	BGM+X20::10:Planned Load configuration+3450219462548+9'	Beginning of message
	DTM+137:20200520:203'	Document date: 2020-05-20
	DTM+298:20200521:102'	Requested pick-up date: : 2020-05-21
	DTM+79:20200521:102'	Confirmed pick-up date: : 2020-05-20
	Segment group	
	RFF+TIN:256128064057'	Number of the Transport Service Order
	Segment group	
	TDT+X01++3+31:::open'	Transport details of the ordered transport leg
	Segment group	
	NAD+MR+7654321:::92'	Message recipient - name and address
	Segment group	
	NAD+MS+TSP128:::92'	Message sender - name and address
	Segment group	
	NAD+SF+7654321:::92++Colossal:Car Company+Behrenstr. 35+Berlin+DEBER+10117+DE'	Name and address
	Segment group	
	CTA+IC+ProdLoc:Georg Gualtiero'	Information contact
	COM+g.gualtiero@ccc.de:EM'	Communication contact
	Segment group	
	NAD+BY+7654321:::92++Colossal:Car Company+Behrenstr. 35+Berlin+DEBER+10117+DE'	Transport ordering party - Buyer - name and address
	Segment group	
	NAD+FW+TSP128:::10++Fast and Prompt:Transport Logistic Service Provider+Fast Lane:1+Napoli+ITNAP+80100+IT'	Freight forwarder - name and address
	Segment group	
	NAD+SE+TSP128:::10++Fast and Prompt:Transport Logistic Service Provider+Fast Lane:1+Napoli+ITNAP+80100+IT'	Seller / Supplier of the transport services - name and address
	Segment group	
	NAD+DGC+401649351:::10++Best:Logistics+Logistics:Street 42+Logistic City+DEBER+13579+DE'	Additional logistics service provider - name and address
	Segment group	

Finished vehicles - Transport Order Confirmation and Planned Load Configuration

DOC REF No: FV04

VERSION No: V1R0

DATE:

May 2020

EXAMPLE MESSAGE(S)

	CTA+IC+0815:Beata Rapid'	Information contact
	COM+0049-30-123456-0815:TE'	Communication contact
	Segment group	
	NAD+ST+248163264::92++Compound Management:European SE+Port:Street 25 +Rotterdam+NLRTM+3198 LK+NL'	ShipTo - name and address
	LOC+11+Pier 7::88:Pier 7+?+51.9304 296?+4.1965153'	Unloading point
	Segment group	
	GID++1:VV:::12345678901234567'	VIN: 12345678901234567
	HAN+X1:::5'	Order of loading 5
	Segment group	
	RFF+X17:Container 234'	Container 234
	Segment group	
	GID++1:VV:::12345678901234534'	Goods item details
	HAN+X1:::6'	Order of loading 6
	Segment group	
	RFF+X17:Container 234'	Container 234
	UNT+37+9'	Message trailer