

Finished vehicles - Transport Status Report

DOC REF No: FV09
VERSION No: V1R0

DATE: May 2020

Finished vehicles - Transport Status Report

based on

IFTSTA

International multimodal status report message

UN D.18B S3

Version: V1R0
Issue date: May 2020
Author: ECG/Odette/VDA

Structure..... 2

Branching Diagram 5

Segment Details..... 9

Example message(s) 72

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

STRUCTURE / TABLE OF CONTENTS

	No	Tag	St	MaxOcc	Content
	01	UNA	O	1	Service string advice
	02	UNB	M	1	Interchange header
	03	UNH	M	1	Message header
	04	BGM	M	1	Beginning of message
	05	DTM	R	1	Message date/time
┌	SG1	R	1	1	Message sender
└	06	NAD	M	1	Message sender - ID
┌	SG1	R	1	1	Message recipient
└	07	NAD	M	1	Message recipient - ID
┌	SG1	R	1	1	Ship from for the current transport leg
└	08	NAD	M	1	Ship from - name and address
┌	SG1	R	1	1	Ship to for the current transport leg
└	09	NAD	M	1	ShipTo - name and address
┌	SG1	R	1	1	Freight forwarder (Transport service provider - TSP)
└	10	NAD	M	1	Freight forwarder - name and address
┌	SG1	O	1	1	Additional logistics service provider (LSP)
└	11	NAD	M	1	Additional logistics service provider - name and address
┌	SG2	O	1	1	Information contact
└	12	CTA	M	1	Information contact
┌	13	COM	O	3	Communication contact
└	SG1	O	1	1	Carrier
┌	14	NAD	M	1	Carrier - name and address
└	SG2	O	1	1	Information contact
┌	15	CTA	M	1	Information contact
└	16	COM	O	3	Communication contact
┌	SG3	O	1	1	Load number - Transport number - Bordereau number
└	17	RFF	M	1	Transport number (LSP) - Bordereau number
┌	SG3	O	1	1	Bill of lading
└	18	RFF	M	1	Reference
┌	SG4	D	1	1	Means of transport status information

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 2 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

STRUCTURE / TABLE OF CONTENTS

No Tag	St	MaxOcc	Content
19 EQD	M	1	This segment is only used as trigger segment.
SG7	R	99	Transport status information
20 STS	M	1	Transport status
21 LOC	R	1	Status location
22 DTM	R	1	Status date / time
SG10	R	1	Transport details of the current transport leg
23 TDT	M	1	Transport details of the current transport leg
24 DTM	O	4	Estimated arrival date/time at the end of the current transport leg
25 DTM	O	1	Departure date / time
26 DTM	O	1	Geo position date/time
27 RFF	O	1	Reason for ETA change
SG11	O	1	Place of departure
28 LOC	M	1	Place of departure
SG11	O	1	Place of arrival
29 LOC	M	1	Place of arrival
SG11	O	1	Customs office for import procedure
30 LOC	M	1	Customs office
SG4	D	99999	Vehicle transport status information
31 EQD	M	1	Vehicle identification
32 NAD	O	1	Ultimate customer / importer - name and address
33 DTM	O	4	Estimated arrival date/time at the end of the current transport leg
34 DTM	O	1	Status date / time (of the latest position ping of the vehicle - geopositioning message)
SG6	R	1	Final destination
35 LOC	M	1	Final destination
SG6	R	1	Unloading point
36 LOC	M	1	Unloading point
SG6	O	1	Shipping location/ Place of loading
37 LOC	M	1	Shipping location/ Place of loading
SG7	R	99	Vehicle transport status information

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

STRUCTURE / TABLE OF CONTENTS

No	Tag	St	MaxOcc	Content
38	STS	M	1	Vehicle status
39	LOC	R	1	Status location
40	DTM	R	1	Status date / time
41	UNT	M	1	Message trailer
42	UNZ	M	1	Interchange trailer

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 4 / 76

Finished vehicles - Transport Status Report


DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

BRANCHING DIAGRAM OF USED SEGMENTS AND SEGMENT GROUPS



Tag	
St	No
MaxOcc	

Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

No = Consecutive segment number, MaxOcc = Maximum occurrence of the segment/group

Finished vehicles - Transport Status Report


DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

BRANCHING DIAGRAM OF USED SEGMENTS AND SEGMENT GROUPS



Tag	
St	No
MaxOcc	

Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

No = Consecutive segment number, MaxOcc = Maximum occurrence of the segment/group

Finished vehicles - Transport Status Report


DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

BRANCHING DIAGRAM OF USED SEGMENTS AND SEGMENT GROUPS



Tag	
St	No
MaxOcc	

Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

No = Consecutive segment number, MaxOcc = Maximum occurrence of the segment/group

Finished vehicles - Transport Status Report


DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

BRANCHING DIAGRAM OF USED SEGMENTS AND SEGMENT GROUPS



Tag	
St	No
MaxOcc	

Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

No = Consecutive segment number, MaxOcc = Maximum occurrence of the segment/group

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNA

Status:

O Max. Occ.: 1

Seq. No.:

1

Service string advice

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
UNA1	Component data element separator	M an1	M an1	Colon
UNA2	Data element separator	M an1	M an1	Plus sign
UNA3	Decimal notation	M an1	M an1	Full stop
UNA4	Release indicator	M an1	M an1	Question mark
UNA5	Reserved for future use	M an1	M an1	Blank
UNA6	Segment terminator	M an1	M an1	Apostrophe

Remark:

Example: UNA:+.? '

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 9 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNB

Status:

M Max. Occ.: 1

Seq. No.: 2

Interchange header

UN/EDIFACT			Implementation	
	Name	St	Format	Use / Remarks
S001	Syntax identifier	M	M	
0001	Syntax identifier	M	a4	UNOA UN/ECE level A UNOB UN/ECE level B UNOC UN/ECE level C UNOD UN/ECE level D
0002	Syntax version number	M	n1	2 Version 2 3 Version 3
S002	Interchange sender	M	M	
0004	Sender identification	M	an..35	Unique ID of the sender in the data transmission network.
0007	Partner identification code qualifier	C	an..4	
0008	Address for reverse routing	C	an..14	Address of an application or internal system at sender's site to which reply messages should be routed.
S003	Interchange recipient	M	M	
0010	Recipient identification	M	an..35	Unique ID of the receiver in the data transmission network.
0007	Partner identification code qualifier	C	an..4	
0014	Routing address	C	an..14	Address of an application or an internal system at receiver's side.
S004	Date/time of preparation	M	M	
0017	Date of preparation	M	n6	Format YYMMDD
0019	Time of preparation	M	n4	Format HHMM
0020	Interchange control reference	M	an..14	Unique ID of an interchange.
S005	Recipient's reference, password	C	N	not used
0022	Recipient's reference/password	M	an..14	not used
0025	Recipient's reference/password qualifier	C	an2	not used
0026	Application reference	C	an..14	not used
0029	Processing priority code	C	a1	not used
0031	Acknowledgement request	C	n1	not used
0032	Communications agreement ID	C	an..35	not used
0035	Test indicator	C	n1	1 Interchange is a test Only to be used for data interchange test purposes.

Remark: The structure of the EDIFACT interchange and the specification of the service segments for electronic data exchange used in the automotive industry are described in detail in the VDA Recommendation 4900.

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 10 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNB

Status:

M

Max. Occ.: 1

Seq. No.: 2

Interchange header

Example: UNB+UNOC:3+OD012345:59:123+987654321:1:LEFAS+200601:1446+144659+++++1'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG

The Association
of European
Vehicle Logistics

ODETTE

VDA

Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 11 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNH

Status:

M Max. Occ.: 1

Seq. No.:

3

Message header

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
0062	Message reference number	M an..14	M an..14	Message reference number (in the interchange)
S009	Message identifier	M	M	
0065	Message type	M an..6	M an..6	IFTSTA International multimodal status report message
0052	Message version number	M an..3	M an..3	D Draft version/UN/EDIFACT Directory
0054	Message release number	M an..3	M an..3	18B Release 2018 - B
0051	Controlling agency	M an..2	M an..2	UN UN/CEFACT
0057	Association assigned code	C an..6	R an..6	Identification of the subset release, assigned by VDA. GBOQ10 Odette Finished Vehicles Transport Status Report V1.0
0068	Common access reference	C an..35	N	not used
S010	Status of the transfer	C	N	not used
0070	Sequence of transfers	M n..2	N	not used
0073	First and last transfer	C a1	N	not used

Remark:

Example: UNH+12345+IFTSTA:D:18B:UN:GBOQ10'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association of European Vehicle Logistics



Verband der Automobilindustrie

Print date: 10.06.2020

Page | 12 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

BGM

Status:

M Max. Occ.: 1

Seq. No.:

4

Beginning of message

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C002	Document/message name	C	R	
1001	Document name code	C an..3	R an..3	44 Transport status report
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	6 UN/ECE (United Nations - Economic Commission for Europe) Code specifying the agency responsible for a code list.
1000	Document name	C an..35	O an..35	Process indicator Can be used to specify a company-specific profile of this application description.
C106	Document/message identification	C	R	
1004	Document identifier	C an..70	R an..70	
1056	Version identifier	C an..9	N	not used
1060	Revision identifier	C an..6	N	not used
1225	Message function code	C an..3	R an..3	9 Original
4343	Response type code	C an..3	N	not used
1373	Document status code	C an..3	N	not used
3453	Language name code	C an..3	N	not used

Remark:

Example: BGM+44::6:X+X+9'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 13 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

DTM

Status:

R Max. Occ.: 1

Seq. No.:

5

Message date/time

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	137 Document issue date time
2380	Date or time or period text	C an..35	R an..17	an..17 Date/time of creation of message
2379	Date or time or period format code	C an..3	R an..3	When the format qualifier 205 is used, the time is displayed according to UTC (Universal Time Coordinated) with the time deviation (+ or -) in hours and minutes. 201901011000+0000: 1 January 2019 10:00 UTC 201901011000+0100: 1 January 2019 10:00 UTC + 1 hour. This corresponds to the Central European Time. 201901011000-0600: 1 January 2019 10:00 UTC - 6 hour. This corresponds to the Central Standard Time (CST). 102 CCYYMMDD 203 CCYYMMDDHHMM 205 CCYYMMDDHHMMZHHMM

Remark:

Example: DTM+137:20200601:102'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association of European Vehicle Logistics



Verband der Automobilindustrie

Print date: 10.06.2020

Page | 14 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG1** Status: R Max. Occ.: 1
Message sender

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 6
Message sender - ID

UN/EDIFACT			Implementation	
	Name	St	Format	Use / Remarks
3035	Party function code qualifier	M	an..3	MS Document/message issuer/sender
C082	Party identification details	C	R	
3039	Party identifier	M	an..35	Unique identification of a party by an ID. an..35
1131	Code list identification code	C	an..17	N not used
3055	Code list responsible agency code	C	an..3	10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list.
C058	Name and address	C	N	not used
3124	Name and address description	M	an..35	N not used
3124	Name and address description	C	an..35	N not used
3124	Name and address description	C	an..35	N not used
3124	Name and address description	C	an..35	N not used
3124	Name and address description	C	an..35	N not used
C080	Party name	C	N	not used
3036	Party name	M	an..70	N not used
3036	Party name	C	an..70	N not used
3036	Party name	C	an..70	N not used
3036	Party name	C	an..70	N not used
3036	Party name	C	an..70	N not used
3045	Party name format code	C	an..3	N not used
C059	Street	C	N	not used
3042	Street and number or post office box identifier	M	an..256	N not used
3042	Street and number or post office box identifier	C	an..256	N not used
3042	Street and number or post office box identifier	C	an..256	N not used
3042	Street and number or post office box identifier	C	an..256	N not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 15 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG1** Status: R Max. Occ.: 1
Message sender

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 6
Message sender - ID

UN/EDIFACT				Implementation		
	Name	St	Format	St	Format	Use / Remarks
3164	City name	C	an..35	N		not used
C819	Country subdivision details	C		N		not used
3229	Country subdivision identifier	C	an..9	N		not used
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
3228	Country subdivision name	C	an..70	N		not used
3251	Postal identification code	C	an..17	N		not used
3207	Country identifier	C	an..3	N		not used

Remark:

Example: NAD+MS+Identifier::10'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 16 / 76

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG1** Status: R Max. Occ.: 1
Message recipient

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 7
Message recipient - ID

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3035	Party function code qualifier	M an..3	M an..3	MR Message recipient
C082	Party identification details	C	O	
3039	Party identifier	M an..35	M an..35	Unique identification of a party by an ID. an..35
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list.
C058	Name and address	C	N	not used
3124	Name and address description	M an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
C080	Party name	C	N	not used
3036	Party name	M an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3045	Party name format code	C an..3	N	not used
C059	Street	C	N	not used
3042	Street and number or post office box identifier	M an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 17 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG1** Status: R Max. Occ.: 1
Message recipient

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 7
Message recipient - ID

UN/EDIFACT				Implementation		
	Name	St	Format	St	Format	Use / Remarks
3164	City name	C	an..35	N		not used
C819	Country subdivision details	C		N		not used
3229	Country subdivision identifier	C	an..9	N		not used
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
3228	Country subdivision name	C	an..70	N		not used
3251	Postal identification code	C	an..17	N		not used
3207	Country identifier	C	an..3	N		not used

Remark:

Example: NAD+MR+Identifier::10'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 18 / 76

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG1** Status: R Max. Occ.: 1
Ship from for the current transport leg

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 8
Ship from - name and address

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3035	Party function code qualifier	M an..3	M an..3	SF Ship from
C082	Party identification details	C	O	
3039	Party identifier	M an..35	R an..20	an..20 Plant code - ship from
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list.
C058	Name and address	C	N	not used
3124	Name and address description	M an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
C080	Party name	C	O	
3036	Party name	M an..70	M an..35	an..35 Single text line for specification of a name
3036	Party name	C an..70	O an..35	see 3036 # 1 an..35
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3045	Party name format code	C an..3	N	not used
C059	Street	C	O	
3042	Street and number or post office box identifier	M an..256	M an..35	The name that identifies the location of a house or building: usually within a street as part of an address. an..35
3042	Street and number or post office box identifier	C an..256	O an..35	see 3042 # 1 an..35
3042	Street and number or post office box identifier	C an..256	N	not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 19 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG1** Status: R Max. Occ.: 1
Ship from for the current transport leg

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 8
Ship from - name and address

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3042	Street and number or post office box identifier	C an..256	N	not used
3164	City name	C an..35	O an..35	The name of the city, town, or village of this address.
C819	Country subdivision details	C	O	
3229	Country subdivision identifier	C an..9	R an..9	State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3228	Country subdivision name	C an..70	N	not used
3251	Postal identification code	C an..17	O an..17	The identifier for one or more properties according to the postal service of that country; a group of letters and/or numbers added to the postal address to assist in the sorting of mail.
3207	Country identifier	C an..3	O a2	a2 Provides the country part of an address using a code. Use ISO3166 two alpha code.

Remark: The party, which consigns or sends goods.

Example: NAD+SF+7654321::92++X:X:X:++++DE'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 20 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG1** Status: R Max. Occ.: 1
Ship to for the current transport leg

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 9
ShipTo - name and address

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3035	Party function code qualifier	M an..3	M an..3	ST Ship to
C082	Party identification details	C	R	
3039	Party identifier	M an..35	R an..20	an..20 Party or Plant ID.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list.
C058	Name and address	C	N	not used
3124	Name and address description	M an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
C080	Party name	C	O	
3036	Party name	M an..70	M an..35	Single text line for specification of a name an..35
3036	Party name	C an..70	O an..35	Single text line for specification of a name an..35
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3045	Party name format code	C an..3	N	not used
C059	Street	C	O	
3042	Street and number or post office box identifier	M an..256	M an..35	The name that identifies the location of a house or building: usually within a street as part of an address. an..35
3042	Street and number or post office box identifier	C an..256	O an..35	an..35
3042	Street and number or post office box identifier	C an..256	N	not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 21 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG1** Status: R Max. Occ.: 1
Ship to for the current transport leg

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 9
ShipTo - name and address

UN/EDIFACT				Implementation		
	Name	St	Format	St	Format	Use / Remarks
3042	Street and number or post office box identifier	C	an..256	N		not used
3164	City name	C	an..35	O	an..35	The name of the city, town, or village of this address.
C819	Country subdivision details	C		O		
3229	Country subdivision identifier	C	an..9	C	an..9	State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
3228	Country subdivision name	C	an..70	N		not used
3251	Postal identification code	C	an..17	O	an..17	The identifier for one or more properties according to the postal service of that country; a group of letters and/or numbers added to the postal address to assist in the sorting of mail.
3207	Country identifier	C	an..3	O	a2	a2 Provides the country part of an address using a code. Use ISO3166 two alpha code.

Remark: The party to which goods are to be shipped (consigned).

Example: NAD+ST+X::10++X:X+X:++++DE'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 22 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group:

SG1

Status: R

Max. Occ.: 1

Freight forwarder (Transport service provider - TSP)

Required for Transport Status messages (BGM.1001=44)

Segment:

NAD

Status: M

Max. Occ.: 1

Seq. No.: 10

Freight forwarder - name and address

UN/EDIFACT			Implementation	
	Name	St	Format	Use / Remarks
3035	Party function code qualifier	M	an..3	FW Freight forwarder
C082	Party identification details	C	R	
3039	Party identifier	M	an..35	Unique identification of a party by an ID.
1131	Code list identification code	C	an..17	not used
3055	Code list responsible agency code	C	an..3	10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list.
C058	Name and address	C	N	not used
3124	Name and address description	M	an..35	not used
3124	Name and address description	C	an..35	not used
3124	Name and address description	C	an..35	not used
3124	Name and address description	C	an..35	not used
3124	Name and address description	C	an..35	not used
C080	Party name	C	O	
3036	Party name	M	an..70	Freight Forwarder's Name Single text line for specification of a name an . . 35
3036	Party name	C	an..70	see 3036 # 1 an . . 35
3036	Party name	C	an..70	not used
3036	Party name	C	an..70	not used
3036	Party name	C	an..70	not used
3045	Party name format code	C	an..3	not used
C059	Street	C	O	
3042	Street and number or post office box identifier	M	an..256	The name that identifies the location of a house or building: usually within a street as part of an address. an . . 35
3042	Street and number or post office box identifier	C	an..256	see 3042 # 1 an . . 35
3042	Street and number or post office	C	an..256	not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 23 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG1** Status: R Max. Occ.: 1
Freight forwarder (Transport service provider - TSP)

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 10
Freight forwarder - name and address

UN/EDIFACT				Implementation		
	Name	St	Format	St	Format	Use / Remarks
	box identifier					
3042	Street and number or post office box identifier	C	an..256	N		not used
3164	City name	C	an..35	O	an..35	The name of the city, town, or village of this address.
C819	Country subdivision details	C		O		
3229	Country subdivision identifier	C	an..9	R	an..9	State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
3228	Country subdivision name	C	an..70	N		not used
3251	Postal identification code	C	an..17	O	an..17	The identifier for one or more properties according to the postal service of that country; a group of letters and/or numbers added to the postal address to assist in the sorting of mail.
3207	Country identifier	C	an..3	O	a2	a2 Provides the country part of an address using a code. Use ISO3166 two alpha code.

Remark: Transport logistic service provider - TSP
The freight forwarder is the party who provides transport services by rail, road, air, sea or inland waterway. The service package includes, for example, transport and trans shipment.

Example: NAD+FW+X::10++X:X+X:X++++DE'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 24 / 76

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG1** Status: O Max. Occ.: 1
Additional logistics service provider (LSP)

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 11
Additional logistics service provider - name and address

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3035	Party function code qualifier	M an..3	M an..3	DGC Logistic service provider
C082	Party identification details	C	R	
3039	Party identifier	M an..35	R an..35	Unique identification of a party by an ID. Standard process: assigned by the OEM, if the supplier pays the freight, the partner ID assigned by the supplier is in this field.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list.
C058	Name and address	C	N	not used
3124	Name and address description	M an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
C080	Party name	C	O	
3036	Party name	M an..70	M an..35	Freight Forwarder's Name Single text line for specification of a name an . . 35
3036	Party name	C an..70	O an..35	see 3036 # 1 an . . 35
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3045	Party name format code	C an..3	N	not used
C059	Street	C	O	
3042	Street and number or post office box identifier	M an..256	M an..35	The name that identifies the location of a house or building: usually within a street as part of an address. an . . 35
3042	Street and number or post office	C an..256	O an..35	see 3042 # 1 an . . 35

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 25 / 76

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG1** Status: O Max. Occ.: 1
Additional logistics service provider (LSP)

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 11
Additional logistics service provider - name and address

UN/EDIFACT			Implementation			
	Name	St	Format	St	Format	Use / Remarks
	box identifier					
3042	Street and number or post office box identifier	C	an..256	N		not used
3042	Street and number or post office box identifier	C	an..256	N		not used
3164	City name	C	an..35	O	an..35	The name of the city, town, or village of this address.
C819	Country subdivision details	C		O		
3229	Country subdivision identifier	C	an..9	R	an..9	State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
3228	Country subdivision name	C	an..70	N		not used
3251	Postal identification code	C	an..17	O	an..17	The identifier for one or more properties according to the postal service of that country; a group of letters and/or numbers added to the postal address to assist in the sorting of mail.
3207	Country identifier	C	an..3	O	a2	a2 Provides the country part of an address using a code. Use ISO3166 two alpha code.

Remark: Responsible for loading, for example

Example: NAD+DGC+X::10++X:X+X:X++++DE'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 26 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG1** Status: O Max. Occ.: 1
Additional logistics service provider (LSP)

Group: **SG2** Status: O Max. Occ.: 1
Information contact

Segment: **CTA** Status: M Max. Occ.: 1 Seq. No.: 12
Information contact

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3139	Contact function code	C an..3	R an..3	IC Information contact
C056	Contact details	C	O	
3413	Contact identifier	C an..17	O an..17	Identifies the department or employee by a unique identifier other than their name when given as a contact.
3412	Contact name	C an..256	O an..35	an..35 Name of the contact person or department

Remark: Information that identifies the contact person or department on general matters, together with information about how they can be contacted.

Example: CTA+IC+X'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 27 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG1** Status: O Max. Occ.: 1
Additional logistics service provider (LSP)

Group: **SG2** Status: O Max. Occ.: 1
Information contact

Segment: **COM** Status: O Max. Occ.: 3 Seq. No.: 13
Communication contact

UN/EDIFACT			Implementation	
	Name	St	Format	Use / Remarks
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..100	an..100 The number or virtual 'address' of a telephone in a telecommunication system The number or virtual 'address' of a facsimile in a telecommunication system The number or virtual 'address' of an e-mail mailbox in the internet or other network.
3155	Communication means type code	M an..3	M an..3	EM Electronic mail FX Telefax TE Telephone

Remark:

Example: COM+X:EM'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association of European Vehicle Logistics



Verband der Automobilindustrie

Print date: 10.06.2020

Page | 28 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG1** Status: O Max. Occ.: 1
Carrier

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 14
Carrier - name and address

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3035	Party function code qualifier	M an..3	M an..3	CA Carrier
C082	Party identification details	C	R	
3039	Party identifier	M an..35	R an..35	Unique identification of a party by an ID. Standard process: assigned by the OEM, if the supplier pays the freight, the partner ID assigned by the supplier is in this field.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list.
C058	Name and address	C	N	not used
3124	Name and address description	M an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
3124	Name and address description	C an..35	N	not used
C080	Party name	C	O	
3036	Party name	M an..70	M an..35	Freight Forwarder's Name Single text line for specification of a name an . . 35
3036	Party name	C an..70	O an..35	see 3036 # 1 an . . 35
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3036	Party name	C an..70	N	not used
3045	Party name format code	C an..3	N	not used
C059	Street	C	O	
3042	Street and number or post office box identifier	M an..256	M an..35	The name that identifies the location of a house or building: usually within a street as part of an address. an . . 35
3042	Street and number or post office	C an..256	O an..35	see 3042 # 1 an . . 35

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 29 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG1** Status: O Max. Occ.: 1
Carrier

Segment: **NAD** Status: M Max. Occ.: 1 Seq. No.: 14
Carrier - name and address

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
	box identifier			
3042	Street and number or post office box identifier	C an..256	N	not used
3042	Street and number or post office box identifier	C an..256	N	not used
3164	City name	C an..35	O an..35	The name of the city, town, or village of this address.
C819	Country subdivision details	C	O	
3229	Country subdivision identifier	C an..9	R an..9	State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3228	Country subdivision name	C an..70	N	not used
3251	Postal identification code	C an..17	O an..17	The identifier for one or more properties according to the postal service of that country; a group of letters and/or numbers added to the postal address to assist in the sorting of mail.
3207	Country identifier	C an..3	O a2	a2 Provides the country part of an address using a code. Use ISO3166 two alpha code.

Remark: If the freight forwarder does not fulfill the function of the carrier as well, then carrier details can be transmitted with this segment (group).

Example: NAD+CA+X::10++X:X+X:X+++DE'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 30 / 76

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG1** Status: O Max. Occ.: 1
Carrier

Group: **SG2** Status: O Max. Occ.: 1
Information contact

Segment: **CTA** Status: M Max. Occ.: 1 Seq. No.: 15
Information contact

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3139	Contact function code	C an..3	R an..3	IC Information contact
C056	Contact details	C	O	
3413	Contact identifier	C an..17	O an..17	Identifies the department or employee by a unique identifier other than their name when given as a contact.
3412	Contact name	C an..256	O an..35	an. . 35 Name of the contact person or department

Remark: Information that identifies the contact person or department on general matters, together with information about how they can be contacted.

Example: CTA+IC+:X'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 31 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG1** Status: O Max. Occ.: 1
Carrier

Group: **SG2** Status: O Max. Occ.: 1
Information contact

Segment: **COM** Status: O Max. Occ.: 3 Seq. No.: 16
Communication contact

UN/EDIFACT			Implementation	
	Name	St	Format	Use / Remarks
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..100	an..100 The number or virtual 'address' of a telephone in a telecommunication system The number or virtual 'address' of a facsimile in a telecommunication system The number or virtual 'address' of an e-mail mailbox in the internet or other network.
3155	Communication means type code	M an..3	M an..3	EM Electronic mail FX Telefax TE Telephone

Remark:

Example: COM+X:EM'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association of European Vehicle Logistics



Verband der Automobilindustrie

Print date: 10.06.2020

Page | 32 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group:

SG3

Status: O Max. Occ.: 1

Load number - Transport number - Bordereau number

Segment:

RFF

Status: M Max. Occ.: 1 Seq. No.: 17

Transport number (LSP) - Bordereau number

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	AFC Bordereau number
1154	Reference identifier	C an..70	R an..35	an..35 Transport number (LSP) - Bordereau number
1156	Document line identifier	C an..6	N	not used
1056	Version identifier	C an..9	N	not used
1060	Revision identifier	C an..6	N	not used

Remark:

Example: RFF+AFC:Transport number (LSP)'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 33 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG3** Status: O Max. Occ.: 1
Bill of lading

Segment: **RFF** Status: M Max. Occ.: 1 Seq. No.: 18
Reference

UN/EDIFACT				Implementation		
	Name	St	Format	St	Format	Use / Remarks
C506	Reference	M		M		
1153	Reference code qualifier	M	an..3	M	an..3	BM Bill of lading number
1154	Reference identifier	C	an..70	R	an..70	
1156	Document line identifier	C	an..6	N		not used
1056	Version identifier	C	an..9	N		not used
1060	Revision identifier	C	an..6	N		not used

Remark:

Example: RFF+BM:Bill of Lading1'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 34 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 1
Means of transport status information
 At least one SG4 must be sent.

Segment: **EQD** Status: M Max. Occ.: 1 Seq. No.: 19
This segment is only used as trigger segment.

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
8053	Equipment type code qualifier	M an..3	M an..3	X01 Trigger
C237	Equipment identification	C	N	not used
8260	Equipment identifier	C an..17	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3207	Country identifier	C an..3	N	not used
C224	Equipment size and type	C	N	not used
8155	Equipment size and type description code	C an..10	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
8154	Equipment size and type description	C an..35	N	not used
8077	Equipment supplier code	C an..3	N	not used
8249	Equipment status code	C an..3	N	not used
8169	Full or empty indicator code	C an..3	N	not used
4233	Marking instructions code	C an..3	N	not used

Remark:

Example: EQD+X01'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 35 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 1
Means of transport status information

Group: **SG7** Status: R Max. Occ.: 99
Transport status information

Segment: **STS** Status: M Max. Occ.: 1 Seq. No.: 20
Transport status

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C601	Status category	C	R	
9015	Status category code	M an..3	M an..3	1 Transport
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
C555	Status	C	R	
4405	Status description code	M an..3	M an..3	For interpretation / usage of the codes refer to process description. Transport status 111 Terminated 125 No status - status not available 126 Customs clearance, in progress Y05 GEO fence crossed Y06 International waters reached Y22 Ready for loading Y23 Ready for unloading
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	10 ODETTE Code specifying the agency responsible for a code list.
4404	Status description	C an..35	N	not used
C556	Status reason	C	O	
9013	Status reason description code	M an..3	M an..3	62 Unknown
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
9012	Status reason description	C an..256	R an..256	Remark on the status of a transport
C556	Status reason	C	N	not used
9013	Status reason description code	M an..3	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency	C an..3	N	not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 36 / 76

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 1
Means of transport status information

Group: **SG7** Status: R Max. Occ.: 99
Transport status information

Segment: **STS** Status: M Max. Occ.: 1 Seq. No.: 20
Transport status

UN/EDIFACT				Implementation		
	Name	St	Format	St	Format	Use / Remarks
	code					
9012	Status reason description	C	an..256	N		not used
C556	Status reason	C		N		not used
9013	Status reason description code	M	an..3	N		not used
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
9012	Status reason description	C	an..256	N		not used
C556	Status reason	C		N		not used
9013	Status reason description code	M	an..3	N		not used
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
9012	Status reason description	C	an..256	N		not used
C556	Status reason	C		N		not used
9013	Status reason description code	M	an..3	N		not used
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
9012	Status reason description	C	an..256	N		not used

Remark:

Example: STS+1+Y22::10+62::Remark on the status of a transport'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 37 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 1
Means of transport status information

Group: **SG7** Status: R Max. Occ.: 99
Transport status information

Segment: **LOC** Status: R Max. Occ.: 1 Seq. No.: 21
Status location

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3227	Location function code qualifier	M an..3	M an..3	172 Reporting location
C517	Location identification	C	D	Specifying C517 or C519 is mandatory.
3225	Location identifier	C an..35	R an..35	Status location ID
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	D an..3	Code specifying the agency responsible for a code list. Has to be provided if 3225 is used. 10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 88 Assigned by owner of operation 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent
3224	Location name	C an..256	O an..256	Status location text If an address is to be specified here, the individual components are to be transferred in a structured manner, separated by semicolons in the order described: Name; Street, house number; Place; Post Code; Regional code; Country (2 digit ISO code).
C519	Related location one identification	C	D	Specifying C517 or C519 is mandatory.
3223	First related location identifier	C an..35	R an..35	Status location - latitude / longitude Geo coordinates in decimal degrees: latitude, longitude For latitude: + for the northern hemisphere, - for the southern hemisphere. For longitude: + to the east of the zero meridian, - to the west of the zero meridian.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3222	First related location name	C an..70	N	not used
C553	Related location two identification	C	N	not used
3233	Second related location	C an..35	N	not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 38 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 1
Means of transport status information

Group: **SG7** Status: R Max. Occ.: 99
Transport status information

Segment: **LOC** Status: R Max. Occ.: 1 Seq. No.: 21
Status location

UN/EDIFACT				Implementation		
	Name	St	Format	St	Format	Use / Remarks
	identifier					
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
3232	Second related location name	C	an..70	N		not used
5479	Relation code	C	an..3	N		not used

Remark:

Example: LOC+172+Status location ID::10:Status location text+52.515738, 13.393085'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 39 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 1
Means of transport status information

Group: **SG7** Status: R Max. Occ.: 99
Transport status information

Segment: **DTM** Status: R Max. Occ.: 1 Seq. No.: 22
Status date / time

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	78 Event date/time/period, actual
2380	Date or time or period text	C an..35	R an..17	an..17 Status date/time
2379	Date or time or period format code	C an..3	O an..3	When the format qualifier 205 is used, the time is displayed according to UTC (Universal Time Coordinated) with the time deviation (+ or -) in hours and minutes. 201901011000+0000: 1 January 2019 10:00 UTC 201901011000+0100: 1 January 2019 10:00 UTC + 1 hour. This corresponds to the Central European Time. 201901011000-0600: 1 January 2019 10:00 UTC - 6 hour. This corresponds to the Central Standard Time (CST). 102 CCYYMMDD 203 CCYYMMDDHHMM 205 CCYYMMDDHHMMZHHMM

Remark:

Example: DTM+78:20200601:102'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 40 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 1
Means of transport status information

Group: **SG10** Status: R Max. Occ.: 1
Transport details of the current transport leg

Segment: **TDT** Status: M Max. Occ.: 1 Seq. No.: 23
Transport details of the current transport leg

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
8051	Transport stage code qualifier	M an..3	M an..3	X01 Current transport leg
8028	Means of transport journey identifier	C an..17	O an..17	
C220	Mode of transport	C	R	
8067	Transport mode name code	C an..3	R an..3	Code of mode of transport. Use UN/ECE Recommendation No 19. 1 Maritime transport 2 Rail transport 3 Road transport 4 Air transport 8 Inland water transport
8066	Transport mode name	C an..17	N	not used
C001	Transport means	C	O	
8179	Transport means description code	C an..8	O an..8	31 Truck 210 Train, railroad 803 Container vessel 1512 RoRo vessel 4000 Aircraft, type unknown T31 Single vehicle trailer T32 Single level multi-car trailer T33 Multi level multi car trailer T34 Own wheel/ own axels T35 Truck on train T36 Truck on vessel
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
8178	Transport means description	C an..17	D an..17	Transport mode info e.g. open/closed closed Closed transport, enclosed transport container Transport in containers required open Open transport
C040	Carrier	C	N	not used
				not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 41 / 76

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 1
Means of transport status information

Group: **SG10** Status: R Max. Occ.: 1
Transport details of the current transport leg

Segment: **TDT** Status: M Max. Occ.: 1 Seq. No.: 23
Transport details of the current transport leg

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3127	Carrier identifier	C an..17	N	
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3126	Carrier name	C an..35	N	not used
8101	Transit direction indicator code	C an..3	N	not used
C401	Excess transportation information	C	N	not used
8457	Excess transportation reason code	M an..3	N	not used
8459	Excess transportation responsibility code	M an..3	N	not used
7130	Customer shipment authorisation identifier	C an..17	N	not used
C222	Transport identification	C	O	
8213	Transport means identification name identifier	C an..35	R an..35	Identifier of a means of transport License plate, name of vessel, IMO number, travel number, waggon number, ...
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
8212	Transport means identification name	C an..70	O an..70	Means of transport model name / description Can be used to calculate the carbon footprint of the transport.
8453	Transport means nationality code	C an..3	O an..3	
8281	Transport means ownership indicator code	C an..3	N	not used
C003	Power type	C	O	
7041	Power type code	C an..3	R an..3	Power type code

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 42 / 76

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 1
Means of transport status information

Group: **SG10** Status: R Max. Occ.: 1
Transport details of the current transport leg

Segment: **TDT** Status: M Max. Occ.: 1 Seq. No.: 23
Transport details of the current transport leg

UN/EDIFACT			Implementation		
	Name	St	Format	St	Format
					1 Diesel 2 Diesel and electric 3 Electric 4 Liquid Propane Gas 5 Petrol 6 Petrol and electric X1 Hydrogen Can be used to calculate the carbon footprint of the transport.
1131	Code list identification code	C	an..17	N	not used
3055	Code list responsible agency code	C	an..3	R	an..3
					6 UN/ECE (United Nations - Economic Commission for Europe) 10 ODETTE Code specifying the agency responsible for a code list.
7040	Power type description	C	an..17	N	not used

Remark:

Example: TDT+X01++1+4000:::open+++licence plate:::Kässdorf 123/450 PS:AD++1:::6'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association of European Vehicle Logistics



Verband der Automobilindustrie

Print date: 10.06.2020

Page | 43 / 76

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 1
Means of transport status information

Group: **SG10** Status: R Max. Occ.: 1
Transport details of the current transport leg

Segment: **DTM** Status: O Max. Occ.: 4 Seq. No.: 24
Estimated arrival date/time at the end of the current transport leg

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	X1 ETA- Date and time (initial) - Static (based on a predetermined (e.g. average) time for a given segment) X2 ETA- Date and time (initial) - Dynamic (calculated based on factors like geoposition or updated by the party supplying the ETA) X3 ETA- Date and time (update) - Static (based on a predetermined (e.g. average) time for a given segment) X4 ETA- Date and time (update) - Dynamic (calculated based on factors like geoposition or updated by the party supplying the ETA)
2380	Date or time or period text	C an..35	R an..17	an..17 Estimated arrival date/time at the end of this transport leg
2379	Date or time or period format code	C an..3	R an..3	When the format qualifier 205 is used, the time is displayed according to UTC (Universal Time Coordinated) with the time deviation (+ or -) in hours and minutes. 201901011000+0000: 1 January 2019 10:00 UTC 201901011000+0100: 1 January 2019 10:00 UTC + 1 hour. This corresponds to the Central European Time. 201901011000-0600: 1 January 2019 10:00 UTC - 6 hour. This corresponds to the Central Standard Time (CST). 102 CCYYMMDD 203 CCYYMMDDHHMM 205 CCYYMMDDHHMMZHHMM

Remark:

Example: DTM+X1:20200601:102'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association of European Vehicle Logistics



Verband der Automobilindustrie

Print date: 10.06.2020

Page | 44 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 1
Means of transport status information

Group: **SG10** Status: R Max. Occ.: 1
Transport details of the current transport leg

Segment: **DTM** Status: O Max. Occ.: 1 Seq. No.: 25
Departure date / time

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	133 Transport means departure date/time, estimated
2380	Date or time or period text	C an..35	R an..35	Departure date / time
2379	Date or time or period format code	C an..3	R an..3	When the format qualifier 205 or 208 is used, the time is displayed according to UTC (Universal Time Coordinated) with the time deviation (+ or -) in hours and minutes. 201901011000+0000: 1 January 2019 10:00 UTC 201901011000+0100: 1 January 2019 10:00 UTC + 1 hour. This corresponds to the Central European Time. 201901011000-0600: 1 January 2019 10:00 UTC - 6 hour. This corresponds to the Central Standard Time (CST). 203 CCYYMMDDHHMM 204 CCYYMMDDHHMMSS 205 CCYYMMDDHHMMZHHMM 208 CCYYMMDDHHMMSSZHHMM

Remark:

Example: DTM+133:202006011429:203'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 45 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 1
Means of transport status information

Group: **SG10** Status: R Max. Occ.: 1
Transport details of the current transport leg

Segment: **DTM** Status: O Max. Occ.: 1 Seq. No.: 26
Geo position date/time

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	334 Status change date/time
2380	Date or time or period text	C an..35	R an..35	Date and time of the geo position
2379	Date or time or period format code	C an..3	R an..3	When the format qualifier 205 or 208 is used, the time is displayed according to UTC (Universal Time Coordinated) with the time deviation (+ or -) in hours and minutes. 201901011000+0000: 1 January 2019 10:00 UTC 201901011000+0100: 1 January 2019 10:00 UTC + 1 hour. This corresponds to the Central European Time. 201901011000-0600: 1 January 2019 10:00 UTC - 6 hour. This corresponds to the Central Standard Time (CST). 203 CCYYMMDDHHMM 204 CCYYMMDDHHMMSS 205 CCYYMMDDHHMMZHHMM 208 CCYYMMDDHHMMSSZHHMM

Remark: If the date / time of the geo-position deviates from the date/time given for a status (DTM+78 in SG7), the exact date/time for a geo-position can be specified here.

Example: DTM+334:202006011430:203'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 46 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 1
Means of transport status information

Group: **SG10** Status: R Max. Occ.: 1
Transport details of the current transport leg

Segment: **RFF** Status: O Max. Occ.: 1 Seq. No.: 27
Reason for ETA change

UN/EDIFACT			Implementation		
	Name	St	Format	St	Format
C506	Reference	M	M		
1153	Reference code qualifier	M	an..3	M	an..3
1154	Reference identifier	C	an..70	R	an..70
				01	Traffic congestion
				02	Incident with transport mean
				03	Weather conditions
				04	Driver availability
				05	Police/Customs inspection
				06	Access problems at destination
				07	Other
1156	Document line identifier	C	an..6	N	not used
1056	Version identifier	C	an..9	N	not used
1060	Revision identifier	C	an..6	N	not used

Remark:

Example: RFF+X1:01'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 47 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 1
Means of transport status information

Group: **SG10** Status: R Max. Occ.: 1
Transport details of the current transport leg

Group: **SG11** Status: O Max. Occ.: 1
Place of departure

Segment: **LOC** Status: M Max. Occ.: 1 Seq. No.: 28
Place of departure

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3227	Location function code qualifier	M an..3	M an..3	5 Place of departure
C517	Location identification	C	R	
3225	Location identifier	C an..35	O an..35	Place of arrival ID
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	D an..3	Code specifying the agency responsible for a code list. Has to be provided if 3225 is used. 10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 88 Assigned by owner of operation 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent
3224	Location name	C an..256	O an..256	If an address is to be specified here, the individual components are to be transferred in a structured manner, separated by semicolons in the order described: Name; Street, house number; Place; Post Code; Regional code; Country (2 digit ISO code). Place of departure - location (text)
C519	Related location one identification	C	O	Can be used to identify the place of discharge for this transport leg
3223	First related location identifier	C an..35	R an..35	Status location - latitude / longitude Geo coordinates in decimal degrees: latitude, longitude For latitude: + for the northern hemisphere, - for the southern hemisphere. For longitude: + to the east of the zero meridian, - to the west of the zero meridian.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3222	First related location name	C an..70	N	not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 48 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 1
Means of transport status information

Group: **SG10** Status: R Max. Occ.: 1
Transport details of the current transport leg

Group: **SG11** Status: O Max. Occ.: 1
Place of departure

Segment: **LOC** Status: M Max. Occ.: 1 Seq. No.: 28
Place of departure

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C553	Related location two identification	C	N	not used
3233	Second related location identifier	C an..35	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3232	Second related location name	C an..70	N	not used
5479	Relation code	C an..3	N	not used

Remark:

Example: LOC+5+Place of Departure ID::10:Place of Departure as Text+52.515738, 13.393085'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 49 / 76

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 1
Means of transport status information

Group: **SG10** Status: R Max. Occ.: 1
Transport details of the current transport leg

Group: **SG11** Status: O Max. Occ.: 1
Place of arrival

Segment: **LOC** Status: M Max. Occ.: 1 Seq. No.: 29
Place of arrival

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3227	Location function code qualifier	M an..3	M an..3	60 Place of arrival
C517	Location identification	C	R	
3225	Location identifier	C an..35	O an..35	Place of arrival ID
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	D an..3	Code specifying the agency responsible for a code list. Has to be provided if 3225 is used. 10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent 88 Assigned by owner of operation
3224	Location name	C an..256	O an..256	Place of arrival - location (text) If an address is to be specified here, the individual components are to be transferred in a structured manner, separated by semicolons in the order described: Name; Street, house number; Place; Post Code; Regional code; Country (2 digit ISO code).
C519	Related location one identification	C	O	Can be used to identify the place of discharge for this transport leg
3223	First related location identifier	C an..35	R an..35	Status location - latitude / longitude Geo coordinates in decimal degrees: latitude, longitude For latitude: + for the northern hemisphere, - for the southern hemisphere. For longitude: + to the east of the zero meridian, - to the west of the zero meridian.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3222	First related location name	C an..70	N	not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 50 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 1
Means of transport status information

Group: **SG10** Status: R Max. Occ.: 1
Transport details of the current transport leg

Group: **SG11** Status: O Max. Occ.: 1
Place of arrival

Segment: **LOC** Status: M Max. Occ.: 1 Seq. No.: 29
Place of arrival

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C553	Related location two identification	C	N	not used
3233	Second related location identifier	C an..35	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3232	Second related location name	C an..70	N	not used
5479	Relation code	C an..3	N	not used

Remark:

Example: LOC+60+Place of Arrival ID::10:Place of Arrival as Text+52.515738, 13.393085'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 51 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 1
Means of transport status information

Group: **SG10** Status: R Max. Occ.: 1
Transport details of the current transport leg

Group: **SG11** Status: O Max. Occ.: 1
Customs office for import procedure

Segment: **LOC** Status: M Max. Occ.: 1 Seq. No.: 30
Customs office

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3227	Location function code qualifier	M an..3	M an..3	41 Consignment entry customs office location
C517	Location identification	C	O	
3225	Location identifier	C an..35	O an..35	Identifier of the customs office
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3224	Location name	C an..256	O an..256	Name of the customs office in free text
C519	Related location one identification	C	N	not used
3223	First related location identifier	C an..35	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3222	First related location name	C an..70	N	not used
C553	Related location two identification	C	N	not used
3233	Second related location identifier	C an..35	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3232	Second related location name	C an..70	N	not used
5479	Relation code	C an..3	N	not used

Remark:

Example: LOC+41+CustomsOfficeID::CustomsOfficeName'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 52 / 76

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 99999

Vehicle transport status information

At least one SG4 must be sent.

Segment: **EQD** Status: M Max. Occ.: 1 Seq. No.: 31

Vehicle identification

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
8053	Equipment type code qualifier	M an..3	M an..3	VV Vehicle identity number V01 Production number of a vehicle V02 Commission number of a vehicle V17 Project number to identify a vehicle V18 Vehicle tracking number
C237	Equipment identification	C	R	
8260	Equipment identifier	C an..17	R an..17	Vehicle identification Usually the vehicle identification number (VIN) or another identification number if the VIN is not known.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3207	Country identifier	C an..3	N	not used
C224	Equipment size and type	C	N	not used
8155	Equipment size and type description code	C an..10	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
8154	Equipment size and type description	C an..35	N	not used
8077	Equipment supplier code	C an..3	N	not used
8249	Equipment status code	C an..3	N	not used
8169	Full or empty indicator code	C an..3	N	not used
4233	Marking instructions code	C an..3	N	not used

Remark:

Example: EQD+VV+12345678901234567'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 53 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 99999

Vehicle transport status information

Segment: **NAD** Status: O Max. Occ.: 1 Seq. No.: 32

Ultimate customer / importer - name and address

UN/EDIFACT			Implementation	
	Name	St	Format	Use / Remarks
3035	Party function code qualifier	M	an..3	UD Ultimate customer
C082	Party identification details	C	O	
3039	Party identifier	M	an..35	Unique identifier of business partner (customer number, supplier number, DUNS number, etc.).
1131	Code list identification code	C	an..17	N not used
3055	Code list responsible agency code	C	an..3	R an..3 Code specifying the agency responsible for a code list. 10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 88 Assigned by owner of operation 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent
C058	Name and address	C	N	not used
3124	Name and address description	M	an..35	N not used
3124	Name and address description	C	an..35	N not used
3124	Name and address description	C	an..35	N not used
3124	Name and address description	C	an..35	N not used
3124	Name and address description	C	an..35	N not used
C080	Party name	C	O	
3036	Party name	M	an..70	M an..35 Single text line for specification of a name an . . 35
3036	Party name	C	an..70	O an..35 Single text line for specification of a name an . . 35
3036	Party name	C	an..70	N not used
3036	Party name	C	an..70	N not used
3036	Party name	C	an..70	N not used
3045	Party name format code	C	an..3	N not used
C059	Street	C	O	
3042	Street and number or post office box identifier	M	an..256	M an..35 Part of address identifying the location of a building, normally given together with street an . . 35
3042	Street and number or post office box identifier	C	an..256	O an..35 see 3042 # 1 an . . 35
3042	Street and number or post office	C	an..256	N not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 54 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 99999

Vehicle transport status information

Segment: **NAD** Status: O Max. Occ.: 1 Seq. No.: 32

Ultimate customer / importer - name and address

UN/EDIFACT				Implementation		
	Name	St	Format	St	Format	Use / Remarks
	box identifier					
3042	Street and number or post office box identifier	C	an..256	N		not used
3164	City name	C	an..35	O	an..35	
C819	Country subdivision details	C		O		
3229	Country subdivision identifier	C	an..9	O	an..9	State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
3228	Country subdivision name	C	an..70	N		not used
3251	Postal identification code	C	an..17	O	an..17	Identifier of one or more address data properties according to the postal service of the respective country
3207	Country identifier	C	an..3	O	an..3	Provides the country part of an address using a code. Use ISO3166 two alpha code.

Remark:

Example: NAD+UD+Identifier::92++Name1:Name2+Street1:Street2+City++12345+DE'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 55 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 99999

Vehicle transport status information

Segment: **DTM** Status: O Max. Occ.: 4 Seq. No.: 33

Estimated arrival date/time at the end of the current transport leg

UN/EDIFACT			Implementation		
	Name	St	Format	St	Format
C507	Date/time/period	M	M		
2005	Date or time or period function code qualifier	M	an..3	M	an..3
				X1	ETA- Date and time (initial) - Static (based on a predetermined (e.g. average) time for a given segment)
				X2	ETA- Date and time (initial) - Dynamic (calculated based on factors like geoposition or updated by the party supplying the ETA)
				X3	ETA- Date and time (update) - Static (based on a predetermined (e.g. average) time for a given segment)
				X4	ETA- Date and time (update) - Dynamic (calculated based on factors like geoposition or updated by the party supplying the ETA)
2380	Date or time or period text	C	an..35	R	an..17
					Estimated arrival date/time at the end of this transport leg
2379	Date or time or period format code	C	an..3	R	an..3
					When the format qualifier 205 is used, the time is displayed according to UTC (Universal Time Coordinated) with the time deviation (+ or -) in hours and minutes. 201901011000+0000: 1 January 2019 10:00 UTC 201901011000+0100: 1 January 2019 10:00 UTC + 1 hour. This corresponds to the Central European Time. 201901011000-0600: 1 January 2019 10:00 UTC - 6 hour. This corresponds to the Central Standard Time (CST).
				102	CCYYMMDD
				203	CCYYMMDDHHMM
				205	CCYYMMDDHHMMZHHMM

Remark:

Example: DTM+X1:20200601:102'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association of European Vehicle Logistics



Verband der Automobilindustrie

Print date: 10.06.2020

Page | 56 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 99999

Vehicle transport status information

Segment: **DTM** Status: O Max. Occ.: 1 Seq. No.: 34
Status date / time (of the latest position ping of the vehicle - geopositioning message)

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	589 Last activity date
2380	Date or time or period text	C an..35	R an..35	
2379	Date or time or period format code	C an..3	R an..3	102 CCYYMMDD 203 CCYYMMDDHHMM 205 CCYYMMDDHHMMZHHMM When the format qualifier 205 is used, the time is displayed according to UTC (Universal Time Coordinated) with the time deviation (+ or -) in hours and minutes. 201901011000+0000: 1 January 2019 10:00 UTC 201901011000+0100: 1 January 2019 10:00 UTC + 1 hour. This corresponds to the Central European Time. 201901011000-0600: 1 January 2019 10:00 UTC - 6 hour. This corresponds to the Central Standard Time (CST).

Remark:

Example: DTM+589:20200601:102'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 57 / 76

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 99999
Vehicle transport status information

Group: **SG6** Status: R Max. Occ.: 1
Final destination

Segment: **LOC** Status: M Max. Occ.: 1 Seq. No.: 35
Final destination

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3227	Location function code qualifier	M an..3	M an..3	7 Place of delivery
C517	Location identification	C	R	
3225	Location identifier	C an..35	O an..35	Country / Port of Discharge / Post code
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	5 ISO (International Organization for Standardization) 6 UN/ECE (United Nations - Economic Commission for Europe) 10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list.
3224	Location name	C an..256	O an..256	Unloading point name
C519	Related location one identification	C	N	not used
3223	First related location identifier	C an..35	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3222	First related location name	C an..70	N	not used
C553	Related location two identification	C	N	not used
3233	Second related location identifier	C an..35	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3232	Second related location name	C an..70	N	not used
5479	Relation code	C an..3	N	not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 58 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group:	SG4	Status: D	Max. Occ.: 99999	Vehicle transport status information	
Group:	SG6	Status: R	Max. Occ.: 1	Final destination	
Segment:	LOC	Status: M	Max. Occ.: 1	Seq. No.: 35	Final destination

Remark:

Example: LOC+7+Country/Port of Discharge/Post code::10:Country / Port of Discharge / Zip'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 59 / 76

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 99999

Vehicle transport status information

Group: **SG6** Status: R Max. Occ.: 1

Unloading point

Segment: **LOC** Status: M Max. Occ.: 1 Seq. No.: 36

Unloading point

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3227	Location function code qualifier	M an..3	M an..3	11 Place of discharge
C517	Location identification	C	R	
3225	Location identifier	C an..35	O an..35	Identifier of location, site, etc.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	D an..3	10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent Code specifying the agency responsible for a code list. Has to be provided if 3225 is used.
3224	Location name	C an..256	O an..256	Name of place/location; if necessary, use complete address.
C519	Related location one identification	C	O	
3223	First related location identifier	C an..35	R an..35	Geo coordinates - latitude/longitude Geo coordinates in decimal degrees: latitude, longitude For latitude: + for the northern hemisphere, - for the southern hemisphere. For longitude: + to the east of the zero meridian, - to the west of the zero meridian.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3222	First related location name	C an..70	N	not used
C553	Related location two identification	C	N	not used
3233	Second related location identifier	C an..35	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3232	Second related location name	C an..70	N	not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 60 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 99999

Vehicle transport status information

Group: **SG6** Status: R Max. Occ.: 1

Unloading point

Segment: **LOC** Status: M Max. Occ.: 1 Seq. No.: 36

Unloading point

UN/EDIFACT			Implementation	
	Name	St	Format	Use / Remarks
5479	Relation code	C	an..3	N not used

Remark:

Example: LOC+11+X:::X+52.515738, 13.393085'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 61 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 99999
Vehicle transport status information

Group: **SG6** Status: O Max. Occ.: 1
Shipping location/ Place of loading

Segment: **LOC** Status: M Max. Occ.: 1 Seq. No.: 37
Shipping location/ Place of loading

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3227	Location function code qualifier	M an..3	M an..3	9 Place of loading
C517	Location identification	C	R	
3225	Location identifier	C an..35	R an..17	an..17 Identifier / code specifying the name of a location.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	Code specifying the agency responsible for a code list. Has to be provided if 3225 is used. 6 UN/ECE (United Nations - Economic Commission for Europe) 88 Assigned by owner of operation 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent
3224	Location name	C an..256	O an..256	Name of place/location, other than city name.
C519	Related location one identification	C	O	
3223	First related location identifier	C an..35	R an..35	Geo coordinates - latitude/longitude Geo coordinates in decimal degrees: latitude, longitude For latitude: + for the northern hemisphere, - for the southern hemisphere. For longitude: + to the east of the zero meridian, - to the west of the zero meridian.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3222	First related location name	C an..70	N	not used
C553	Related location two identification	C	N	not used
3233	Second related location identifier	C an..35	N	not used
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 62 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 99999
Vehicle transport status information

Group: **SG6** Status: O Max. Occ.: 1
Shipping location/ Place of loading

Segment: **LOC** Status: M Max. Occ.: 1 Seq. No.: 37
Shipping location/ Place of loading

UN/EDIFACT				Implementation		
	Name	St	Format	St	Format	Use / Remarks
3232	Second related location name	C	an..70	N		not used
5479	Relation code	C	an..3	N		not used

Remark: Place where goods are taken over for carriage.

Example: LOC+9+Place of loading::92:Location name+52.4495143,10.7764471,17'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 63 / 76

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 99999
Vehicle transport status information

Group: **SG7** Status: R Max. Occ.: 99
Vehicle transport status information

Segment: **STS** Status: M Max. Occ.: 1 Seq. No.: 38
Vehicle status

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C601	Status category	C	R	
9015	Status category code	M an..3	M an..3	X3 Vehicle status
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
C555	Status	C	R	
4405	Status description code	M an..3	M an..3	For interpretation / usage of the codes refer to process description. Transport status 48 Loaded 111 Terminated 125 No status - status not available 126 Customs clearance, in progress 346 Unloading, completed from a means of transport Y05 GEO fence crossed Y06 International waters reached Y22 Ready for loading Y23 Ready for unloading Y24 Vehicle quality check processed Y25 Vehicle not taken over Y26 Vehicle taken over Y27 Vehicle - Proof of delivery - PoD Y28 Vehicle taken over with damage
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	10 ODETTE Code specifying the agency responsible for a code list.
4404	Status description	C an..35	N	not used
C556	Status reason	C	O	
9013	Status reason description code	M an..3	M an..3	01 Traffic congestion 02 Incident with transport mean 03 Weather conditions 04 Driver availability 05 Police/Customs inspection

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 64 / 76

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 99999
Vehicle transport status information

Group: **SG7** Status: R Max. Occ.: 99
Vehicle transport status information

Segment: **STS** Status: M Max. Occ.: 1 Seq. No.: 38
Vehicle status

UN/EDIFACT				Implementation		
	Name	St	Format	St	Format	Use / Remarks
						06 Access problems at destination 07 Other Reason for ETA change
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
9012	Status reason description	C	an..256	R	an..256	Remark on the status of a transport
C556	Status reason	C		N		not used
9013	Status reason description code	M	an..3	N		not used
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
9012	Status reason description	C	an..256	N		not used
C556	Status reason	C		N		not used
9013	Status reason description code	M	an..3	N		not used
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
9012	Status reason description	C	an..256	N		not used
C556	Status reason	C		N		not used
9013	Status reason description code	M	an..3	N		not used
1131	Code list identification code	C	an..17	N		not used
3055	Code list responsible agency code	C	an..3	N		not used
9012	Status reason description	C	an..256	N		not used
C556	Status reason	C		N		not used
9013	Status reason description code	M	an..3	N		not used
1131	Code list identification code	C	an..17	N		not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



Print date: 10.06.2020

Page | 65 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 99999

Vehicle transport status information

Group: **SG7** Status: R Max. Occ.: 99

Vehicle transport status information

Segment: **STS** Status: M Max. Occ.: 1 Seq. No.: 38

Vehicle status

UN/EDIFACT				Implementation		
	Name	St	Format	St	Format	Use / Remarks
3055	Code list responsible agency code	C	an..3	N		not used
9012	Status reason description	C	an..256	N		not used

Remark:

Example: STS+X3+48::10+01:::Remark on the status of a transport'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 66 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 99999
Vehicle transport status information

Group: **SG7** Status: R Max. Occ.: 99
Vehicle transport status information

Segment: **LOC** Status: R Max. Occ.: 1 Seq. No.: 39
Status location

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
3227	Location function code qualifier	M an..3	M an..3	172 Reporting location
C517	Location identification	C	D	
3225	Location identifier	C an..35	R an..35	Status location ID
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	R an..3	Code specifying the agency responsible for a code list. Has to be provided if 3225 is used. 10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent
3224	Location name	C an..256	O an..256	Status location text If an address is to be specified here, the individual components are to be transferred in a structured manner, separated by semicolons in the order described: Name; Street, house number; Place; Post Code; Regional code; Country (2 digit ISO code).
C519	Related location one identification	C	D	
3223	First related location identifier	C an..35	R an..35	Status location - latitude / longitude Geo coordinates in decimal degrees: latitude, longitude For latitude: + for the northern hemisphere, - for the southern hemisphere. For longitude: + to the east of the zero meridian, - to the west of the zero meridian.
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3222	First related location name	C an..70	N	not used
C553	Related location two identification	C	N	not used
3233	Second related location identifier	C an..35	N	not used

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 67 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEF.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 99999

Vehicle transport status information

Group: **SG7** Status: R Max. Occ.: 99

Vehicle transport status information

Segment: **LOC** Status: R Max. Occ.: 1 Seq. No.: 39

Status location

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
1131	Code list identification code	C an..17	N	not used
3055	Code list responsible agency code	C an..3	N	not used
3232	Second related location name	C an..70	N	not used
5479	Relation code	C an..3	N	not used

Remark: Specifying C517 or C519 is mandatory.

Example: LOC+172+Status location ID::10:Status location text+52.338346, 10.733118'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 68 / 76

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Group: **SG4** Status: D Max. Occ.: 99999
Vehicle transport status information

Group: **SG7** Status: R Max. Occ.: 99
Vehicle transport status information

Segment: **DTM** Status: R Max. Occ.: 1 Seq. No.: 40
Status date / time

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	78 Event date/time/period, actual
2380	Date or time or period text	C an..35	R an..17	an..17 Status date/time
2379	Date or time or period format code	C an..3	O an..3	When the format qualifier 205 is used, the time is displayed according to UTC (Universal Time Coordinated) with the time deviation (+ or -) in hours and minutes. 201901011000+0000: 1 January 2019 10:00 UTC 201901011000+0100: 1 January 2019 10:00 UTC + 1 hour. This corresponds to the Central European Time. 201901011000-0600: 1 January 2019 10:00 UTC - 6 hour. This corresponds to the Central Standard Time (CST). 102 CCYYMMDD 203 CCYYMMDDHHMM 205 CCYYMMDDHHMMZHHMM

Remark:

Example: DTM+78:20200601:102'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 69 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNT

Status:

M Max. Occ.: 1

Seq. No.:

41

Message trailer

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
0074	Number of segments in the message	M n..6	M n..6	
0062	Message reference number	M an..14	M an..14	

Remark:

Example: UNT+39+12345'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 70 / 76

Copyright (C) Odette International Ltd. 2020

Generated by GEFEG.FX

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

SEGMENT DETAILS

Segment:

UNZ

Status:

M

Max. Occ.: 1

Seq. No.:

42

Interchange trailer

UN/EDIFACT			Implementation	
	Name	St Format	St Format	Use / Remarks
0036	Interchange control count	M n..6	M n..6	
0020	Interchange control reference	M an..14	M an..14	

Remark:

Example: UNZ+1+144659'

No = Consecutive segment number | MaxOcc = Maximum occurrence of the segment/group | St = Status

EDIFACT: M=Mandatory, C=Conditional | User specific: R=Required, O=Optional, D=Dependent, A=Advised, N=Not used



ECG The Association
of European
Vehicle Logistics



Verband der
Automobilindustrie

Print date: 10.06.2020

Page | 71 / 76

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

EXAMPLE MESSAGE(S)

FV09 Transport status report - finished vehicles IFTSTA

	UNH+12345+IFTSTA:D:18B:UN:GBOQ10 '	Message header
	BGM+44::6:OEM XYZ+1234567+9 '	Beginning of message
	DTM+137:20200521:102 '	Message date: 2020-05-21
	Segment group	
	NAD+MS+TSP128::10 '	Message sender
	Segment group	
	NAD+MR+7654321::92 '	Message recipient
	Segment group	
	NAD+FW+TSP128::10++Fast and Prompt :Transport Logistics Service+Fast Lane 1+Napoli++80100+IT'	Freight forwarder
	Segment group	
	NAD+SF+7654321::92++Colossal Car C ompany+Behrenstraße 35+Berlin++101 17+DE'	Ship from
	Segment group	
	NAD+ST+248163264::92++Compound Man agement:European SE+Port Street 25 +Rotterdam++3198 LK+NL'	ShipTo
	Segment group	
	NAD+DGC+401649351::10++Best Logist ics+Street 42+Berlin++13579+DE'	Additional logistics service provider
	Segment group	
	CTA+IC+0815:Beata Rapid'	Information contact
	COM+004930123456-0815:TE'	Telephone number
	Segment group	
	NAD+CA+TSP128::10++Fast and Prompt :Transport Logistics Service+Fast Lane 1+Napoli++80100+IT'	Carrier
	Segment group	
	RFF+AFC:4758 '	Load number
	Segment group	
	RFF+BM:2020-05-21-123 '	Loading list
	Segment group	
	EQD+X01 '	This segment is only used as trigger segment.
	Segment group	

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

EXAMPLE MESSAGE(S)

	STS+1+Y22::10'	Transport status 1 - Transport Y22 - Ready for loading
	LOC+172+Yard 3::92+52.515738, 13.393085'	Status location: Yard 3 Latitude: 52.515738 Longitude: 13.393085
	DTM+78:202005210800:203'	Status date / time: 2020-05-21 08:00
	Segment group	
	TDT+X01++3+32:::open+++BER 0356'	Transport details of the current transport leg 3 - Road transport 32 - Truck Transport mode info: open License plate: BER 0356
	DTM+133:202005210930:203'	Departure date / time: 2020-05-21 09:30
	DTM+X3:202005221600:203'	Estimated arrival date/time at the end of the current transport leg: 2020-05-22 16:00
	Segment group	
	LOC+5+Yard 3::92+52.515738, 13.393085'	Place of departure: Yard 3 Latitude: 52.515738 Longitude: 13.393085
	Segment group	
	LOC+60+Pier 7::10+51.9304296, 4.1965153'	Place of arrival: Yard 3 Latitude: 51.9304296 Longitude: 4.1965153
	UNT+24+12345'	

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

EXAMPLE MESSAGE(S)

FV09 Transport and vehicle status report - finished vehicles IFTSTA

	UNH+12345+IFTSTA:D:18B:UN:GBOQ10 '	Message header
	BGM+44::6:OEM XYZ+1234567+9 '	Beginning of message
	DTM+137:20200521:102 '	Message date: 2020-05-21
	Segment group	
	NAD+MS+TSP128::10 '	Message sender
	Segment group	
	NAD+MR+7654321::92 '	Message recipient
	Segment group	
	NAD+FW+TSP128::10++Fast and Prompt :Transport Logistics Service+Fast Lane 1+Napoli++80100+IT'	Freight forwarder
	Segment group	
	NAD+SF+7654321::92++Colossal Car C ompany+Behrenstraße 35+Berlin++101 17+DE'	Ship from
	Segment group	
	NAD+ST+248163264::92++Compound Man agement:European SE+Port Street 25 +Rotterdam++3198 LK+NL'	ShipTo
	Segment group	
	NAD+DGC+401649351::10++Best Logist ics+Street 42+Berlin++13579+DE'	Additional logistics service provider
	Segment group	
	CTA+IC+0815:Beata Rapid'	Information contact
	COM+004930123456-0815:TE'	Telephone number
	Segment group	
	NAD+CA+TSP128::10++Fast and Prompt :Transport Logistics Service+Fast Lane 1+Napoli++80100+IT'	Carrier
	Segment group	
	RFF+AFC:4758 '	Load number
	Segment group	
	RFF+BM:2020-05-21-123 '	Loading list
	Segment group	
	EQD+X01 '	This segment is only used as trigger segment.
	Segment group	
	STS+1+31::10 '	Transport status 1 - Transport 31 - En route

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

EXAMPLE MESSAGE(S)

LOC+172+Yard 3::92+52.515738, 13.012345'	Status location: Yard 3 Latitude: 52.515738 Longitude: 13.393085
DTM+78:202005210900:203'	Status date / time: 2020-05-21 09:00
Segment group	
TDT+X01++3+32::open+++BER 0356'	Transport details of the current transport leg 3 - Road transport 32 - Truck Transport mode info: open License plate: BER 0356
DTM+133:202005210930:203'	Departure date / time: 2020-05-21 09:30
DTM+X3:202005221600:203'	Estimated arrival date/time at the end of the current transport leg: 2020-05-22 16:00
Segment group	
LOC+5+Yard 3::92+52.515738, 13.393085'	Place of departure: Yard 3 Latitude: 52.515738 Longitude: 13.393085
Segment group	
LOC+60+Pier 7::10+51.9304296, 4.1965153'	Place of arrival: Yard 3 Latitude: 51.9304296 Longitude: 4.1965153
Segment group	
EQD+VV+12345678901234567'	Vehicle identification: 12345678901234567
NAD+UD+++CCC US Importer+++++US'	Ultimate customer / importer: CCC US Importer, US
DTM+X3:202009281433:203'	Estimated arrival date/time at the end of the current transport leg: 2020-09-28 14:33
Segment group	
LOC+7+USCHI::6'	Final destination: USCHI - Poert of Chicago
Segment group	
LOC+11+Pier 7'	Unloading point: Pier 7
Segment group	
STS+X3+Y26::10'	Vehicle status: Y26 - Vehicle taken over
LOC+172+Yard 3::92+52.515738, 13.393085'	Status location: Yard 3 Latitude: 52.515738 Longitude: 13.393085
DTM+78:202005210810:203'	Status date / time: 2020-05-21 08:10
Segment group	
STS+X3+48::10'	Vehicle status: 48 - Loaded

Finished vehicles - Transport Status Report

DOC REF No: FV09

VERSION No: V1R0

DATE:

May 2020

EXAMPLE MESSAGE(S)

	LOC+172+Yard 3::92+52.515738, 13.393085'	Status location: Yard 3 Latitude: 52.515738 Longitude: 13.393085
	DTM+78:202005210815:203'	Status date / time: 2020-05-21 08:15
	Segment group	
	EQD+VV+12345678901234534'	Vehicle identification: 12345678901234534
	NAD+UD+++CCC US Importer++++US'	Ultimate customer / importer: CCC US Importer, US
	DTM+X3:201009281433:203'	Estimated arrival date/time at the end of the current transport leg: 2020-09-28 14:33
	Segment group	
	LOC+7+USCHI::6'	Final destination: USCHI - Poert of Chicago
	Segment group	
	LOC+11+Pier 7'	Unloading point: Pier 7
	Segment group	
	STS+X3+Y26::10'	Vehicle status: Y26 - Vehicle taken over
	LOC+172+Yard 3::92+52.515738, 13.393085'	Status location: Yard 3 Latitude: 52.515738 Longitude: 13.393085
	DTM+78:202005210810:203'	Status date / time: 2020-05-21 08:10
	Segment group	
	STS+X3+48::10'	Vehicle status: 48 - Loaded
	LOC+172+Yard 3::92+52.515738, 13.393085'	Status location: Yard 3 Latitude: 52.515738 Longitude: 13.393085
	DTM+78:202005210820:203'	Status date / time: 2020-05-21 08:20
	UNT+46+12345'	Message trailer